

Embryonic liver fordin is involved in glucose glycolysis of hepatic stellate cell by re



全部 图片 视频 新闻 购物 地图 图书

找到约 23 条结果

时间不限
过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果
精确匹配

[Hedgehog controls hepatic stellate cell fate by regulating metabolism.](#)

www.ncbi.nlm.nih.gov/pubmed/22885334

8 Aug 2012 ... Hedgehog controls hepatic stellate cell fate by regulating ... a disabling outcome of defective liver repair, involves deregulated ... Increased expression of genes that regulate glycolysis required Hh signaling and involved ...

[Hedgehog Controls Hepatic Stellate Cell Fate by Regulating ... - NCBI](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3480563/

8 Aug 2012 ... Conclusions: Hedgehog signaling controls HSC fate by regulating metabolism. ... Like several of the key cell types involved in liver repair, HSC are Hh-responsive. ... 4-day cultures were treated with inhibitors of glycolysis (2-deoxy-glucose, ... and RTK-PI3K-AKT signals, and negative regulation of GLI1 by ...

[Hepatic Stellate Cells: Protean, Multifunctional, and Enigmatic Cells ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC2888531/

The paradigm in liver injury of activation of quiescent vitamin A-rich stellate ... The hepatic stellate cell, first described by Kupffer in the 19th century, has ... A range of staining techniques were subsequently used to characterize stellate cells, ... of cells has been characterized in midgestation of embryonic liver development ...

[Curcumin regulates cell fate and metabolism by inhibiting hedgehog ...](#)

www.ncbi.nlm.nih.gov/pubmed/25938627

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 27555

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Embryonic liver fordin is involved in glucose glycolysis of hepatic stellate cell by regulating PI3K/Akt signaling

Wei Tu, Jin Ye, Zhi-Jun Wang

Match Overview

1	Internet 81 words crawled on 07-May-2013 www.nature.com	3%
2	CrossCheck 51 words Hye Jung Baek. "Hepatocellular cancer arises from loss of transforming growth factor beta signaling adaptor protein ..."	2%
3	CrossCheck 43 words Zhijun Wang. "β-2 Spectrin is involved in hepatocyte proliferation through the interaction of TGFβ/Smad and PI3K/AKT signaling"	1%
4	Internet 36 words crawled on 14-Jan-2014 www.immunechem.com	1%
5	CrossCheck 15 words Karsdal, M. A., H. Krarup, J. M. B. Sand, P. B. Christensen, J. Gerstoft, D. J. Leeming, N. Weis, O. B. Schaffaflitzky de Mu	1%



Embryonic liver fordin is involved in glucose glycolysis of hepatic stellate cell t



Sign in

全部

图片

新闻

视频

购物

更多 ▾

搜索工具



找到约 19 条结果 (用时 0.68 秒)

Hedgehog Controls Hepatic Stellate Cell Fate by Regulating Metabolism

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: Y Chen - 2012 - 被引用次数: 56 - 相关文章

2012年8月8日 - Conclusions. Hedgehog **signaling** controls HSC fate by **regulating** metabolism. ... Like several of the key **cell** types **involved in liver** repair, HSC are Hh-responsive. ... 4-day cultures were treated with inhibitors of **glycolysis** (2-deoxy-glucose, and RTK-PI3K-AKT signals, and negative **regulation** of GLI1 by ...

缺少字词: embryonic fordin

Hedgehog controls hepatic stellate cell fate by regulating metabolism.

www.ncbi.nlm.nih.gov/pubmed/22885334 ▾ [翻译此页](#)

作者: Y Chen - 2012 - 被引用次数: 56 - 相关文章

2012年8月8日 - Hedgehog controls **hepatic stellate cell** fate by **regulating** ... a disabling outcome of defective **liver** repair, involves deregulated ... Increased expression of genes that **regulate glycolysis** required Hh **signaling** and **involved** ...

缺少字词: embryonic fordin glucose pi3k akt

The role of focal adhesion kinase-phosphatidylinositol 3-kinase-akt ...

www.ncbi.nlm.nih.gov/pubmed/12502711 ▾ [翻译此页](#)

作者: S Reif - 2003 - 被引用次数: 214 - 相关文章

2002年12月26日 - Following a fibrogenic stimulus, the **hepatic stellate cell** (HSC) ... The focal adhesion

全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 23 条结果 (用时 0.52 秒)

Hedgehog controls hepatic stellate cell fate by regulating metabolism.

www.ncbi.nlm.nih.gov/pubmed/22885334 ▾ 翻译此页

作者: Y Chen - 2012 - 被引用次数: 56 - 相关文章

2012年8月8日 - Hedgehog controls hepatic stellate cell fate by regulating ... a disabling outcome of defective liver repair, involves deregulated ... Increased expression of genes that regulate glycolysis required Hh signaling and involved ...

缺少字词: embryonic fordin glucose pi3k akt

Hedgehog Controls Hepatic Stellate Cell Fate by Regulating Metabolism

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ 翻译此页

作者: Y Chen - 2012 - 被引用次数: 56 - 相关文章

2012年8月8日 - Conclusions. Hedgehog signaling controls HSC fate by regulating metabolism. ... Like several of the key cell types involved in liver repair, HSC are Hh-responsive. ... 4-day cultures were treated with inhibitors of glycolysis (2-deoxy-glucose, and RTK-PI3K-AKT signals, and negative regulation of GLI1 by ...

缺少字词: embryonic fordin

Curcumin regulates cell fate and metabolism by inhibiting hedgehog ...

www.ncbi.nlm.nih.gov/pubmed/25938627 ▾ 翻译此页

作者: N Lian - 2015 - 被引用次数: 7 - 相关文章

2015年5月4日 - Hepatic stellate cells (HSCs) are Hh-responsive cells and activation of ... in Hh signaling, but restored Hhip expression in rat liver with carbon ... However, SAG abrogated the curcumin effects on these parameters of glycolysis.

缺少字词: embryonic fordin glucose pi3k akt

The role of focal adhesion kinase-phosphatidylinositol 3-kinase-akt ...

www.ncbi.nlm.nih.gov/pubmed/12502711 ▾ 翻译此页

作者: S Reif - 2003 - 被引用次数: 214 - 相关文章