

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,660 条结果 (用时 0.65 秒)

### Peroneus Brevis Attrition & Longitudinal Split Tear without Subluxation ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4719349/> ▼ [翻译此页](#)

作者：M Tiwari - 2015 - [相关文章](#)

Peroneus Brevis Attrition & Longitudinal Split Tear without Subluxation and Associated Hypertrophy of Peroneal Tubercle" – Treatment of an Uncommon Lesion ... During surgery we found the intact superior peroneal ligament with both peroneal tendons placed at normal site without subluxation, tendon sheath was inflamed ...

缺少字词：avulsion multimodality follow up reconstruction

### US in peroneal tendon tear - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4033722/> ▼ [翻译此页](#)

作者：L Molini - 2014 - [被引用次数：5](#) - [相关文章](#)

2014年2月11日 - Ultrasound (US) imaging is the method of choice in the study of peroneal tendon injuries due to the high resolution of the images and the possibility of .... a possible fissure in the peroneus brevis tendon; this tendon can be used for surgical reconstruction of the superior retinaculum of the peroneal tendons ...

缺少字词：multimodality early athlete

### Split lesions of the peroneus brevis tendon in chronic ankle laxity. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/9302480> - [翻译此页](#)

作者：M Bonnin - 1997 - [被引用次数：94](#) - [相关文章](#)

Name of Journal: World Journal of Radiology

Manuscript NO: 38139

Manuscript Type: CASE REPORT

**Traumatic peroneal split lesion with retinaculum avulsion: Diagnosis and post-operative multimodality imaging**

**Aldo Fischetti, Jeries P Zawaideh, Davide Orlandi, Stefano Belfiore, Enzo Silvestri**

### Abstract

Tears of peroneus brevis tendon represent a cause of underdiagnosed lateral ankle pain and instability. The typical clinical presentation is a retro-malleolar pain, in some cases associated with palpable swelling around the fibular malleolus, and pain with activity and difficulty walking. We present a case of peroneus brevis split lesion with superior peroneal retinaculum avulsion in a young athlete who referred to the emergency ward of

### Match Overview

- | Match Number | Source   | Words Matched | Similarity |
|--------------|--|---------------|------------|
| 1            | Crossref 50 words<br>Pim A. D. van Dijk, Bryan G. Vopat, Daniel Guss, Alastair Younger, Christopher W. DiGiovanni. "Retromalleolar Groove ...                | 50            | 2%         |
| 2            | Crossref 29 words<br>Wilson Wai Shun Hau, Tun Hing Lui, Wai Kit Ngai. "Endoscopic Superior Peroneal Retinaculum Reconstruction", Arthroscopy                 | 29            | 1%         |
| 3            | Crossref 16 words<br>Narvaez, J.A. "MRI of sports-related injuries of the foot and ankle: part 2", Current Problems in Diagnostic Radiology, 2015            | 16            | 1%         |
| 4            | Crossref 12 words<br>Wang, X.-T., Z. S. Rosenberg, M. B. Mechlin, and M. E. Schweitzer. "Normal Variants and Diseases of the Peroneal Tendon", Radiographics | 12            | <1%        |





Traumatic peroneal split lesion with retinaculum avulsion: Diagnosis and pc



全部

图片

新闻

视频

购物

更多

设置

工具

获得 5 条结果 (用时 0.65 秒)

您是不是要找: **Traumatic peroneal split lesion with retinaculum avulsion: Diagnosis and *postoperative multimodal* imaging**

**Endoscopic Superior Peroneal Retinaculum Reconstruction - NCBI - NIH**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5852255/> - 翻译此页

作者: WWS Hau - 2018 - 相关文章

2017年12月18日 - Post-traumatic peroneal tendon subluxation or dislocation is most ... of better cosmesis, less soft tissue dissection, less postoperative pain, ... assessment of retinaculum integrity, grading of injury, and detection of coexisting pathology. ... Bony avulsion of the posterolateral part of the fibula by the superior ...

缺少字词: multimodality

**Peroneus Brevis Attrition & Longitudinal Split Tear without Subluxation ...**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4719349/> - 翻译此页

作者: M Tiwari - 2015 - 相关文章

Peroneus brevis tendinitis with its attritional longitudinal split rupture without any ... history of old trauma to ankle with swelling, persistent pain and difficulty in walking. ... Correct diagnosis and proper surgical repair can produce excellent results. ... of the superior peroneal retinaculum, [2] subluxation of the peroneal tendon, ...

缺少字词: avulsion multimodality

**US in peroneal tendon tear - NCBI - NIH**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4033722/> - 翻译此页

作者: L Molini - 2014 - 被引用次数: 5 - 相关文章

2014年2月11日 - Ultrasound (US) imaging is the method of choice in the study of peroneal tendon ... in the rare cases in which diagnosis remains uncertain or in pre-operative assessment. ... The common

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 8 条结果 (用时 0.26 秒)

### Endoscopic Superior Peroneal Retinaculum Reconstruction - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5852255/> - 翻译此页作者: WWS Hau - 2018 - [相关文章](#)

2017年12月18日 - Post-traumatic peroneal tendon subluxation or dislocation is most ... of better cosmesis, less soft tissue dissection, less postoperative pain, ... assessment of retinaculum integrity, grading of injury, and detection of coexisting pathology. ... Bony avulsion of the posterolateral part of the fibula by the superior ...

缺少字词: multimodality

### Eckert and Davis Grade 3 Superior Peroneal Retinaculum Injury ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4845465/> - 翻译此页作者: TH Lui - 2015 - 被引用次数: 2 - [相关文章](#)

Acute traumatic peroneal tendon subluxation or dislocation is usually present as ... rim avulsion fracture and the diagnosis of Eckert and Davis grade 3 superior ... Magnetic resonance imaging showed that the suture anchors were ... Radiograph showed displaced split fracture of the lateral malleolus of the patient's left ankle.

缺少字词: postoperative multimodality

### US in peroneal tendon tear - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4033722/> - 翻译此页作者: L Molini - 2014 - 被引用次数: 5 - [相关文章](#)

2014年2月11日 - Ultrasound (US) imaging is the method of choice in the study of peroneal ... Clinical evaluation of these lesions generally suggests the diagnosis, but an imaging study is .... The common synovial sheath of the peroneal tendons splits in the .... Peroneal tendon tear rarely occurs due to a direct blunt trauma.

缺少字词: postoperative multimodality

### Peroneal Tendon Dislocation and Superior Peroneal Retinaculum ...

[radsource.us/peroneal-tendon-dislocation-and-superior-peroneal-retinaculu...](https://radsource.us/peroneal-tendon-dislocation-and-superior-peroneal-retinaculu...) - 翻译此页

The peroneus brevis myotendinous junction is visible on the upper image (red ... Diagnosis. 1. Dislocation of the peroneus longus tendon with Type I injury of the ... tendon subluxation may present with inability to recall a specific traumatic episode. ... In a type III SPR injury, there is also an associated avulsion fracture, which ...

缺少字词: postoperative multimodality