



Prognostic factors and Long-term outcomes of Hilar Cholangiocarcinoma: A S ▾



学术搜索

找到约 279 条结果 (用时0.06秒)

我的著作引用情况



文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

Resection for hilar cholangiocarcinoma: analysis of prognostic factors and the impact of systemic inflammation on long-term outcome

T Dumitrascu, D Chirita, M Ionescu... - Journal of Gastrointestinal ..., 2013 - Springer
... CrossRef, Klempnauer J, Ridder GJ, von WR, Werner M, Weimann A, Pichlmayr R: Resectional surgery of hilar cholangiocarcinoma: a multivariate analysis of prognostic factors. ... CrossRef, Cheng Q, Luo X, Zhang B, Jiang X, Yi B, Wu M: Predictive factors for prognosis of hilar ...
被引用次数: 25 相关文章 所有 7 个版本 引用 保存

[HTML] **Prognostic analysis of surgical treatment of peripheral cholangiocarcinoma: two decades of experience at Chang Gung Memorial Hospital.**

YY Jan, CN Yeh, TS Yeh, TC Chen - World journal of ..., 2005 - europepmc.org
... TNM staging system[25], this study revealed that TNM staging system remains the most reliable prognostic factor for predicting ... Uenishi T, Hirohashi K, Kubo S, Yamamoto T, Hamba H, Tanaka H, Kinoshita H. Histologic factors affecting prognosis following hepatectomy ...
被引用次数: 53 相关文章 所有 9 个版本 引用 保存

Diagnosis and treatment of cholangiocarcinoma

CD Anderson, CW Pinson, J Berlin, RS Chari - The Oncologist, 2004 - AlphaMed Press
... Others have demonstrated increased c-met (a receptor for hepatocyte growth factor) expression in ... is based on pathological data and can convey information pertaining to the patient's prognosis. ... There are factors other than tumor location and the status of resection margins that ...
被引用次数: 245 相关文章 所有 6 个版本 引用 保存

Surgical outcomes of intrahepatic cholangiocarcinoma

alphamedpress.org 中的 [HTML]

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 23012

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Prognostic factors and long-term outcomes of hilar cholangiocarcinoma: A single-institution experience in China

Hai-Jie Hu, Hui Mao , Anuj Shrestha, Yong-Qiong Tan, Wen-Jie Ma, Qin

Yang, Jun-Ke Wang, Nan-Sheng Cheng, Fu-Yu Li

Match Overview

1	Internet 44 words crawled on 07-Apr-2010 www.ilca-online.org	1%
2	CrossCheck 39 words Alfred Wei-Chieh Kow, "Role of Caudate Lobectomy in Type IIIA and IIIB Hilar Cholangiocarcinoma: A 15-year E ...	1%
3	Internet 30 words crawled on 18-Jul-2010 www.wjgnet.com	1%
4	CrossCheck 23 words "Poster Session 1: Cellular Immunobiology, Preservation, and Cell Transplantation in Transplant Clinical: Her ...	<1%
5	CrossCheck 17 words &NA; "Abstracts", Journal of Thoracic Oncology, 09/2009	<1%
6	Internet 12 words crawled on 11-Jun-2014 www.siucongress.org	<1%



Prognostic factors and long-term outcomes of hilar cholangiocarcinoma: A sing



学术搜索

找到约 259 条结果 (用时0.06秒)

我的著作引用情况



文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

Resection for hilar cholangiocarcinoma: analysis of prognostic factors and the impact of systemic inflammation on long-term outcome

T Dumitrascu, D Chirita, M Ionescu... - Journal of Gastrointestinal ..., 2013 - Springer
... CrossRef, Klempnauer J, Ridder GJ, von WR, Werner M, Weimann A, Pichlmayr R: Resectional surgery of hilar cholangiocarcinoma: a multivariate analysis of prognostic factors. ... CrossRef, Cheng Q, Luo X, Zhang B, Jiang X, Yi B, Wu M: Predictive factors for prognosis of hilar ...
被引用次数: 25 相关文章 所有 7 个版本 引用 保存

[HTML] Prognostic analysis of surgical treatment of peripheral cholangiocarcinoma: two decades of europepmc.org 中的 [HTML] experience at Chang Gung Memorial Hospital.

YY Jan, CN Yeh, TS Yeh, TC Chen - World journal of ..., 2005 - europepmc.org
... TNM staging system[25], this study revealed that TNM staging system remains the most reliable prognostic factor for predicting ... Uenishi T, Hirohashi K, Kubo S, Yamamoto T, Hamba H, Tanaka H, Kinoshita H. Histologic factors affecting prognosis following hepatectomy ...
被引用次数: 53 相关文章 所有 9 个版本 引用 保存

Diagnosis and treatment of cholangiocarcinoma

alphamedpress.org 中的 [HTML]

CD Anderson, CW Pinson, J Berlin, RS Chari - The Oncologist, 2004 - AlphaMed Press
... Others have demonstrated increased c-met (a receptor for hepatocyte growth factor) expression in ... is based on pathological data and can convey information pertaining to the patient's prognosis. ...
There are factors other than tumor location and the status of resection margins that ...
被引用次数: 246 相关文章 所有 6 个版本 引用 保存

Surgical outcomes of intrahepatic cholangiocarcinoma

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

[网页](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 18,100 条结果 (用时 0.91 秒)

Google 学术 : Prognostic factors and long-term outcomes of hilar cholangiocarcinoma: A single-institution experience in China

... cholangiocarcinoma: analysis of prognostic factors ... - Dumitrascu - 被引用次数 : 25

... cholangiocarcinoma: two decades of experience at ... - Jan - 被引用次数 : 53

Diagnosis and treatment of cholangiocarcinoma - Anderson - 被引用次数 : 247

Hilar cholangiocarcinoma: diagnosis, treatment options, and ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : KC Soares - 2014 - 被引用次数 : 30 - [相关文章](#)

Hilar cholangiocarcinoma (HC) is a rare disease with a poor prognosis which typically Risk factors for hilar cholangiocarcinoma: a case-control study in China. ... in patients with hilar cholangiocarcinoma: 10-year single-institution experience. ... and long-term outcome after surgical treatment of hilar cholangiocarcinoma: ...

PubMed Result

www.ncbi.nlm.nih.gov/pubmed?itool...Cmd... - [翻译此页](#)

Resection of hilar cholangiocarcinoma: concomitant liver resection decreases ... Peng BG, He Q, Lu MD, Chen D. Long-term outcome and prognostic factors of ... Chinese. PubMed PMID: 15062037. 12: Song SC, Choi DW, Kow AW, Choi SH, ... in patients with hilar cholangiocarcinoma: 10-year single-institution experience.

Treatment of localized cholangiocarcinoma: Adjuvant and ...