



Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 25688

Manuscript Type: Review

Dynamics of hepatic and intestinal cholesterol and bile acid pathways: The impact of the animal model of estrogen deficiency and exercise training

Lavoie JM *et al.* cholesterol pathways, estrogen deficiency and exercise training

Jean-Marc Lavoie

Match Overview

1	CrossCheck 193 words David E. Cohen. "Lipoprotein Metabolism and Cholesterol Balance", <i>The Liver</i> , 11/13/2009	2%
2	CrossCheck 132 words R. Barsaloni. "Hepatic VLDL-TG Production and MTP Gene Expression are Decreased in Ovariectomized Rats" ...	2%
3	CrossCheck 127 words Sock, E., N. Chapados, and J.-M. Lavoie. "LDL Receptor and Pcsk9 Transcripts are Decreased in Liver of Ovari ..."	1%
4	CrossCheck 83 words Sato, R., "Sterol metabolism and SREBP activation", <i>Archives of Biochemistry and Biophysics</i> , 20100915	1%
5	Internet 79 words crawled on 07-Nov-2010 www.wjgnet.com	1%
6	CrossCheck 58 words E. De Marinis. "Sex differences in hepatic regulation of cholesterol homeostasis", <i>Journal of Endocrinology</i> , 06/0	1%

学术搜索

找到约 783 条结果 (用时0.29秒)

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

时间不限
2016以来
2015以来
2012以来
自定义范围...

按相关性排序
按日期排序

搜索所有网页
中文网页
简体中文网页

☒ 包括专利
☒ 包含引用

Physical activity and colon cancer: A systemic review of potential mechanisms

J Quadrilatero, L Hoffman-Goetz - Journal of Sports Medicine ..., 2003 - [search.proquest.com](#)

... although experimental studies have found changes in prostaglandin levels in the blood, urine and muscle with dynamic exercise, to our ... IL-6 also stimulates hepatic IGFBP-4 gene mRNA expression and protein production in cultured hepatocytes ... Digest Liver Dis 2000;32:426-39 ...

被引用次数: 100 相关文章 所有 4 个版本 引用

[HTML] Metabolic control through the PGC-1 family of transcription coactivators

[sciencedirect.com](#)

J Lin, C Handschin, BM Spiegelman - Cell metabolism, 2005 - Elsevier

... encoded by the two genomes leads to increased enzymatic capacity for fatty-acid β -oxidation ... In contrast, PGC-1 β controls hepatic lipid synthesis and lipoprotein production (Lin et al., 2005). ... The following sections review PGC-1 function in brown fat, liver, skeletal, and cardiac ...

被引用次数: 1247 相关文章 所有 6 个版本 引用

[HTML] Inhibition of apical sodium-dependent bile acid transporter as a novel treatment for diabetes [physiology.org](#) 中

L Chen, X Yao, A Young, J McNulty... - American Journal of ..., 2012 - Am Physiological Soc

... are reabsorbed, and only 0.2–0.6 g are lost daily, to be replaced by equivalent hepatic synthesis from ... At the end of the study, intestinal (0.5- to 1-cm sections from the middle of duodenum, jejunum, ileum, ascending colon, and descending colon) and liver tissues were ...

被引用次数: 32 相关文章 所有 5 个版本 引用

Nutrition and human health from a sex–gender perspective

M Marino, R Masella, P Bulzomi, I Campesi... - Molecular Aspects of ..., 2011 - Elsevier

Nutrition exerts a life-long impact on human health, and the interaction between nutrition and health has been known for centuries. The recent literature has su.

被引用次数: 48 相关文章 所有 5 个版本 引用

Retinoid x receptor heterodimers in the metabolic syndrome

[unibas.ch](#) 中的 [P

Al Shulman, DJ Mangelsdorf - New England Journal of Medicine, 2005 - Mass Medical Soc

学术搜索

找到约 878 条结果 (用时0.13秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☐ 包括专利☐ 包含引用

Physical activity and colon cancer: A systemic review of potential mechanisms

J Quadraltero, L Hoffman-Goetz - Journal of Sports Medicine ..., 2003 - search.proquest.com

... although experimental studies have found changes in prostaglandin levels in the blood, urine and muscle with dynamic exercise, to our ... IL-6 also stimulates hepatic IGFBP-4 gene mRNA expression and protein production in cultured hepatocytes ... Digest Liver Dis 2000;32:426-39 ...

被引用次数: 105 相关文章 所有 4 个版本 引用

[HTML] Metabolic control through the PGC-1 family of transcription coactivators

J Lin, C Handschin, BM Spiegelman - Cell metabolism, 2005 - Elsevier

... encoded by the two genomes leads to increased enzymatic capacity for fatty-acid β -oxidation ... In contrast, PGC-1 β controls hepatic lipid synthesis and lipoprotein production (Lin et al., 2005). ... The following sections review PGC-1 function in brown fat, liver, skeletal, and cardiac ...

被引用次数: 1284 相关文章 所有 6 个版本 引用

Nutrition and human health from a sex-gender perspective

M Marino, R Masella, P Bulzomi, I Campesi... - Molecular Aspects of ..., 2011 - Elsevier

Nutrition exerts a life-long impact on human health, and the interaction between nutrition and health has been known for centuries. The recent literature has su...

被引用次数: 51 相关文章 所有 5 个版本 引用

Retinoid x receptor heterodimers in the metabolic syndrome

Al Shulman, DJ Mangelsdorf - New England Journal of Medicine, 2005 - Mass Medical Soc

... ABCA1 and ABCG1), promote cholesterol transport in serum and uptake into liver (apolipoprotein E ... bile (bile salt efflux pump and multidrug-resistance proteins 2 and 3), the intestinal reabsorption of ... that FXR agonists have a marked ability to reduce levels of hepatic and serum ...

被引用次数: 348 相关文章 所有 7 个版本 引用

Nuclear receptors as drug targets for metabolic disease

IG Schulman - Advanced drug delivery reviews, 2010 - Elsevier

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 87,400 条结果 (用时 0.85 秒)

Estrogen Decreases Atherosclerosis In Part By Reducing Hepatic Acyl ...

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: K Kavanagh - 2009 - 被引用次数: 25 - 相关文章

Hepatic cholesterol content, low-density lipoprotein (LDL) receptor ... extent in a number of animal models including mice, rabbits and monkeys: ... C7H is the rate-limiting step in hepatocyte bile acid synthesis in the primary pathway for cholesterol effects on intestinal ACAT, it is possible that estrogen reduces intestinal ...

缺少字词: exercise

Hepatic cholesterol and bile acid synthesis, low-density lipoprotein ...

www.ncbi.nlm.nih.gov/pubmed/11398149 ▾ [翻译此页](#)

作者: MH Moghadasian - 2001 - 被引用次数: 30 - 相关文章

Hepatic cholesterol and bile acid synthesis, low-density lipoprotein receptor ... in mice: effects of apolipoprotein E deficiency and probucol or phytosterol treatment. ... and low-density lipoprotein (LDL) receptor function in this animal model of ... Acids and Salts/blood; Cell Membrane/metabolism; Cholesterol/biosynthesis* ...

缺少字词: dynamics intestinal estrogen exercise

Regulation of Bile Acid and Cholesterol Metabolism by PPARs - NCBI

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: T Li - 2009 - 被引用次数: 58 - 相关文章

2009年7月14日 - Bile acid synthesis is a major pathway for hepatic cholesterol catabolism. ... to prevent dyslipidemia and obesity in animal models of metabolic syndromes [5, 6]. ... The transport of bile acids between liver and intestine is referred to as the However, the repressive effect of ciprofibrate on CYP7A1 mRNA ...

缺少字词: dynamics estrogen exercise