



22204-Review

BY ZHAO-SHAN NIU

Quotes Excluded
Bibliography Excluded6%
SIMILAR**Name of journal:** *World Journal of Gastroenterology***ESPS Manuscript NO:** 22204**Manuscript Type:** EDITORIAL**Latest developments in precancerous lesions of hepatocellular carcinoma**Niu ZS *et al.* Precancerous lesions of hepatocellular carcinoma

2

Zhao-Shan Niu, Xiao-Jun Niu, Wen-Hong Wang, Jing Zhao

Zhao-Shan Niu, Lab of Micromorphology, Medical College of Qingdao University, Qingdao 266071, Shandong Province, China

Xiao-Jun Niu, Clinical Medicine Specialty, Medical College of Qingdao University, Qingdao 266071, Shandong Province, China

Wen-Hong Wang, Department of Pathology, Medical College of Qingdao University, Qingdao 266071, Shandong Province, China

Match Overview

1	Internet 97 words crawled on 09-Mar-2015 www.researchgate.net	1%
2	CrossCheck 62 words Niu, Zhao-Shan. "Management of hepatocellular carcinoma: Predictive value of immunohistochemical markers ..."	1%
3	Internet 29 words crawled on 01-May-2009 www.neiltheise.com	<1%
4	Internet 28 words crawled on 21-Sep-2013 www.canaryjournal.org	<1%
5	Internet 27 words crawled on 20-Oct-2011 www.medworm.com	<1%
6	CrossCheck 27 words Nault, Jean Charles, Maxime Mallet, Camilla Pilati, Julie n Calderaro, Paulette Bioulac-Sage, Christophe Laurent,	<1%
7	Internet 26 words crawled on 24-May-2011 hepatoweb.com	<1%
8	CrossCheck 26 words Kanda, Mitsuro. "Genetic and epigenetic aspects of initiation and progression of hepatocellular carcinoma", World	<1%
9	Internet 25 words crawled on 19-Oct-2010 lib.bioinfo.pl	<1%
	Internet 24 words	<1%

学术搜索

找到约 17,800 条结果 (用时 0.03 秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Expression profiling in multistage hepatocarcinogenesis: identification of HSP70 as a molecular marker of early hepatocellular carcinoma

psu.edu 中的 [PDF]

M Chuma, M Sakamoto, K Yamazaki, T Ohta, M Ohki... - Hepatology, 2003 - Elsevier

... The recent development of complementary DNA microarray or oligonucleotide array technology, a high-throughput method ... sensitive marker for the differential diagnosis of early HCC from precancerous lesions such as ... 1. Okuda K. Hepatocellular carcinoma: recent progress. ...

被引用次数: 266 相关文章 所有 11 个版本 引用 保存

Cyclo-oxygenase 2: a pharmacological target for the prevention of cancer

AJ Dannenberg, NK Altorki, JO Boyle, C Dang... - The lancet oncology, 2001 - Elsevier

... For example, COX-derived prostaglandins have been implicated in angiogenesis (Figure 1). 11 and 12 The recent development of selective inhibitors of the inducible form of COX, COX 2 ... COX 2 is overexpressed in various premalignant and malignant conditions in man. ...

被引用次数: 624 相关文章 所有 10 个版本 引用 保存

An update on the molecular genetics of hepatocellular carcinoma.

A Suriawinata, R Xu - Seminars in liver disease, 2004 - europepmc.org

... genetic or chromosomal abnormalities along the way from preneoplastic lesions to HCCs ... Rb family, and Wnt pathways are particularly important in the development of HCCs ... Recent studies using DNA microarray technique have identified some unique gene expression profiles ...

被引用次数: 136 相关文章 所有 4 个版本 引用 保存 更多

Neoangiogenesis and sinusoidal "capillarization" in dysplastic nodules of the liver

YN Park, CP Yang, GJ Fernandez... - The American journal ..., 1998 - journals.lww.com

... In recent years, distinctive hepatocellular nodules found in chronic liver disease and cirrhosis have ... 6,23,25,26 These findings, supporting the premalignant nature of these nodules, are ... of low-grade and high-grade dysplastic nodules with diffuse atypia, development of unpaired ...

被引用次数: 235 相关文章 所有 4 个版本 引用 保存

Retinoids and their receptors in cancer development and chemoprevention

SY Sun, R Lotan - Critical reviews in oncology/hematology, 2002 - Elsevier

... Recent studies have found that both PML-RAR α and PLZF-RAR α interact strongly with ... expression of RAR β occurs in dysplastic lesions and may be associated with HNSCC development. ... In this study, all normal and premalignant specimens expressed similar levels of RAR α .



网页 图片 新闻 视频 地图 更多 ▾ 搜索工具

找到约 222,000 条结果 (用时 0.46 秒)

Google 学术 : Latest developments in precancerous lesions of hepatocellular carcinoma

... a molecular marker of early hepatocellular carcinoma - Chuma - 被引用次数 : 266

... 2: a pharmacological target for the prevention of cancer - Dannenberg - 被引用次数 : 623

... on the molecular genetics of hepatocellular carcinoma. - Suriawinata - 被引用次数 : 136

Liver precancerous lesions and hepatocellular carcinoma ...

www.ncbi.nlm.nih.gov/pubmed/21459342 ▾ 翻译此页

作者 : M Roncalli - 2011 - 被引用次数 : 36 - 相关文章

Liver precancerous lesions and hepatocellular carcinoma: the histology report. ...

Surveillance allows HCC precursors (dysplastic nodules) and malignant tumors to ...

Consensus Development Conference; Research Support, Non-U.S. Gov't ...

EastWest pathology agreement on precancerous liver ...

onlinelibrary.wiley.com/doi/10.1002/hep.22681/pdf ▾ 翻译此页

作者 : VJ Desmet - 2009 - 被引用次数 : 34 - 相关文章

Liver Lesions and Early Hepatocellular Carcinoma. See Article on Page 658 ...

recognizable precancerous lesions before the development of overt malignancy.

Together with the recent subdivision of benign hepatic adenomas according to ...

Hepatic Precancerous Lesions and Small Hepatocellular ...

[www.gastro.theclinics.com/article/S0889-5421\(07\)00007/abstract](http://www.gastro.theclinics.com/article/S0889-5421(07)00007/abstract) ▾ 翻译此页