

Match Overview

- | | | |
|---|---|-----|
| 1 | CrossCheck 41 words
Abu Daya, Hussein, Mohamad Eloubeidi, Hani Tamim, Houssam Halawi, Ahmad H. Malli, Don C. Rockey, and Kassem Bar | 1% |
| 2 | CrossCheck 35 words
Wehbeh, Antonios, Hani M. Tamim, Hussein Abu Daya, Rach el Abou Mrad, Rami J. Badreddine, Mohamad A. Eloubeidi, D | 1% |
| 3 | CrossCheck 9 words
Nahon, S., H. Hagège, J. Latrive, I. Rosa, B. Nalet, B. Bour, R. Faroux, P. Gower, J. Arpurt, J. Denis, J. Henrion, A. Rémy, a | <1% |
| 4 | Internet 8 words
crawled on 11-Apr-2016
ptjournal.apta.org | <1% |
| 5 | CrossCheck 7 words
Habib, A., M. Irfan, L. M. Baddour, K. Y. Le, N. S. Anavekar, C. M. Lohse, P. A. Friedman, D. L. Hayes, W. R. Wilson, J. M. | <1% |
| 6 | CrossCheck 6 words
"Meeting Abstracts of the 12th World Congress on the Menopause", Climacteric, 1/2008 | <1% |

Name of Journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 25305

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Aspirin used as primary prophylaxis: Adverse outcomes in non-variceal upper gastrointestinal bleeding

Karina M Souk, ²Hani M Tamim, Hussein A Abu Daya, Don C Rockey, Kassem A Barada

Abstract

AIM: We compared outcomes of patients with non-variceal upper gastrointestinal bleeding ²taking aspirin for primary prophylaxis to those not taking it.

METHODS: Patients not known to have any vascular disease (coronary artery or cerebrovascular disease) who were admitted to the American University of Beirut Medical Center between 1993 and 2010 with non-variceal upper gastrointestinal bleeding (NVUGIB) were included. The frequencies of in-hospital mortality, re-bleeding, severe bleeding, need for surgery or embolization, and of a composite outcome defined as the occurrence of any of the 4 bleeding related adverse outcomes were compared between patients

学术搜索

找到约 356 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Clopidogrel versus aspirin and esomeprazole to prevent recurrent ulcer bleeding

[FKL Chan](#), [JYL Ching](#), [LCT Hung](#)... - ... England Journal of ..., 2005 - Mass Medical Soc

... Effects of aspirin dose when used alone or in combination with clopidogrel in patients with acute coronary syndromes: observations from the ... (2012) Attitudes to aspirin use in diabetes in clinical practice: a survey of health care professionals from primary and secondary ...

被引用次数: 684 相关文章 所有 10 个版本 引用 保存

Preventing recurrent upper gastrointestinal bleeding in patients with Helicobacter pylori infection who are taking low-dose aspirin or naproxen

[FKL Chan](#), [SCS Chung](#), [BY Suen](#), [YT Lee](#)... - New England journal ..., 2001 - Mass Medical Soc

... Since epidemiologic studies do not suggest that naproxen is associated with a higher risk of ulcer bleeding than are other commonly used nonaspirin NSAIDs,24 we believe it is ... (2013) Mitigating GI Risks Associated with the Use of NSAIDs. ... (2013) Low-dose aspirin in primary ...

被引用次数: 678 相关文章 所有 9 个版本 引用 保存

researchgate.net 中的 [PDF]

[HTML] Continuation of low-dose aspirin therapy in peptic ulcer bleeding: a randomized trial

[JJY Sung](#), [JYW Lau](#), [JYL Ching](#), [JCY Wu](#)... - Annals of internal ..., 2010 - Am Coll Physicians

1.

被引用次数: 259 相关文章 所有 17 个版本 引用 保存

annals.org 中的 [HTML]

Lansoprazole for the prevention of recurrences of ulcer complications from long-term low-dose aspirin use

[KC Lai](#), [SK Lam](#), [KM Chu](#), [BCY Wong](#)... - ... England Journal of ..., 2002 - Mass Medical Soc

... aspirin used in the primary and secondary prevention of vascular diseases is much lower than the doses of conventional nonaspirin NSAIDs used in treating ... (2012) Correlation between Helicobacter pylori infection and low-dose aspirin use on damage ... (2012) Aspirin in Primary ...

被引用次数: 583 相关文章 所有 11 个版本 引用 保存

hku.hk 中的 [PDF]

Nitrovasodilators, low-dose aspirin, other nonsteroidal antiinflammatory drugs, and the risk of upper gastrointestinal bleeding

[A Lanas](#), [E Bajador](#), [P Serrano](#), [J Fuentes](#)... - ... England Journal of ..., 2000 - Mass Medical Soc

... possible that the main difference between the two studies is in the types of antisecretory agents used, which were ... (2012) Burden of Nonsteroidal Anti-inflammatory and Antiplatelet Drug Use in Asia ... (2012) Risk factors for gastrointestinal bleeding associated with low-dose aspirin. ...



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 16,200 条结果 (用时 0.65 秒)

Prevention of upper gastrointestinal haemorrhage: current ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: J Brooks - 2013 - 被引用次数: 12 - 相关文章

For secondary prevention of variceal haemorrhage, the combination of beta ... rate of admission for **nonvariceal upper** gastrointestinal (GI) **haemorrhage** is ... These can take the form of either **primary prevention** (preventing the first ... **aspirin**) are associated with an increased risk of cardiovascular **outcomes** [Kearney et al.

[PDF] Management and Prevention of Upper GI Bleeding - ACCP

<https://www.accp.com/docs/bookstore/psap/p7b11sample01.pdf> ▾ 翻译此页

作者: J Kim - 被引用次数: 1 - 相关文章

Design plans for the **prevention of upper GI bleed-**ing caused by commonly ... stage liver disease, and **nonvariceal** bleeding is associ- ated with peptic ulcer ...

Upper Gastrointestinal Bleeding (UGIB Bleeding) Rockall ...

patient.info > Professional Reference ▾ 翻译此页

Acute **upper gastrointestinal bleeding** (UGIB) is a gastroenterological emergency. ... Endoscopy does **not** reveal a cause in approximately 20% of patients ... The most common causes are peptic ulcer and oesophago-gastric **varices**. ... had a previous UGIB (especially if other drugs such as **aspirin** or NSAIDs are **used**).

[PDF] Diagnosis and management of nonvariceal upper ...



全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 15,600 条结果 (用时 0.74 秒)

Prevention of upper gastrointestinal haemorrhage: current ... - ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: J Brooks - 2013 - 被引用次数: 12 - 相关文章

For secondary prevention of variceal haemorrhage, the combination of beta ... rate of admission for **nonvariceal upper** gastrointestinal (GI) **haemorrhage** is ... These can take the form of either **primary prevention** (preventing the first **aspirin**) are associated with an increased risk of cardiovascular **outcomes** [Kearney et al.

[PDF] Diagnosis and management of nonvariceal upper gastroint...

https://www.esge.com/assets/downloads/.../2015_s_0034_1393172.pdf ▾

作者: IM Gralnek - 2015 - 被引用次数: 17 - 相关文章

Nonvariceal upper gastrointestinal hemorrhage: ESGE Guideline... Endoscopy ... ESGE does not recommend the routine **use** of 37 In patients receiving low dose **aspirin** for **primary** cardiovascular **prophylaxis** who develop peptic ulcer bleeding, ESGE scopic features of peptic ulcers that can predict **adverse outcomes**.

[PDF] Management and Prevention of Upper GI Bleeding - ACCP

<https://www.accp.com/docs/bookstore/psap/p7b11sample01.pdf> ▾ 翻译此页

作者: J Kim - 被引用次数: 1 - 相关文章

Design plans for the **prevention** of **upper GI bleed**- ing caused by commonly ... stage liver disease, and **nonvariceal** bleeding is associ- ated with peptic ulcer ...

American Journal of Gastroenterology - ACG Clinical Guidelin...

www.nature.com > Journal home > Archive > Practice Guidelines - 翻译此页

作者: LL Strate - 2016

2016年3月1日 - Acute overt lower **gastrointestinal bleeding** (LGIB) accounts for ... In addition, hematochezia can be seen in patients with brisk **upper gastrointestinal bleeding** (UGIB) ... at high risk for severe bleeding and other **adverse outcomes** ... **Non aspirin**