



Name of Journal: *World Journal of Gastroenterology*

Manuscript NO.: 35399

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Survival analysis based on human epidermal growth factor 2 status in stage II-III gastric cancer

Jang Ho Cho, Jae Yun Lim, Jae Yong Cho

Abstract

AIM

To investigate human epidermal growth factor 2 (HER2) overexpression and validate its prognostic effect in stage II-III gastric cancer.

Match Overview

1	Internet 127 words crawled on 19-Feb-2012 www.pathinformatics.com	4%
2	Internet 85 words crawled on 19-Nov-2016 e-sciencecentral.org	3%
3	Crossref 70 words A. Jimeno. "HER2 in gastric cancer: a new prognostic factor and a novel therapeutic target", <i>Annals of Oncology</i> ,	2%
4	Crossref 48 words Virginia Moreira Braga, Marcos Belotto de Oliveira, Caio Coelho Netto, Roberto El Ibrahim, Renata D'Alpino Peixo	1%
5	Crossref 40 words Na Zhan. "Analysis of HER2 gene amplification and protein expression in esophageal squamous cell carcinoma"	1%
6	Crossref 27 words Park, Sung Chul, and Hoon Jai Chun. "Chemotherapy for Advanced Gastric Cancer: Review and Update of Current"	1%

全部

图片

视频

新闻

购物

更多

设置

工具

找到约 2,100,000 条结果 (用时 0.61 秒)

Google 学术: Survival analysis based on human epidermal growth factor 2 status in stage II-III gastric cancer

Impact of expression of human epidermal growth factor ... - Terashima - 被引用次数: 142

... of the let-7 microRNAs in human lung cancers in ... - Takamizawa - 被引用次数: 2487

... in gastric cancer: a new prognostic factor and a novel ... - Gravalos - 被引用次数: 806

Impact of Expression of Human Epidermal Growth Factor Receptors ...

clincancerres.aacrjournals.org/content/clincanres/18/21/5992.full.pdf - 翻译此页

作者: M Terashima - 2012 - 被引用次数: 142 - 相关文章

Impact of Expression of Human Epidermal Growth Factor Receptors EGFR and ERBB2 on Survival in Stage II/III Gastric Cancer ... The effects of EGFR and HER2 positivity on survival were analyzed ... an HER2/CEP17 ratio of 2.0 or more, based on a partially ... dual-ISH status for HER2 were as follows: IHC 2+/dual-ISH.

The prognostic impact of epidermal growth factor receptor in patients ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Atmaca - 2012 - 被引用次数: 41 - 相关文章

2012年11月15日 - EGFR status was analyzed by immunohistochemistry (IHC) in paraffin-embedded ... To date, human epidermal growth factor receptor 2 (HER2) ... Stage IV gastric cancer patients with available tissue for EGFR testing were ... expressions on survival in patients with stage II/III gastric cancer, enrolled in the ...

Effect of epidermal growth factor receptor status on the outcomes of ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: K AYDIN - 2014 - 被引用次数: 13 - 相关文章

2013年11月6日 - Keywords: epidermal growth factor receptor, gastric cancer, prognosis ... one due to a second primary tumor, four due to the presence of stage II disease, and three due to their ... $A \cdot y^2$

学术搜索

找到约 7,020 条结果 (用时0.15秒)

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

Impact of expression of human epidermal growth factor receptors EGFR and ERBB2 on survival in stage II/III gastric cancer [PDF] aacrjournals.org

M Terashima, K Kitada, A Ochiai, W Ichikawa... - Clinical Cancer ...

2012 - AACR

... S1 and S2. Dual-ISH analyses were performed on 176 specimens with a HER2 IHC score ...

gastric/gastroesophageal junction cancer. On subgroup analysis, similar differences in ... apparent

interaction between S-1 and EGFR or HER2 status with respect to survival. ...

被引用次数: 142 相关文章 所有 8 个版本 引用 保存

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

Reduced expression of the let-7 microRNAs in human lung cancers in association with shortened postoperative survival [HTML] aacrjournals.org

J Takamizawa, H Konishi, K Yanagisawa, S Tomida...

- Cancer research, 2004 - AACR

... Northern blot analysis was first performed to analyze let-7 expression in 20 human lung ... resection

of NSCLCs, were examined by real-time reverse transcription-PCR analysis using let ...

The

Kaplan-Meier survival curves demonstrated that patients belonging to cluster 1 were at a ...

被引用次数: 2487 相关文章 所有 9 个版本 引用 保存

不限语言

中文网页

简体中文网页

 包括专利 包含引用

HER2 in gastric cancer: a new prognostic factor and a novel therapeutic target [HTML] oup.com

C Gravalos, A Jimeno - Annals of oncology, 2008 - academic.oup.com

... C. Gravalos, A. Jimeno; HER2 in gastric cancer: a new prognostic factor and a ... This review

summarizes the rationale, preclinical evidence, retrospective clinical analyses, and the interim ...

The survival rate of patients with advanced resectable gastric or gastroesophageal junction

...

被引用次数: 802 相关文章 所有 8 个版本 引用 保存

Epidermal growth factor receptor expression correlates with poor prognosis in non-small cell lung cancer patients with p53 overexpression.

Y Ohsaki, S Tanno, Y Fujita... - Oncology ...

2000 - spandidos-publications.com

... Clinical data and statistical analysis..... Statistical analyses were done to examine the

 创建快讯

学术搜索

找到约 7,020 条结果 (用时0.06秒)

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯**小提示:** 只搜索中文(简体)结果, 可在学术搜索设置指定搜索语言

Impact of expression of human epidermal growth factor receptors EGFR and ERBB2 on survival in stage I/II gastric cancer

M Terashima, K Kitada, A Ochiai, W Ichikawa... - Clinical Cancer ..., 2012 - AACR

... S1 and S2. Dual-ISH analyses were performed on 176 specimens with a HER2 IHC score ...

gastric/gastroesophageal junction cancer. On subgroup analysis, similar differences in ... apparent

interaction between S-1 and EGFR or HER2 status with respect to survival. ...

被引用次数: 142 相关文章 所有 8 个版本 引用 保存

[PDF] aacrjournals.org

Reduced expression of the let-7 microRNAs in human lung cancers in association with shortened postoperative survival

J Takamizawa, H Konishi, K Yanagisawa, S Tomida... - Cancer research, 2004 - AACR

... Northern blot analysis was first performed to analyze let-7 expression in 20 human lung ... resection

of NSCLCs, were examined by real-time reverse transcription-PCR analysis using let ...

The Kaplan-Meier survival curves demonstrated that patients belonging to cluster 1 were at a ...

被引用次数: 2487 相关文章 所有 9 个版本 引用 保存

[HTML] aacrjournals.org

HER2 in gastric cancer: a new prognostic factor and a novel therapeutic target

C Gravalos, A Jimeno - Annals of oncology, 2008 - academic.oup.com

... C. Gravalos, A. Jimeno; HER2 in gastric cancer: a new prognostic factor and a ... This review

summarizes the rationale, preclinical evidence, retrospective clinical analyses, and the interim ...

The survival rate of patients with advanced resectable gastric or gastroesophageal junction ...

被引用次数: 802 相关文章 所有 8 个版本 引用 保存

[HTML] oup.com

Epidermal growth factor receptor expression correlates with poor prognosis in non-small cell lung cancer patients with p53 overexpression.

Y Ohsaki, S Tanno, Y Fujita... - Oncology ..., 2000 - spandidos-publications.com

... Clinical data and statistical analysis. ... Statistical analyses were done to examine the prognostic