World Journal of *Clinical Cases*

World J Clin Cases 2022 May 26; 10(15): 4713-5123





Published by Baishideng Publishing Group Inc

W J C C World Journal of Clinical Cases

Contents

Thrice Monthly Volume 10 Number 15 May 26, 2022

EDITORIAL

4713 Diet and intestinal bacterial overgrowth: Is there evidence?

Souza C, Rocha R, Cotrim HP

MINIREVIEWS

4717 Definition and classification of acute-on-chronic liver diseases

Zhang YY, Meng ZJ

4726 Management of neurosurgical patients during coronavirus disease 2019 pandemics: The Ljubljana, Slovenia experience

Velnar T, Bosnjak R

ORIGINAL ARTICLE

Clinical and Translational Research

- 4737 Glycolytic and fatty acid oxidation genes affect the treatment and prognosis of liver cancer Zou JY, Huang YJ, He J, Tang ZX, Qin L
- 4761 Detection of a novel panel of 24 genes with high frequencies of mutation in gastric cancer based on nextgeneration sequencing

Zeng HH, Yang Z, Qiu YB, Bashir S, Li Y, Xu M

Case Control Study

4776 Outcomes of cervical degenerative disc disease treated by anterior cervical discectomy and fusion with self-locking fusion cage

Zhang B, Jiang YZ, Song QP, An Y

4785 Impact of COVID-19 pandemic on clinicopathological features of transplant recipients with hepatocellular carcinoma: A case-control study

Akbulut S, Sahin TT, Ince V, Yilmaz S

Retrospective Study

- 4799 Risk factors and optimal predictive scoring system of mortality for children with acute paraquat poisoning Song Y, Wang H, Tao YH
- 4810 Application effect of thoracoscopic tricuspid valvuloplasty in geriatric patients with tricuspid valve disease

Jiang W, Long XM, Wei KQ, Li SC, Zhang Z, He BF, Li H

4818 Endoscopic ultrasonography in the evaluation of condition and prognosis of ulcerative colitis Jin RF, Chen YM, Chen RP, Ye HJ



Contents Thrice Monthly Volume 10 Number 15 May 26, 2022 4827 Dynamic interaction nursing intervention on functional rehabilitation and self-care ability of patients after anenzysm surgery Xie VE, Huang WC, Li YP, Deng JH, Huang JT Clinical Trials Study 4836 Validations of new cut-offs for surgical drains management and use of computerized tomography scan after pancreatoduodenectomy: The DAI/CUT trial Caputo D, Coppola A, La Vaccara V, Pasca R, Carbone L, Ciccazzi M, Angeletti S, Coppola R Observational Study Psychosocial adaptation and influencing factors among patients with chemotherapy-induced peripheral neuropathy Zhoo X, Wang DY, Dang CY, Lui H, Sun ZQ 4856 Outcome of the efficacy of Chinese berbal medicine for functional constipation: A systematic review and meta-analysis Lyn Z, Fan Y, But Y, Lin T, Zhong LL, Liang HF 4878 Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report Yuan W. Huang W. Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Sken KT, Lv JH, Hou YY 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoinmune pancreatitis: A case report and review of literature Lin ZQ, Li X, Wang Y, Zhang XY, Zhang XX, Guo J 4896 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Zhu XJ, Lin SY, L	World Journal of Clinical Cases		
 4827 Dynamic interaction nursing intervention on functional rehabilitation and self-care ability of patients after aneutysm surgery. <i>Xie YE, Huang WC, Li YP, Deng JH, Huang JT</i> 4836 Validations of new cut-offs for surgical drains management and use of computerized tomography scan after pancreatoduodenectomy: The DAI/CUT trial <i>Caputo D, Coppola A, La Vaccara F, Passa R, Carbone L, Ciccozzi M, Angeletti S, Coppola R</i> 4848 Observational Study 4849 Psychosocial adaptation and influencing factors among patients with chemotherapy-induced peripheral metropathy. <i>Zhoi X, Wang DP, Ding CY, Liu H, Sun ZQ</i> 4856 Obtervational Study 4857 Obtervational study <i>IFA - ANALYSIS</i> 4856 Obtervational stromal tumors with <i>KIT</i> germline mutation in a Chinese family: A case report <i>Yuan W, Huang W, Ren L, Xia C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hon YY</i> 4868 Nordructional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature. <i>Lin ZQ, Li X, Yang Y, Zhang XY, Zhang XY, Gao J</i> 4894 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report <i>Zuu X, Lin SY, Lin S</i>. 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zuu X, Lin SX, Li QT, Jung YJ</i>. 4922 Mardoxical hermitation after decompressive craniectomy provoked by mamitol: A case report <i>Zuu X, Lin SX, Li QT, Jung YJ</i>. 4923 Nonfunctional balder paraganglioma misdiagnosed as hemangioma: A case report <i>Du C, Tang III, Fan SM</i> 4924 Nonfunctional balder paraganglioma misdiagnosed as hemangioma: A case report <i>Du C, Tang III Fan SM</i> 4925 Nonfunctional balder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang IIF</i> 	Contents Thrice Monthly Volume 10 Number 15 May 26, 2022		
 Xie YE, Huang WC, Li YP, Deng JH, Huang JT Clinical Trials Study Validations of new cut-offs for surgical drains management and use of computerized tomography scan after pancreatoduodenectomy: The DALCUT trial Caputo D, Coppola A, La Vaccara Y, Passa R, Carbone L, Ciccetti M, Angeletti S, Coppola R Observational Study Psychosocial adaptation and influencing factors among patients with chemotherapy-induced peripheral neuropathy Zhou X, Wang DY, Ding CY, Liu H, Son ZQ META-ANALYSIS Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis Lyu Z, Far Y, Bai Y, Liu T, Zhong LL, Liang IF CASE REPORT Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YT 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature Int ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports Li BL, Xu Y, Lin S 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Machagathi A, Kato K, Hayashi N, Nagaishi M, Kawana K 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report Zhu XL Liu SX. Li QT, Juang XJ 4927 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM 4928 Nonfunctional bladder paragangtioma misdiagnosed as hermangioma: A case report Chen J, Yang HF 	4827	Dynamic interaction nursing intervention on functional rehabilitation and self-care ability of patients after aneurysm surgery	
 Clinical Trials Study Validations of new cut-offs for surgical drains management and use of computerized tomography scan after pancreatoduodemectomy: The DALCUT trial <i>Caputo D, Coppola A, La Vaccara V, Passa R, Carbone L, Ciccazzi M, Angeletti S, Coppola R</i> Observational Study Psychosocial adaptation and influencing factors among patients with chemotherapy-induced peripheral neuropathy. <i>Zhou X, Wang DY, Ding CY, Liu H, Sun ZQ</i> META-ANALYSIS Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis. <i>Lyu Z, Fan Y, Bal Y, Liu T, Zhong LL, Liang IFF</i> CASE REPORT Familial gastrointestinal stromal tumors with <i>KIT</i> germline mutation in a Chinese family: A case report <i>Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY</i> 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature. <i>Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XY, Guo J</i> 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports <i>Li BL, Nu T, Lin S</i> 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report <i>Zhu XJ, Liu S, Ling YJ</i> 4915 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zhu XJ, Liu S, Ling YJ</i> 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang IM, Fan SM</i> 4928 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spheroxytosis A case report <i>Fu P. Juo YT, Chen K, Shao JB, Luo XJ, Yang JW, Jung SY</i> 4928 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 		Xie YE, Huang WC, Li YP, Deng JH, Huang JT	
 4836 Validations of new cut-offs for surgical drains management and use of computerized tomography scan after pancreatoduodenectomy: The DALCUT trial <i>Caputo D, Cappola A, La Vaccara V, Passa R, Carbone L, Ciccazti M, Angeletti S, Cappola R</i> 4843 Psychosocial adaptation and influencing factors among patients with chemotherapy-induced peripheral neuropathy <i>Zhou X, Wang DY, Dang CY, Lui H, Sun ZQ</i> 4843 META-ANALYSIS 4856 Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis <i>Lyu Z, Fan Y, Bai Y, Lui T, Zhong LL, Liang HF</i> 4878 CASE REPORT 4886 Nonfunctional stury <i>Lui T, Zhong LL, Liang HF</i> 4886 CASE REPORT 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report <i>Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY</i> 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature <i>Lin ZQ, Li X, Yang Y, Zhang XY, Zhang XX, Guo J</i> 4895 Studden deafness as a prodrome of cerebellar artery infarction: Three case reports <i>Li BL, Xu JY, Lin S</i> 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report <i>Maebyashi N, Kayashi N, Nagashi M, Kawana K</i> 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Dia C, Tang H, Fan SM</i> 4929 Nonfunctional hermiation after decompressive craniectomy provoked by mannitol: A case report <i>Dia C, Tang H, Fan SM</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang IF</i> 		Clinical Trials Study	
 Coputo D. Coppola A. La Vaccara V. Passa R. Carbone L. Ciccozzi M. Angeletti S. Coppola R Observational Study Psychosocial adaptation and influencing factors among patients with chemotherapy-induced peripheral neuropathy Zhou X. Wang DP. Ding CY. Liu H. Sun ZQ META-ANALYSIS Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis Lyu Z. Fan Y. Bai Y. Liu T. Zhong LL. Liang HF CASE REPORT 4878 Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report Yuan W. Huang W. Ren L. Xu C. Luan LJ, Huang J. Xue AW, Fang Y. Gao XD, Shen KT, Lv JH, Hou YY 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature Lin ZQ. Li X, Yang Y. Zhang XY, Zhang XX, Guo J 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports Li BL, Xu JY, Lin S 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Maebayushi A. Kato K. Hayashi N. Nagaishi M. Kawana K 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report Zhu XJ. Liu SX. Li QT. Jiang YJ 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report Fu P. Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report Chen J, Yang HF 	4836	Validations of new cut-offs for surgical drains management and use of computerized tomography scan after pancreatoduodenectomy: The DALCUT trial	
 Observational Study Psychosocial adaptation and influencing factors among patients with chemotherapy-induced peripheral neuropathy Zhou X, Wang DY, Ding CY, Liu H, Sun ZQ META-ANALYSIS Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis Lyu Z, Fan Y, Bai Y, Liu T, Zhong LL, Liang HF CASE REPORT 4878 Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports I BI, Xu JY, Lin S 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report Zhu XI, Liu SX, Li QT, Jang YJ 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report Fu P, Juao YP, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report Chen J, Yang HF 		Caputo D, Coppola A, La Vaccara V, Passa R, Carbone L, Ciccozzi M, Angeletti S, Coppola R	
 4843 Psychosocial adaptation and influencing factors among patients with chemotherapy-induced peripheral neuropathy Zhou X, Wang DY, Ding CY, Liu H, Sun ZQ META-ANALYSIS 4856 Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis Lyu Z, Fan Y, Bai Y, Liu T, Zhong LL, Liang HF CASE REPORT 4878 Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports Li BL, Xu JY, Lin S 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Zhu XJ, Liu SX, Li QT, Jiang YJ 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Zhu XJ, Liu SX, Li QT, Jiang YJ 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao</i> YT, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report Chen J, Yang HF 		Observational Study	
 Zhou X, Wang DY, Ding CY, Liu H. Sun ZQ META-ANALYSIS Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis Lyu Z, Fan Y, Bai Y, Liu T, Zhong LL, Liang HF CASE REPORT 4878 Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports Li BL, Xu JY, Lin S 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report Zhu XJ, Liu SX, Li QT, Jiang YJ 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report Fu P, Juao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report Chen J, Yang HF 	4843	Psychosocial adaptation and influencing factors among patients with chemotherapy-induced peripheral neuropathy	
 META-ANALYSIS Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis Lyu Z, Fan Y, Bai Y, Liu T, Zhong LL, Liang HF CASE REPORT Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports Li BL, Xu JY, Lin S Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawama K Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report Zhu XJ, Liu SX, Li QT, Jiang YJ Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report Fu P, Juao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report Chen J, Yang HF 		Zhou X, Wang DY, Ding CY, Liu H, Sun ZQ	
 4856 Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis <i>Lyu Z, Fan Y, Bai Y, Liu T, Zhong LL, Liang HF</i> CASE REPORT 4878 Familial gastrointestinal stromal tumors with <i>KIT</i> germline mutation in a Chinese family: A case report <i>Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY</i> 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature <i>Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J</i> 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports <i>Li BL, Xu JY, Lin S</i> 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report <i>Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K</i> 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zhu XJ, Liu SX, Li QT, Jiang YJ</i> 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang IH</i> 		META-ANALYSIS	
 Lyu Z, Fan Y, Bai Y, Liu T, Zhong LL, Liang HF CASE REPORT Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports Li BL, Xu JY, Lin S 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report Zhu XJ, Liu SX, Li QT, Jiang YJ 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report Chen J, Yang HF 	4856	Outcome of the efficacy of Chinese herbal medicine for functional constipation: A systematic review and meta-analysis	
 CASE REPORT 4878 Familial gastrointestinal stromal tumors with <i>KIT</i> germline mutation in a Chinese family: A case report <i>Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY</i> 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature <i>Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J</i> 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports <i>Li BL, Xu JY, Lin S</i> 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report <i>Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K</i> 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zhu XJ, Liu SX, Li QT, Jiang YJ</i> 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 		Lyu Z, Fan Y, Bai Y, Liu T, Zhong LL, Liang HF	
 4878 Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report <i>Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY</i> 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature <i>Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J</i> 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports <i>Li BL, Xu JY, Lin S</i> 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report <i>Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K</i> 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zhu XI, Liu SX, Li QT, Jiang YJ</i> 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 		CASE REPORT	
 Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY 14886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J 14895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports Li BL, Xu JY, Lin S 14904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K 14911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report Zhu XJ, Liu SX, Li QT, Jiang YJ 14917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM 14923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY 14929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report Chen J, Yang HF 	4878	Familial gastrointestinal stromal tumors with KIT germline mutation in a Chinese family: A case report	
 4886 Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports Li BL, Xu JY, Lin S 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report Zhu XJ, Liu SX, Li QT, Jiang YJ 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report Chen J, Yang HF 		Yuan W, Huang W, Ren L, Xu C, Luan LJ, Huang J, Xue AW, Fang Y, Gao XD, Shen KT, Lv JH, Hou YY	
 Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports Li BL, Xu JY, Lin S 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report Zhu XJ, Liu SX, Li QT, Jiang YJ 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report Chen J, Yang HF 	4886	Nonfunctional pancreatic neuroendocrine tumours misdiagnosed as autoimmune pancreatitis: A case report and review of literature	
 4895 Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports <i>Li BL, Xu JY, Lin S</i> 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report <i>Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K</i> 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zhu XJ, Liu SX, Li QT, Jiang YJ</i> 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 		Lin ZQ, Li X, Yang Y, Wang Y, Zhang XY, Zhang XX, Guo J	
 Li BL, Xu JY, Lin S 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report <i>Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K</i> 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zhu XJ, Liu SX, Li QT, Jiang YJ</i> 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 	4895	Sudden deafness as a prodrome of cerebellar artery infarction: Three case reports	
 4904 Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report <i>Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K</i> 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zhu XJ, Liu SX, Li QT, Jiang YJ</i> 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 		Li BL, Xu JY, Lin S	
 Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zhu XJ, Liu SX, Li QT, Jiang YJ</i> 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 	4904	Importance of abdominal X-ray to confirm the position of levonorgestrel-releasing intrauterine system: A case report	
 4911 Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report <i>Zhu XJ, Liu SX, Li QT, Jiang YJ</i> 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 		Maebayashi A, Kato K, Hayashi N, Nagaishi M, Kawana K	
 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 	4911	Bedside ultrasonic localization of the nasogastric tube in a patient with severe COVID-19: A case report	
 4917 Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report <i>Du C, Tang HJ, Fan SM</i> 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 		Znu XJ, Liu SX, Li QI, Jiang IJ	
 4923 Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary spherocytosis: A case report <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 	4917	Paradoxical herniation after decompressive craniectomy provoked by mannitol: A case report Du C, Tang HJ, Fan SM	
 <i>Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY</i> 4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i> 	4923	Targeted next-generation sequencing identifies a novel nonsense mutation in ANK1 for hereditary	
4929 Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report <i>Chen J, Yang HF</i>		Fu P, Jiao YY, Chen K, Shao JB, Liao XL, Yang JW, Jiang SY	
Chen J, Yang HF	4929	Nonfunctional bladder paraganglioma misdiagnosed as hemangioma: A case report	
		Chen J, Yang HF	



Conton	World Journal of Clinical Cases	
Conten	Thrice Monthly Volume 10 Number 15 May 26, 2022	
4935	Special type of Wernekink syndrome in midbrain infarction: Four case reports <i>Yang YZ, Hu WX, Zhai HJ</i>	
4942	Primary extraskeletal Ewing's sarcoma of the lumbar nerve root: A case report <i>Lei LH, Li F, Wu T</i>	
4949	Yellow nail syndrome accompanied by minimal-change nephrotic syndrome: A case report	
	Zhang YN, Wang MH, Yu WC, Cheng W, Cong JP, Huang XP, Wang FF	
4957	Total femur replacement with 18 years of follow-up: A case report	
	Yang YH, Chen JX, Chen QY, Wang Y, Zhou YB, Wang HW, Yuan T, Sun HP, Xie L, Yao ZH, Yang ZZ	
4964	Male metaplastic breast cancer with poor prognosis: A case report	
	Kim HY, Lee S, Kim DI, Jung CS, Kim JY, Nam KJ, Choo KS, Jung YJ	
4971	CD8-positive indolent T-Cell lymphoproliferative disorder of the gastrointestinal tract: A case report and review of literature	
	Weng CY, Ye C, Fan YH, Lv B, Zhang CL, Li M	
4985	Bone flare after initiation of novel hormonal therapy in patients with metastatic hormone-sensitive prostate cancer: A case report	
	Li KH, Du YC, Yang DY, Yu XY, Zhang XP, Li YX, Qiao L	
4991	Postoperative infection of the skull base surgical site due to suppurative parotitis: A case report	
	Zhao Y, Zhao Y, Zhang LQ, Feng GD	
4998	Blunt aortic injury-traumatic aortic isthmus pseudoaneurysm with right iliac artery dissection aneurysm: A case report	
	Fang XX, Wu XH, Chen XF	
5005	Extensive complex thoracoabdominal aortic aneurysm salvaged by surgical graft providing landing zone for endovascular graft: A case report	
	Jang AY, Oh PC, Kang JM, Park CH, Kang WC	
5012	Gastric heterotopia of colon found cancer workup in liver abscess: A case report	
	Park JG, Suh JI, Kim YU	
5018	Clinical manifestations and gene analysis of Hutchinson-Gilford progeria syndrome: A case report	
	Zhang SL, Lin SZ, Zhou YQ, Wang WQ, Li JY, Wang C, Pang QM	
5025	Neurocutaneous melanosis with an intracranial cystic-solid meningeal melanoma in an adult: A case report and review of literature	
	Liu BC, Wang YB, Liu Z, Jiao Y, Zhang XF	
5036	Metastasis of liver cancer to the thyroid after surgery: A case report	
	Zhong HC, Sun ZW, Cao GH, Zhao W, Ma K, Zhang BY, Feng YJ	



•	World Journal of Clinical CasesContentsThrice Monthly Volume 10 Number 15 May 26, 2022	
Conten		
5042	Spontaneous liver rupture following SARS-CoV-2 infection in late pregnancy: A case report	
	Ambrož R, Stašek M, Molnár J, Špička P, Klos D, Hambálek J, Skanderová D	
5051	Carotid blowout syndrome caused by chronic infection: A case report	
	Xie TH, Zhao WJ, Li XL, Hou Y, Wang X, Zhang J, An XH, Liu LT	
5057	Is repeat wide excision plus radiotherapy of localized rectal melanoma another choice before abdominoperineal resection? A case report	
	Chiu HT, Pu TW, Yen H, Liu T, Wen CC	
5064	Metaplastic breast cancer with chondrosarcomatous differentiation combined with concurrent bilateral breast cancer: A case report	
	Yang SY, Li Y, Nie JY, Yang ST, Yang XJ, Wang MH, Zhang J	
5072	Rare solitary splenic metastasis from a thymic carcinoma detected on fluorodeoxyglucose-positron emission tomography: A case report	
	Tsai YH, Lin KH, Huang TW	
5077	Type A aortic dissection following heart transplantation: A case report	
	Zeng Z, Yang LJ, Zhang C, Xu F	
5082	Catheter-related infections caused by <i>Mycobacterium abscessus</i> in a patient with motor neurone disease: A case report	
	Pan SF, Zhang YY, Wang XZ, Sun JJ, Song SL, Tang YR, Wang JL	
5088	Clear aligner treatment for a four-year-old patient with anterior cross-bite and facial asymmetry: A case report	
	Zou YR, Gan ZQ, Zhao LX	
5097	Knot impingement after arthroscopic rotator cuff repair mimicking infection: A case report	
	Kim DH, Jeon JH, Choi BC, Cho CH	
5103	Solitary primary pulmonary synovial sarcoma: A case report	
	He WW, Huang ZX, Wang WJ, Li YL, Xia QY, Qiu YB, Shi Y, Sun HM	
5111	Anesthetic management for intraoperative acute pulmonary embolism during inferior vena cava tumor thrombus surgery: A case report	
	Hsu PY, Wu EB	
5119	Delayed diagnosis of arytenoid cartilage dislocation after tracheal intubation in the intensive care unit: A case report	
	Yan WQ, Li C, Chen Z	



Contents

Thrice Monthly Volume 10 Number 15 May 26, 2022

ABOUT COVER

Editorial Board Member of World Journal of Clinical Cases, Jing Yang, MD, Associate Professor, Department of the First General Surgery, Gansu Provincial Hospital, Lanzhou 730000, Gansu Province, China. 21634604@qq.com

AIMS AND SCOPE

The primary aim of World Journal of Clinical Cases (WJCC, World J Clin Cases) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

WJCC mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

INDEXING/ABSTRACTING

The WJCC is now indexed in Science Citation Index Expanded (also known as SciSearch®), Journal Citation Reports/Science Edition, Scopus, PubMed, and PubMed Central. The 2021 Edition of Journal Citation Reports® cites the 2020 impact factor (IF) for WJCC as 1.337; IF without journal self cites: 1.301; 5-year IF: 1.742; Journal Citation Indicator: 0.33; Ranking: 119 among 169 journals in medicine, general and internal; and Quartile category: Q3. The WJCC's CiteScore for 2020 is 0.8 and Scopus CiteScore rank 2020: General Medicine is 493/793.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Ying-Yi Yuan, Production Department Director: Xiang Li, Editorial Office Director: Jin-Lei Wang.

NAME OF JOURNAL World Journal of Clinical Cases	INSTRUCTIONS TO AUTHORS https://www.wjgnet.com/bpg/gerinfo/204
ISSN	GUIDELINES FOR ETHICS DOCUMENTS
ISSN 2307-8960 (online)	https://www.wjgnet.com/bpg/GerInfo/287
LAUNCH DATE	GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH
April 16, 2013	https://www.wjgnet.com/bpg/gerinfo/240
FREQUENCY	PUBLICATION ETHICS
Thrice Monthly	https://www.wjgnet.com/bpg/GerInfo/288
EDITORS-IN-CHIEF	PUBLICATION MISCONDUCT
Bao-Gan Peng, Jerzy Tadeusz Chudek, George Kontogeorgos, Maurizio Serati, Ja Hyeon Ku	https://www.wjgnet.com/bpg/gerinfo/208
EDITORIAL BOARD MEMBERS	ARTICLE PROCESSING CHARGE
https://www.wjgnet.com/2307-8960/editorialboard.htm	https://www.wignet.com/bpg/gerinfo/242
PUBLICATION DATE	STEPS FOR SUBMITTING MANUSCRIPTS
May 26, 2022	https://www.wignet.com/bpg/GerInfo/239
COPYRIGHT	ONLINE SUBMISSION
© 2022 Baishideng Publishing Group Inc	https://www.f6publishing.com

© 2022 Baishideng Publishing Group Inc. All rights reserved. 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA E-mail: bpgoffice@wjgnet.com https://www.wjgnet.com



WJCC

World Journal of **Clinical Cases**

Submit a Manuscript: https://www.f6publishing.com

World J Clin Cases 2022 May 26; 10(15): 5005-5011

DOI: 10.12998/wjcc.v10.i15.5005

ISSN 2307-8960 (online)

CASE REPORT

Extensive complex thoracoabdominal aortic aneurysm salvaged by surgical graft providing landing zone for endovascular graft: A case report

Albert Youngwoo Jang, Pyung Chun Oh, Jin Mo Kang, Chul Hyun Park, Woong Chol Kang

Albert Youngwoo Jang, Department of Cardiology, Gachon University Gil Medical Center, Incheon 1198, South Korea	
Pyung Chun Oh , Department of Internal Medicine, Gil Medical Center, Gachon Cardiovascular Research Institute, Gachon University College of Medicine, Incheon 1198, South Korea	
Jin Mo Kang, Division of Vascular Surgery, Gachon University Gil Medical Center, Incheon	
1198, South Korea	
Chul Hyun Park , Department of Thoracic and Cardiovascular Surgery, Gachon University Gil Medical Center, Incheon 1198, South Korea	
Woong Chol Kang, Division of Cardiology, Gil Medical Center, Gachon University of Medicine	
and Science. Incheon 1198. South Korea	
Corresponding author: Woong Chol Kang, MD, PhD, Professor, Division of Cardiology, Gil	
Medical Center, Gachon University of Medicine and Science, 783 Namdong-daero, Incheon	
1198, South Korea. kangwch@gilhospital.com	
Abstract	
BACKGROUND	
Surgical repair of complex abdominal aortic aneurysm is associated with a higher	

2021 First decision: December 27, 2021 Revised: January 7, 2022 Accepted: March 25, 2022 Article in press: March 25, 2022 Published online: May 26, 2022



perative mortality and morbidity. The advent of endovascular aortic repair (EVAR) has reduced perioperative complications, although the utilization of such techniques is limited by lesion characteristics, such as involvement of the visceral or renal arteries (RA) and/or presence of a sealing zone.

CASE SUMMARY

A 60-year-old male presented with a Crawford type IV complex thoracoabdominal aortic aneurysm (CAAA) starting directly distal to the diaphragm extending to both common iliac arteries (CIAs). The CAAA consist of a proximal and distal aneurysmal sac separated by a 1 cm-healthy zone in the infrarenal level. Due to the poor performance of the patient and the expansive disease, we planned a stepwise-combined surgery and EVAR to minimize invasiveness. A branched graft was implanted after surgical debranching of the visceral and RA. Since the patient had renal and liver injury after surgery, the second stage EVAR was performed 10 mo later. The stent graft was implanted from the distal portion of



WJCC | https://www.wjgnet.com

surgical branched graft to both CIAs during EVAR. The patient has been uneventful for 5-years after discharge and is being followed in the outpatient clinic.

CONCLUSION

The current case demonstrates that the surgical graft can provide a landing zone for second stage EVAR to avoid aggressive surgery in patients with poor performance with a long hostile CAAA.

Key Words: Complex thoracoabdominal aortic aneurysm; Abdominal aortic aneurysm surgery; Endovascular aortic repair; Common iliac artery aneurysm; Case report

©The Author(s) 2022. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: Complex thoracoabdominal aortic aneurysm (CAAA) is an aortic disease requiring aggressive surgery. Herein, we report a case where branched graft was implanted covering half of the aortic disease, followed by a stent graft inserted through endovascular aortic repair to minimize invasiveness in a patient with extensive CAAA.

Citation: Jang AY, Oh PC, Kang JM, Park CH, Kang WC. Extensive complex thoracoabdominal aortic aneurysm salvaged by surgical graft providing landing zone for endovascular graft: A case report. World J Clin Cases 2022; 10(15): 5005-5011

URL: https://www.wjgnet.com/2307-8960/full/v10/i15/5005.htm DOI: https://dx.doi.org/10.12998/wjcc.v10.i15.5005

INTRODUCTION

Surgical repair of complex thoracoabdominal aortic aneurysm (CAAA) is associated with a higher perioperative mortality[1,2]. Endovascular aortic repair (EVAR) has been increasingly performed due to its minimal invasiveness that results in reduced periprocedural complications[3]. However, EVAR is a challenging procedure in CAAA without the infrarenal neck due to the lack of landing zone for the stent grafts (SGs) or cases involving the visceral or renal arteries (RA). Herein, we report a case of CAAA with concomitant involvement of the common iliac artery (CIA) treated by a stepwise-combined surgery and EVAR, in which the surgical graft of the proximal half of CAAA facilitated a sealing zone for EVAR in the distal half.

CASE PRESENTATION

Chief complaints

A 60-year-old male was referred to our clinic for a large AAA detected during ultrasound screening of the abdominal aorta during cardiovascular screening check-up.

History of present illness

He had a history of heavy smoking (50 pack years). The patient had developed mild shortness of breath for the past 3 wk. Coronary angiography revealed chronic total occlusion of the mid right coronary artery with good collateral blood supply from the left coronary artery. Percutaneous coronary intervention was deferred as symptoms subsided after medical therapy. The patient was then referred to our clinic after the screening abdominal ultrasound revealed a CAAA.

History of past illness

The patient had a history of hypertension and renal tuberculosis 5-years prior. His electrocorticography performance status was also dramatically decreased from 4 to 2 after his diagnosis of renal tuberculosis.

Personal and family history

The patient had not any personal or family history.

Physical examination

A pulsating mass was palpable in the peri-umbilical area.



Laboratory examinations

The baseline creatinine level was 1.1 mg/dL. Other laboratory findings were all within normal limit.

Imaging examinations

Computed tomographic aortography (CTA) was performed successfully. The diagnosis was made based on the serial axial images and its Three-dimensional reconstruction of the CTA. The patient had a Crawford type IV CAAA consisting of a proximal and distal aneurysmal sac separated by a 1 cmhealthy zone in the infrarenal level (Figure 1A). The proximal AAA was a fusiform juxtarenal aneurysm (max diameter: 79 mm), starting directly below a sharp kink at the diaphragm level and ending at approximately 4 cm distal to the RA (Figure 1A). The distal aneurysm (max diameter: 49 mm) was fusiform starting 5 cm distal to the RA and involving both the CIAs, where occlusion of the right internal iliac artery (IIA) was observed (Figure 1A).

MULTIDISCIPLINARY EXPERT CONSULTATION

Due to the poor performance of the patient, we planned a stepwise-combined surgery and EVAR (surgical debranching of the visceral/RA followed by a second stage EVAR) to minimize invasiveness.

FINAL DIAGNOSIS

The final diagnosis was a long CAAA involving visceral arteries, RAs, and both CIAs requiring extensive correction.

TREATMENT

Open surgery was performed by a retroperitoneal approach. Supraceliac clamping was performed slightly distal to the diaphragm while distally clamping the infrarenal healthy zone of the aorta. Surgery was prolonged due to difficulty in locating the small-calibered calcified right RA. End-to-end anastomosis between the Coseli branched graft (Gelweave® Coselli Thoracoabdominal Graft, Vascuteck-Terumo, Renfrewshire Scotland, United Kingdom), proximal/distal aortic stump and visceral/RAs was performed, and reinforced by the remaining aortic wall (Figure 1B). The total duration of surgery was approximately 7 h from start to finish of anesthesia. After surgery, the patient remained in the intensive care unit (ICU) for approximately 50 d for liver failure, acute kidney injury (AKI), and pneumonia (Figure 2). The second stage EVAR was delayed until the patient was physically and mentally ready for the second procedure. He refused of undergoing any type of additional interventions, including surgery, due to the traumatic memories of staying in the ICU for almost 2 mo. The 10-mo post-surgical CTA showed no dysfunction of the surgical graft (Figure 1C). There was no change in diameter of the distal AAA (maximal diameter: 49 mm), although the diameter of the left CIA slightly increased from 27 mm to 30 mm, compared with previous CTA.

EVAR was performed 15 mo post-surgery. After implantation of the main SG (Endurant 32 × 103 mm, Medtronic, Minneapolis, MN, United States) on the surgical graft, a limb extension was deployed for the right CIA aneurysm (Endurant 16 × 156 mm). Another limb extension (Endurant 16 × 125 mm) for the left external iliac artery and an additional SG (GORE[®] VIABAHN[®] Endoprosthesis 8 × 100 mm, Gore, Flagstaff, AZ, United States) for the left IIA were implanted using the sandwich technique, to preserve the left IIA (Figure 3A). Follow-up angiography revealed a type Ib endoleak in the left IIA, which was sealed by a bare metal stent (Express[™] LD 9 × 37 mm, Boston Scientific, Marlborough, MA, United States).

OUTCOME AND FOLLOW-UP

The patient was discharged in 3 d without any complications. CTA performed 5 mo post-EVAR showed no endoleaks or compromise of SGs (Figure 3A). CTA performed 5 years post-EVAR showed no endoleaks or graft failure (Figure 3B). Over time, the maximal diameter of the distal AAA (49 mm to 32 mm) and CIA (30 mm to 19 mm) were reduced. The patient has been uneventful without complaints for the following 5 years and is being followed up in the outpatient department.

Zaishidene® WJCC | https://www.wjgnet.com



DOI: 10.12998/wjcc.v10.i15.5005 Copyright ©The Author(s) 2022.

Figure 1 Computed tomographic aortography and surgical images of complex abdominal aortic aneurysm with bilateral involvement of the common iliac artery pre- and post-surgery and endovascular aortic repair. A: The computed tomographic aortography image before surgery shows complex thoracoabdominal aortic aneurysm initiating directly distal to the diaphragm level and extending to both common iliac arteries, while the extensive lesion is separated by a short healthy zone in the infrarenal level; B: After surgery, the visceral and renal arteries were anastomosed to the Coselli branched graft and the distal end of the surgical graft was sutured to the 1 cm healthy zone; C: The main body of the stent graft was sealed to the infrarenal landing zone facilitated by the surgical graft. SMA: Superior mesenteric artery; RA: Renal artery; AAA: Abdominal aortic aneurysm; CIA: Common iliac artery.



Figure 2 Diagram of hospital course after the surgery. The patient was discharged after 60 d post-surgery. His stay in the intensive care unit was prolonged for 49 d due to difficulty in weaning from ventilator support, initiated due to pneumonia. He also developed liver and kidney failure. Total bilirubin peaked at post-operative day 13 up to 35.7 mg/dL and serum creatinine was not recovered until discharge.

DISCUSSION

Although extensive CAAAs are generally corrected by mega-aortic surgery, such invasive strategies are associated with a high-risk of mortality and morbidity. To our knowledge, this case is the first to demonstrate that Crawford type IV CAAA concurrently involving bilateral CIA can be successfully treated by coordinating the surgical graft to provide a landing zone for the infrarenal SG. This combined approach may be a considerable option for patients with extensive CAAA.



WJCC | https://www.wjgnet.com



DOI: 10.12998/wjcc.v10.i15.5005 Copyright ©The Author(s) 2022

Figure 3 Computed tomographic angiography images after endovascular aortic repair. A: The computed tomographic angiography (CTA) images 5 mo after endovascular aortic repair (EVAR); B: The CTA image of the 5-year post-EVAR showing reduced maximal diameter of the distal abdominal aortic aneurysm and common iliac artery aneurysm. SMA: Superior mesenteric artery; RA: Renal artery; AAA: Abdominal aortic aneurysm; CIA: Common iliac artery.

> Crawford type IV AAA is associated with a high-risk of post-operative mortality and morbidity with mortality. Post-operative mortality is up to 7% with high rates of detrimental complications, such as spinal cord injury or AKI[1,2]. The preferred treatment strategy, surgical, EVAR, or combined, is debatable, although EVAR has become popularized for its less invasiveness. AAA with the CIA involvement is also associated with a high-risk surgical mortality and complications[3]. EVAR has not been proven to reduce mortality, but perioperative complication rates are less severe[4-7]. In this patient, open surgery of the whole extent of AAA was not considered because of the patient's initial poor performance and high-risk. Additionally, EVAR for the juxtarenal aneurysm was not an option for the lack of infrarenal landing zone and angulated proximal neck. Fenestrated EVAR was also not available in South Korea at the time. However, combined surgery was feasible because there was an intact area of the infrarenal aorta without aneurysmal change or calcification, which enabled distal anastomosis of the surgical graft. The branched surgical graft also facilitated a sufficient landing zone for EVAR of the distal aneurysm and IIAs.

> Although the surgery was successfully performed without any intra-operative complications, the patient exhibited life-threatening post-operative morbidities, such as AKI, liver failure, and pneumonia. Post-surgical AKI rate is as high as 39% in CAAA repair, while new onset dialysis incidence is up to 4% [1,2]. In patients with CAAA undergoing visceral vessel repair (VVR), the postoperative mortality was 8.9%, while chances for hemodialysis (HD) and pneumonia were 7.6% and 17.2%, respectively[8]. The independent predictors for mortality in patients undergoing VVR were poor functional status, baseline creatinine, the presence of diabetes and older age. It is likely that the patient's poor initial performance status may have been associated with the life-threatening liver and renal injury after surgery. The most optimal way of reducing such liver or renal injuries is reducing ischemic time[9]. Alternative methods, such as selective renal perfusion with cold saline or crystalloids have been introduced[10]. Selective visceral perfusion to both the hepatic and renal artery have also shown promising results in reducing ischemic injury[11]. He developed AKI within 2 d of surgery and creatinine levels were not fully recovered until discharge (Figure 2). His creatinine level was 2.5 mg/dL at discharge. He gradually developed chronic kidney disease, which eventually led to HD in 3 years. His bilirubin level after initial surgery was also increased up to 35.7 mg/dL, while the exact cause of isolated bilirubinemia was not confirmed; abdominal ultrasound did not show obstruction of the biliary tract. The prolonged ischemic time may have caused impairment of the liver and kidney. The patient also developed hospital-acquired pneumonia 3-d after the surgery. He was unable to wean from ventilator support for 49 d, which prolonged his stay in the ICU. He was discharged 60 d after the surgery (Figure 2). These detrimental complications altogether suggest that the patient may have had a high chance of developing a debilitating complication had he received open mega surgery of the whole extent of CAAA, from the supraceliac to CIA level.



WJCC | https://www.wjgnet.com

CONCLUSION

This case demonstrates that surgical graft can provide a sufficient landing zone for the EVAR in patients with extensive CAAA with the concomitant CIA involvement.

FOOTNOTES

Author contributions: Jang AY and Kang WC were the patient's interventionists, reviewed the literature and contributed to manuscript drafting, writing, editing, and revising; Oh PC, Kang JM, and Park CH were interventionists or surgeons of the patient, who reviewed and edited the manuscript; all authors issued final approval for the version to be submitted.

Informed consent statement: Informed written consent was obtained from the patients for the publication of this report and any accompanying images.

Conflict-of-interest statement: The authors declare that they have no conflict of interest.

CARE Checklist (2016) statement: The authors have read the CARE Checklist (2016), and the manuscript was prepared and revised according to the CARE Checklist (2016).

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is noncommercial. See: https://creativecommons.org/Licenses/by-nc/4.0/

Country/Territory of origin: South Korea

ORCID number: Albert Youngwoo Jang 0000-0002-8802-268X; Pyung Chun Oh 0000-0002-9955-223X; Jin Mo Kang 0000-0002-1477-9778; Chul Hyun Park 0000-0001-7982-1765; Woong Chol Kang 0000-0003-4590-7178.

S-Editor: Chen YL L-Editor: A P-Editor: Chen YL

REFERENCES

- Latz CA, Boitano L, Schwartz S, Swerdlow N, Dansey K, Varkevisser RRB, Patel V, Schermerhorn ML. Editor's Choice -Mortality is High Following Elective Open Repair of Complex Abdominal Aortic Aneurysms. Eur J Vasc Endovasc Surg 2021; 61: 90-97 [PMID: 33046385 DOI: 10.1016/j.ejvs.2020.09.002]
- Swerdlow NJ, Wu WW, Schermerhorn ML. Open and Endovascular Management of Aortic Aneurysms. Circ Res 2019; 2 124: 647-661 [PMID: 30763206 DOI: 10.1161/CIRCRESAHA.118.313186]
- Bannazadeh M, Jenkins C, Forsyth A, Kramer J, Aggarwal A, Somerset AE, Bove PG, Long GW. Outcomes for 3 concomitant common iliac artery aneurysms after endovascular abdominal aortic aneurysm repair. J Vasc Surg 2017; 66: 1390-1397 [PMID: 28697942 DOI: 10.1016/j.jvs.2017.02.058]
- 4 Katsargyris A, Oikonomou K, Klonaris C, Bal A, Yanar F, Verhoeven EL. Common iliac and hypogastric aneurysms: open and endovascular repair. J Cardiovasc Surg (Torino) 2015; 56: 249-255 [PMID: 25512317]
- 5 Paravastu SC, Jayarajasingam R, Cottam R, Palfreyman SJ, Michaels JA, Thomas SM. Endovascular repair of abdominal aortic aneurysm. Cochrane Database Syst Rev 2014; CD004178 [PMID: 24453068 DOI: 10.1002/14651858.CD004178.pub2
- 6 Schermerhorn ML, O'Malley AJ, Jhaveri A, Cotterill P, Pomposelli F, Landon BE. Endovascular vs. open repair of abdominal aortic aneurysms in the Medicare population. N Engl J Med 2008; 358: 464-474 [PMID: 18234751 DOI: 10.1056/NEJMoa0707348
- Stather PW, Sidloff D, Dattani N, Choke E, Bown MJ, Sayers RD. Systematic review and meta-analysis of the early and 7 late outcomes of open and endovascular repair of abdominal aortic aneurysm. Br J Surg 2013; 100: 863-872 [PMID: 23475697 DOI: 10.1002/bjs.9101]
- 8 Patel VI, Lancaster RT, Conrad MF, Lamuraglia GM, Kwolek CJ, Brewster DC, Cambria RP. Comparable mortality with open repair of complex and infrarenal aortic aneurysm. J Vasc Surg 2011; 54: 952-959 [PMID: 21723071 DOI: 10.1016/j.jvs.2011.03.231]
- Waked K, Schepens M. State-of the-art review on the renal and visceral protection during open thoracoabdominal aortic aneurysm repair. J Vis Surg 2018; 4: 31 [PMID: 29552513 DOI: 10.21037/jovs.2018.01.12]
- Wynn MM, Acher C, Marks E, Engelbert T, Acher CW. Postoperative renal failure in thoracoabdominal aortic aneurysm repair with simple cross-clamp technique and 4°C renal perfusion. J Vasc Surg 2015; 61: 611-622 [PMID: 25720924 DOI: 10.1016/j.jvs.2014.10.040]
- 11 Fernández-Doblas J, Ortega-Loubon C, Pérez-Andreu J, Linés M, Fernández-Molina M, Abella RF. Selective visceral



perfusion improves renal flow and hepatic function in neonatal aortic arch repair. Interact Cardiovasc Thorac Surg 2018; 27: 395-401 [PMID: 29590367 DOI: 10.1093/icvts/ivy091]





Published by Baishideng Publishing Group Inc 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA Telephone: +1-925-3991568 E-mail: bpgoffice@wjgnet.com Help Desk: https://www.f6publishing.com/helpdesk https://www.wjgnet.com

