World Journal of *Clinical Cases*

World J Clin Cases 2023 June 26; 11(18): 4210-4457





Published by Baishideng Publishing Group Inc

W J C C World Journal of Clinical Cases

Contents

Thrice Monthly Volume 11 Number 18 June 26, 2023

REVIEW

4210 Should gastroenterologists prescribe cannabis? The highs, the lows and the unknowns Samuel S, Michael M, Tadros M

MINIREVIEWS

- 4231 Application of artificial intelligence in trauma orthopedics: Limitation and prospects Salimi M, Parry JA, Shahrokhi R, Mosalamiaghili S
- 4241 Weight loss maintenance after bariatric surgery Cho YH, Lee Y, Choi JI, Lee SR, Lee SY
- Bicuspid aortic valve with associated aortopathy, significant left ventricular hypertrophy or concomitant 4251 hypertrophic cardiomyopathy: A diagnostic and therapeutic challenge Sopek Merkaš I, Lakušić N, Predrijevac M, Štambuk K, Hrabak Paar M

ORIGINAL ARTICLE

Case Control Study

4267 Multimodal integrated intervention for children with attention-deficit/hyperactivity disorder Lv YB, Cheng W, Wang MH, Wang XM, Hu YL, Lv LQ

Retrospective Study

4277 Portal vein computed tomography imaging characteristics and their relationship with bleeding risk in patients with liver cirrhosis undergoing interventional therapy

Song XJ, Liu JL, Jia SY, Zhang K

Observational Study

4287 Wrist-ankle acupuncture combined with pain nursing for the treatment of urinary calculi with acute pain Wu LM, Liu Q, Yin XH, Yang LP, Yuan J, Zhang XQ, Wang YL

CASE REPORT

4295 Coexistence of diffuse large B-cell lymphoma, acute myeloid leukemia, and untreated lymphoplasmacytic lymphoma/waldenström macroglobulinemia in a same patient: A case report

Zhang LB, Zhang L, Xin HL, Wang Y, Bao HY, Meng QQ, Jiang SY, Han X, Chen WR, Wang JN, Shi XF

4306 Collagen fleece (Tachosil®) for treating testis torsion: A case report

Kim KM, Kim JH



⁴²⁵⁸ Application experience and research progress of different emerging technologies in plastic surgery Yang B, Yang L, Huang WL, Zhou QZ, He J, Zhao X

Conton	World Journal of Clinical Cases	
Conten	Thrice Monthly Volume 11 Number 18 June 26, 2023	
4313	Morphological features and endovascular repair for type B multichanneled aortic dissection: A case report	
	Lu WF, Chen G, Wang LX	
4318	Hepatic inflammatory myofibroblastic tumor: A case report	
	Tong M, Zhang BC, Jia FY, Wang J, Liu JH	
4326	Endometriosis of the lung: A case report and review of literature	
	Yao J, Zheng H, Nie H, Li CF, Zhang W, Wang JJ	
4334	Delayed dislocation of the radial head associated with malunion of distal radial fracture: A case report	
10.11		
4341	Synchronous endometrial and ovarian cancer: A case report Žilovič D. Čiurliené R. Šidlovska F. Vaicekauskaitė I. Sabaliauskaitė R. Jarmalaitė S.	
4350	Nivolumab-induced tumour-like gastritis: A case report	
	Cijauskane E, Kazenane E, Siraimene S, Saaaaskane O, Karimkas B	
4360	Solitary thyroid gland metastasis from rectal cancer: A case report and review of the literature <i>Chen Y, Kang QS, Zheng Y, Li FB</i>	
4368	Anesthesia for extracorporeal membrane oxygenation-assisted thoracoscopic lower lobe subsegmental	
	resection in a patient with a single left lung: A case report	
	wang AF, Li ZI, Chen L, Chen LA, Ale F, Luo 110	
4377	Indium chloride bone marrow scintigraphy for hepatic myelolipoma: A case report	
	Sato A, Satto K, Abe K, Sugimoto K, Nagao 1, Sukeaa A, Tunatyama D	
4384	Fibromatosis-like metaplastic carcinoma of the breast: Two case reports	
	Bao WY, Zhou JH, Luo Y, Lu Y	
4392	Perforating and ophthalmic artery variants from the anterior cerebral artery: Two case reports	
	Mo ZX, Li W, Wang DF	
4397	Diagnostic use of superb microvascular imaging in evaluating septic arthritis of the manubriosternal joint: A case report	
	Seskute G, Kausaite D, Chalkovskaja A, Bulotaite E, Butrimiene I	
4406	Primary prostate Burkitt's lymphoma resected with holmium laser enucleation of the prostate: A rare case report	
	Wu YF, Li X, Ma J, Ma DY, Zeng XM, Yu QW, Chen WG	
4412	Pancreatitis, panniculitis and polyarthritis syndrome: A case report	
	Pichler H, Stumpner T, Schiller D, Bischofreiter M, Ortmaier R	
4419	Acute neck tendonitis with dyspnea: A case report	
	Wu H, Liu W, Mi L, Liu Q	

Conton	World Journal of Clinical Cases	
Conten	Thrice Monthly Volume 11 Number 18 June 26, 2023	
4425	Next-generation sequencing technology for the diagnosis of <i>Pneumocystis</i> pneumonia in an immunocompetent female: A case report	
	Huang JJ, Zhang SS, Liu ML, Yang EY, Pan Y, Wu J	
4433	Superior laryngeal nerve block for treatment of throat pain and cough following laryngeal herpes zoster: A case report	
	Oh J, Park Y, Choi J, Jeon Y	
4438	Removal of unexpected schwannoma with superficial parotidectomy using modified-Blair incision and superficial musculoaponeurotic system folding: A case report	
	Nam HJ, Choi HJ, Byeon JY, Wee SY	
4446	Simultaneously metastatic cholangiocarcinoma and small intestine cancer from breast cancer misdiagnosed as primary cholangiocarcinoma: A case report	
	Jiao X, Zhai MM, Xing FZ, Wang XL	

LETTER TO THE EDITOR

4454 Erroneous presentation of respiratory-hemodynamic disturbances and postsurgical inflammatory responses in patients having undergone abdominal cavity cancer surgery

Idrissov KS, Mynbaev OA



Contents

Thrice Monthly Volume 11 Number 18 June 26, 2023

ABOUT COVER

Editorial Board Member of World Journal of Clinical Cases, Guoping Zheng, MD, PhD, Associate Professor, Faculty of Medicine and Health, Sydney Medical School-Westmead Clinical School, The University of Sydney, Sydney 2145, Australia. guoping.zheng@sydney.edu.au

AIMS AND SCOPE

The primary aim of World Journal of Clinical Cases (WJCC, World J Clin Cases) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

WJCC mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

INDEXING/ABSTRACTING

The WJCC is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Journal Citation Reports/Science Edition, Current Contents®/Clinical Medicine, PubMed, PubMed Central, Reference Citation Analysis, China National Knowledge Infrastructure, China Science and Technology Journal Database, and Superstar Journals Database. The 2022 Edition of Journal Citation Reports® cites the 2021 impact factor (IF) for WJCC as 1.534; IF without journal self cites: 1.491; 5-year IF: 1.599; Journal Citation Indicator: 0.28; Ranking: 135 among 172 journals in medicine, general and internal; and Quartile category: Q4.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Ying-Yi Yuan; Production Department Director: Xu Guo; Editorial Office Director: Jin-Lei Wang.

NAME OF JOURNAL World Journal of Clinical Cases	INSTRUCTIONS TO AUTHORS https://www.wjgnet.com/bpg/gerinfo/204
ISSN	GUIDELINES FOR ETHICS DOCUMENTS
ISSN 2307-8960 (online)	https://www.wjgnet.com/bpg/GerInfo/287
LAUNCH DATE	GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH
April 16, 2013	https://www.wjgnet.com/bpg/gerinfo/240
FREQUENCY	PUBLICATION ETHICS
Thrice Monthly	https://www.wjgnet.com/bpg/GerInfo/288
EDITORS-IN-CHIEF	PUBLICATION MISCONDUCT
Bao-Gan Peng, Jerzy Tadeusz Chudek, George Kontogeorgos, Maurizio Serati, Ja Hyeon Ku	https://www.wjgnet.com/bpg/gerinfo/208
EDITORIAL BOARD MEMBERS	ARTICLE PROCESSING CHARGE
https://www.wjgnet.com/2307-8960/editorialboard.htm	https://www.wignet.com/bpg/gerinfo/242
PUBLICATION DATE	STEPS FOR SUBMITTING MANUSCRIPTS
June 26, 2023	https://www.wjgnet.com/bpg/GerInfo/239
COPYRIGHT	ONLINE SUBMISSION
© 2023 Baishideng Publishing Group Inc	https://www.f6publishing.com

© 2023 Baishideng Publishing Group Inc. All rights reserved. 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA E-mail: bpgoffice@wjgnet.com https://www.wjgnet.com



W J C C World Journal of Clinical Cases

Submit a Manuscript: https://www.f6publishing.com

World J Clin Cases 2023 June 26; 11(18): 4392-4396

DOI: 10.12998/wjcc.v11.i18.4392

ISSN 2307-8960 (online)

CASE REPORT

Perforating and ophthalmic artery variants from the anterior cerebral artery: Two case reports

Zhi-Xiao Mo, Wen Li, De-Fa Wang

Specialty type: Clinical neurology

Provenance and peer review: Unsolicited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): 0 Grade B (Very good): 0 Grade C (Good): C Grade D (Fair): D Grade E (Poor): 0

P-Reviewer: Hegazy AA, Egypt; Kawabata H, Japan

Received: March 10, 2023 Peer-review started: March 10, 2023 First decision: April 11, 2023 Revised: May 15, 2023 Accepted: May 25, 2023 Article in press: May 25, 2023 Published online: June 26, 2023



Zhi-Xiao Mo, Department of Neurosurgery, Qinghai Provincial People's Hospital, Xining 810007, Qinghai Province, China

Wen Li, Department of Neurosurgery, The First Affiliated Hospital of Soochow University, Suzhou 215006, Jiangsu Province, China

De-Fa Wang, Department of Neurosurgery, Zhangjiagang TCM Hospital Affiliated to Nanjing University of Chinese Medicine, Suzhou 215006, Jiangsu Province, China

Corresponding author: De-Fa Wang, MM, Doctor, Department of Neurosurgery, Zhangjiagang TCM Hospital Affiliated to Nanjing University of Chinese Medicine, No. 4 Kangle Street, Suzhou 215006, Jiangsu Province, China. 535935234@qq.com

Abstract

BACKGROUND

The diagnosis and therapy during surgery depend largely on a full account of anatomic characteristics. Apart from regular structures, the common, less common or even uncommon anatomic variations are critical for procedural planning. This is especially true during craniocerebral microsurgery, where small vascular variations can affect the final surgical results and patient prognosis.

CASE SUMMARY

Herein, two rare variations concerning the A1 (horizontal) segment of anterior cerebral artery (ACA1) were introduced. One enabled the communication between perforating branch of ACA1 and dural artery of anterior skull base, which was discovered during autopsy. The other was ophthalmic artery (OA) originating from ACA1, shown on digital angiography.

CONCLUSION

In this study, we found two rare anatomical variations. One was an abnormal OA originated from the anterior communicating artery. The other was a perforating branch of the A1 segment of the anterior cerebral artery, which communicated with meningeal vessels in the anterior skull base. This finding is of great significance for the treatment of anterior communicating artery aneurysm or in other anterior skull base surgery.

Key Words: Microsurgical anatomy; Arterial variations; Ophthalmic artery; Perforating branches; Case report



WJCC | https://www.wjgnet.com

©The Author(s) 2023. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: In the process of anatomy of human specimens and cerebral angiography of patients, we found the unusual abnormal anatomical structure, that is, the communication between the perforating branch of anterior cerebral artery (ACA1) and the dura mater vessels of the anterior skull base, and the abnormal ophthalmic artery originated from ACA1, which is very useful for us to understand the abnormal structure of cerebral vessels.

Citation: Mo ZX, Li W, Wang DF. Perforating and ophthalmic artery variants from the anterior cerebral artery: Two case reports. *World J Clin Cases* 2023; 11(18): 4392-4396 URL: https://www.wjgnet.com/2307-8960/full/v11/i18/4392.htm DOI: https://dx.doi.org/10.12998/wjcc.v11.i18.4392

INTRODUCTION

Comprehensive anatomic realization constitutes a prerequisite for surgical interventions. In addition to the normal anatomical structures, rare variations should also be recognized, as unintentional omission may result in immeasurable losses. For craniocerebral microsurgery, minor variation in cerebral arteries informs operational procedures and outcomes. Some small perforating arteries begin at the A1 segment of the anterior cerebral artery (ACA1) to supply the anterior perforated substance, dorsal surface of optic nerve, chiasm, tract, and fissure of Sylvian[1]. Prior reports have identified the appearance of opthalmic artery (OA) at the location where the internal carotid artery (ICA) penetrates the dura mater [2]. Approximately half of the ophthalmic arteries come from the anteromedial side of the ICA, about 33% from the upper medial side, 7% from the medial side, and less than 2% from the upper anterior side [2]. However, the perforating branch of the anterior communicating artery rarely communicates with the dural branch of the anterior skull base [2]. In this report, variation in the perforating artery connecting ACA1 and anterior skull base dural arteries, as well as OA deriving from ACA1 was presented and discussed.

CASE PRESENTATION

Chief complaints

Case 1: A segmental right anterior cerebral artery was revealed in a cadaver specimen of an elderly male donor, whose cause of death was unknown. The autopsy was carried out in the Department of Anatomy, Medical College of Qinghai University. Upon dissection under a microscope, a variant ACA1 perforating artery was unveiled, which originated from the anterior superior wall of segment A1 and ended in the dura mater of the ipsilateral anterior skull base. Many of its small branches communicated with meningeal vessels (Figure 1).

Case 2: A 51-year-old female was admitted to the Qinghai Provincial People's Hospital for "sudden dizziness with intermittent nausea and vomiting for 8 h".

History of present illness

Case 1: This was an autopsy and there was no current medical history.

Case 2: The patient had sudden dizziness with intermittent nausea and vomiting within the last 8 h.

History of past illness

Case 1: There was no past illness.

Case 2: The patient had a 3 year history of hypertension, which was managed using oral antihypertensive drugs.

Personal and family history

Case 1: The patient has no family history.

Case 2: The patient denied any family history of malignant tumors.

Raishidena® WJCC | https://www.wjgnet.com



DOI: 10.12998/wjcc.v11.i18.4392 Copyright ©The Author(s) 2023.

Figure 1 Perforating artery (black arrow) originated from anterior superior wall of A1 segment of anterior cerebral artery (yellow arrow), with the dura mater (orange arrow) moved forward. The small branches and the dura mater traffic were folded back into the precribrum. Blue arrow indicates the optic nerve on the same side.

Physical examination

Case 1: This was an autopsy and there was no physical examination.

Case 2: On physical examination, the vital signs were as follows: Body temperature, 36.5°C; blood pressure, 168/97 mmHg; heart rate, 82 beats per min; respiratory rate, 19 breaths per min; clear mind; stiff neck; normal limb movement.

Laboratory examinations

Case 1: No examinations.

Case 2: No abnormality was found in routine blood test.

Imaging examinations

Case 1: Under the microscope, a variant ACA1 perforating artery was unveiled, which originated from the anterior superior wall of segment A1 and ended in the dura mater of the ipsilateral anterior skull base.

Case 2: Emergency head computed tomography showed a cerebellar hemorrhage broken into the fourth ventricle. Digital subtraction angiography (DSA) found a superior cerebellar artery aneurysm, ocular artery origin variation (bilateral OA originating from ACA1) and left embryonic posterior cerebral artery.

FINAL DIAGNOSIS

Case 1: Final diagnosis is unknow.

Case 2: Considering the patient's medical history, the final diagnosis was superior cerebellar aneurysm.

TREATMENT

Case 2: The superior cerebellar artery aneurysm was embolized using a simple coil. Other treatments included lumbar puncture and drainage, intracranial pressure reduction and analgesia.

OUTCOME AND FOLLOW-UP

Case 2: The patient recovered well without any complication.



WJCC | https://www.wjgnet.com



DOI: 10.12998/wjcc.v11.i18.4392 Copyright ©The Author(s) 2023.

Figure 2 A posterior circulation superior cerebellar artery aneurysm with variant origin of the ophthalmic artery was present on digital subtraction angiography. The lateral (A) and positive (B) position of the left internal carotid artery angiography showed two blood vessels at the end of the internal carotid artery. One was the thinner anterior cerebral artery (blue arrow) and the other was the thicker middle cerebral artery (cyan arrow). The abnormal origin of ophthalmic artery (yellow arrow) was on the A1 segment of the anterior cerebral artery. The orange arrow indicates the embryonic posterior cerebral artery. The normal origin of the ophthalmic artery should be on the ophthalmic artery segment (black arrow); C: shows angiography of the right internal carotid artery with evidence of a similar structure to the left.

DISCUSSION

At five week of embryonic gestation, the anterior cerebral artery appears as the secondary branch of the primitive olfactory artery. At six week, the plexiform anterior communicating artery converges with the contralateral anterior communicating artery. The primitive olfactory artery usually originates from the ICA, runs along the olfactory tract and supplies the distal region of ACA1[3].

The ACA1 emanates from ICA in medial segment of lateral fissure, lateral optic chiasma, and lower part of anterior perforating branch, which then moves forward in the basal frontal lobe and endplate cisterna. After arriving at the longitudinal fissure, it reaches the anterior communicating artery and proceeds as the ACA2 segment. The ACA1 segment sprouts out an average of eight perforating arteries, including the internal capsule and Heubner recurrent artery, which provide abundant blood supply to the cauda nucleus. Most of the perforating arteries stem from the posterior and superior wall of the ACA1 and primarily supply blood to the anterior parenchyma, dorsal side of the optic chiasmatic, dorsal side of the optic nerve, optic tract and upper part of the optic nerve in the hypothalamus. Recurrent injury of Heubner artery usually leads to hemiplegia, primarily in the upper arm, while injury to the perforating artery causes emotional disorders, personality changes, mental decline, anxiety, and mental disorders. In the present study, one of the ten autopsy specimens showed mutant perforating arteries (Figure 1), which originated from anterior superior wall of ACA1 and then forward to the dural artery of skull base. With multiple small branches communicating with the dural artery, it returned to the anterior perforated substance. Unfortunately, due to lack of cerebrovascular angiography in cadaver specimens, it is unclear whether there were traffic branches between varied perforating artery and branches of dural artery or ophthalmologic arteries. This kind of variation is relatively rare and should be noticed during embolization of vascular malformations at the anterior skull base in order to avoid the escape of embolization agent. When the embryo develops to 4-8 mm, the OA begins to develop^[4]. The main variation of OA is from the spongy segment of the ICA^[5]. Other less common variants are OA from ACA, or the origin of the middle meningeal artery[6]. A very unusual anomalous origin of OA from basal stem has been described previously^[4]. With development of embryo, the ventral OA degenerates and forms the original OA, which is derived from ICA. In the second case presented in the current work, DSA of intracranial aneurysms detected another rare variation, showing the bilateral ocular artery originating from distal end of ACA1 segment (Figure 2).

OA forms the first branch of ICA, opening at the superior segment and serving as the main blood supply of orbital tissues. Generally, the OA may appear where the ICA penetrates the dura mater. About half of the OA comes from the anteromedial side of ICA, 33% from upper medial side, 7% from medial side, and less than 2% from upper anterior side[2]. The perforating branch of anterior communicating artery rarely communicates with dural branch of anterior skull base[2]. Few ophthalmic arteries originate from cavernous, bed processes and middle meningeal arteries of ICA while most (57%) are from anterior medial side of anterior knee. Other possible originations of OA involve superior medial (35%), medial (7%) or anterior superior (1%) of the ICA[7]. It is often reported that the OA or main branches of OA stems entirely from middle meningeal artery; however, the anterior cerebral artery or basilar artery is rarely mentioned. In traffic aneurysm clip craniotomy or interventional embolization, misidentification of OA may lead to blindness.

WJCC | https://www.wjgnet.com

CONCLUSION

In conclusion, robust anatomic knowledge comes as a fundamental requirement for the surgeon, which includes not only the normal anatomic structures, but also potential abnormal features. In clinical practice, unanticipated anatomy could lead to procedural complications that contribute to adverse surgical outcomes.

FOOTNOTES

Author contributions: During the autopsy, Mo ZX found that there was the communication between perforating branch of ACA1 and dural artery of anterior skull base; During angiography, Mo ZX was also found that the abnormal ophthalmic artery originated from ACA1; Mo ZX and Li W wrote the main part of the manuscript and consulted the relevant literature; Mo ZX and Li W contributed equally to this work; Wang DF participated in determining the final version of the manuscript; all authors read and approved the final manuscript.

Informed consent statement: Written informed consent was obtained from the patients for publication of this case report.

Conflict-of-interest statement: The authors have no conflicts to declare.

CARE Checklist (2016) statement: The authors have read the CARE Checklist (2016), and the manuscript was prepared and revised according to the CARE Checklist (2016).

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: https://creativecommons.org/Licenses/by-nc/4.0/

Country/Territory of origin: China

ORCID number: Zhi-Xiao Mo 0000-0002-0664-8743; Wen Li 0000-0001-8512-8318; De-Fa Wang 0000-0002-3342-1173.

S-Editor: Ma YJ L-Editor: A P-Editor: Ma YJ

REFERENCES

- Campero A, Baldoncini M, Martinez J, Villalonga JF, Lucifero AG, Luzzi S. Microneurosurgical management of aneurysms of the A1 segment of the anterior cerebral artery: Anatomy and surgical technique. *Surg Neurol Int* 2022; 13: 310 [PMID: 35928319 DOI: 10.25259/SNI_68_2022]
- 2 Parlato C, di Nuzzo G, Luongo M, Tortora F, Briganti F. Anatomical variant of origin of ophthalmic artery: case report. Surg Radiol Anat 2011; 33: 275-278 [PMID: 21104253 DOI: 10.1007/s00276-010-0745-y]
- 3 Ogawa Y, Soejima K, Kawahara I, Shiozaki E, Morofuji Y, Ono T, Haraguchi W, Tsutsumi K. A1 Segment Unruptured Aneurysm of Persistent Primitive Olfactory Artery Coexisted with Accessory Middle Cerebral Artery. J Stroke Cerebrovasc Dis 2021; 30: 105758 [PMID: 33784519 DOI: 10.1016/j.jstrokecerebrovasdis.2021.105758]
- 4 **Rivera R**, Choi IS, Sordo JG, Giacaman P, Badilla L, Bravo E, Echeverria D. Unusual origin of the left ophthalmic artery from the basilar trunk. *Surg Radiol Anat* 2015; **37**: 399-401 [PMID: 24994114 DOI: 10.1007/s00276-014-1327-1]
- 5 Bracard S, Liao L, Zhu F, Gory B, Anxionnat R, Braun M. The ophthalmic artery: a new variant involving two branches from the supracavernous internal carotid artery. *Surg Radiol Anat* 2020; 42: 201-205 [PMID: 31570956 DOI: 10.1007/s00276-019-02339-z]
- 6 Matsuura K, Uchino A, Saito N, Ishida J, Suzuki T. Carotid-anterior cerebral artery (ACA) anastomosis associated with azygos ACA and ophthalmic artery arising from the middle meningeal artery: a case report. Surg Radiol Anat 2020; 42: 211-214 [PMID: 31599344 DOI: 10.1007/s00276-019-02353-1]
- 7 Bonasia S, Smajda S, Ciccio G, Bojanowski MW, Robert T. Embryology of the anterior communicating artery complex: implications on possible adult variants. *Surg Radiol Anat* 2022; 44: 737-748 [PMID: 35357524 DOI: 10.1007/s00276-022-02928-5]

WJCC https://www.wjgnet.com



Published by Baishideng Publishing Group Inc 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA Telephone: +1-925-3991568 E-mail: bpgoffice@wjgnet.com Help Desk: https://www.f6publishing.com/helpdesk https://www.wjgnet.com

