World Journal of *Diabetes*

World J Diabetes 2024 March 15; 15(3): 308-574





Published by Baishideng Publishing Group Inc

World Journal of Diabetes

Monthly Volume 15 Number 3 March 15, 2024

EDITORIAL

308 Unlocking new potential of clinical diagnosis with artificial intelligence: Finding new patterns of clinical and lab data

Dabla PK

311 Acute worsening of microvascular complications of diabetes mellitus during rapid glycemic control: The pathobiology and therapeutic implications

Blaibel D, Fernandez CJ, Pappachan JM

- 318 Periodontitis: An often-neglected complication of diabetes Kudiyirickal MG, Pappachan JM
- 326 Glucagon-like-peptide-1 receptor agonists and the management of type 2 diabetes-backwards and forwards

Horowitz M, Cai L, Islam MS

REVIEW

331 Practical guide: Glucagon-like peptide-1 and dual glucose-dependent insulinotropic polypeptide and glucagon-like peptide-1 receptor agonists in diabetes mellitus

Alqifari SF, Alkomi O, Esmail A, Alkhawami K, Yousri S, Muqresh MA, Alharbi N, Khojah AA, Aljabri A, Allahham A, Prabahar K, Alshareef H, Aldhaeefi M, Alrasheed T, Alrabiah A, AlBishi LA

348 Association of autoimmune thyroid disease with type 1 diabetes mellitus and its ultrasonic diagnosis and management

Wang J, Wan K, Chang X, Mao RF

- 361 Metabolic disorders in prediabetes: From mechanisms to therapeutic management Ping WX, Hu S, Su JQ, Ouyang SY
- 378 Epigenetic modifications of placenta in women with gestational diabetes mellitus and their offspring Yi Y, Wang T, Xu W, Zhang SH

MINIREVIEWS

392 Roles of fibroblast growth factors in the treatment of diabetes

Zhang CY, Yang M

ORIGINAL ARTICLE

Case Control Study

403 Associations between Geriatric Nutrition Risk Index, bone mineral density and body composition in type 2 diabetes patients

Zhu XX, Yao KF, Huang HY, Wang LH



Monthly Volume 15 Number 3 March 15, 2024

418 Predictive value of angiopoietin-like protein 8 in metabolic dysfunction-associated fatty liver disease and its progression: A case-control study

Gan LL, Xia C, Zhu X, Gao Y, Wu WC, Li Q, Li L, Dai Z, Yan YM

Retrospective Study

429 Myosteatosis is associated with coronary artery calcification in patients with type 2 diabetes

Liu FP, Guo MJ, Yang Q, Li YY, Wang YG, Zhang M

440 Adherence to Advisory Committee on Immunization Practices in diabetes mellitus patients in Saudi Arabia: A multicenter retrospective study

Alqifari SF, Esmail AK, Alarifi DM, Alsuliman GY, Alhati MM, Mutlaq MR, Aldhaeefi M, Alshuaibi SA, Amirthalingam P, Abdallah A, Wasel AS, Hamad HR, Alamin S, Atia TH, Alqahtani T

Observational Study

455 Evaluation of hybrid closed-loop insulin delivery system in type 1 diabetes in real-world clinical practice: One-year observational study

Eldib A, Dhaver S, Kibaa K, Atakov-Castillo A, Salah T, Al-Badri M, Khater A, McCarragher R, Elenani O, Toschi E, Hamdy O

463 Comparative efficacy of sodium glucose cotransporter-2 inhibitors in the management of type 2 diabetes mellitus: A real-world experience

Islam L, Jose D, Alkhalifah M, Blaibel D, Chandrabalan V, Pappachan JM

Clinical and Translational Research

475 Dietary fiber intake and its association with diabetic kidney disease in American adults with diabetes: A cross-sectional study

Jia XH, Wang SY, Sun AQ

Basic Study

488 MicroRNA-630 alleviates inflammatory reactions in rats with diabetic kidney disease by targeting toll-like receptor 4

Wu QS, Zheng DN, Ji C, Qian H, Jin J, He Q

502 Jianpi Gushen Huayu decoction ameliorated diabetic nephropathy through modulating metabolites in kidney, and inhibiting TLR4/NF-KB/NLRP3 and JNK/P38 pathways

Ma ZA, Wang LX, Zhang H, Li HZ, Dong L, Wang QH, Wang YS, Pan BC, Zhang SF, Cui HT, Lv SQ

- 519 Diabetes and high-glucose could upregulate the expression of receptor for activated C kinase 1 in retina Tan J, Xiao A, Yang L, Tao YL, Shao Y, Zhou Q
- 530 Potential application of Nardostachyos Radix et Rhizoma-Rhubarb for the treatment of diabetic kidney disease based on network pharmacology and cell culture experimental verification

Che MY, Yuan L, Min J, Xu DJ, Lu DD, Liu WJ, Wang KL, Wang YY, Nan Y

SYSTEMATIC REVIEWS

552 KCNQ1 rs2237895 gene polymorphism increases susceptibility to type 2 diabetes mellitus in Asian populations

Li DX, Yin LP, Song YO, Shao NN, Zhu H, He CS, Sun JJ



Monthly Volume 15 Number 3 March 15, 2024

LETTER TO THE EDITOR

- Chiglitazar and Thiazolidinedione in patients with type 2 diabetes: Which is better? 565 Reddy KS, Gaur A, Varatharajan S, Morya AK
- 568 Effects of vitamin family members on insulin resistance and diabetes complications Chen HJ, Wang M, Zou DM, Liang GY, Yang SY
- 572 Regulatory role of peroxynitrite in advanced glycation end products mediated diabetic cardiovascular complications

Bala A



Monthly Volume 15 Number 3 March 15, 2024

ABOUT COVER

Editorial Board Member of World Journal of Diabetes, Jun-Ling Shi, PhD, Professor, School of Life Sciences, Northwestern Polytechnical University, Xi'an 710072, Shaanxi Province, China. sjlshi2004@nwpu.edu.cn

AIMS AND SCOPE

The primary aim of World Journal of Diabetes (WJD, World J Diabetes) is to provide scholars and readers from various fields of diabetes with a platform to publish high-quality basic and clinical research articles and communicate their research findings online.

WID mainly publishes articles reporting research results and findings obtained in the field of diabetes and covering a wide range of topics including risk factors for diabetes, diabetes complications, experimental diabetes mellitus, type 1 diabetes mellitus, type 2 diabetes mellitus, gestational diabetes, diabetic angiopathies, diabetic cardiomyopathies, diabetic coma, diabetic ketoacidosis, diabetic nephropathies, diabetic neuropathies, Donohue syndrome, fetal macrosomia, and prediabetic state.

INDEXING/ABSTRACTING

The WID is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Current Contents/Clinical Medicine, Journal Citation Reports/Science Edition, PubMed, PubMed Central, Reference Citation Analysis, China Science and Technology Journal Database, and Superstar Journals Database. The 2023 Edition of Journal Citation Reports® cites the 2022 impact factor (IF) for WJD as 4.2; IF without journal self cites: 4.1; 5-year IF: 4.5; Journal Citation Indicator: 0.69; Ranking: 51 among 145 journals in endocrinology and metabolism; and Quartile category: Q2.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Yu-Xi Chen; Production Department Director: Xu Guo; Editorial Office Director: Ju-Ru Fan.

| NAME OF JOURNAL World Journal of Diabetes | INSTRUCTIONS TO AUTHORS https://www.wjgnet.com/bpg/gerinfo/204 |
|---|---|
| ISSN | GUIDELINES FOR ETHICS DOCUMENTS |
| ISSN 1948-9358 (online) | https://www.wjgnet.com/bpg/GerInfo/287 |
| LAUNCH DATE | GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH |
| June 15, 2010 | https://www.wjgnet.com/bpg/gerinfo/240 |
| FREQUENCY | PUBLICATION ETHICS |
| Monthly | https://www.wjgnet.com/bpg/GerInfo/288 |
| EDITORS-IN-CHIEF | PUBLICATION MISCONDUCT |
| Lu Cai, Md. Shahidul Islam, Michael Horowitz | https://www.wjgnet.com/bpg/gerinfo/208 |
| EDITORIAL BOARD MEMBERS | ARTICLE PROCESSING CHARGE |
| https://www.wjgnet.com/1948-9358/editorialboard.htm | https://www.wjgnet.com/bpg/gerinfo/242 |
| PUBLICATION DATE | STEPS FOR SUBMITTING MANUSCRIPTS |
| March 15, 2024 | https://www.wjgnet.com/bpg/GerInfo/239 |
| COPYRIGHT | ONLINE SUBMISSION |
| © 2024 Baishideng Publishing Group Inc | https://www.f6publishing.com |

© 2024 Baishideng Publishing Group Inc. All rights reserved. 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA E-mail: office@baishideng.com https://www.wjgnet.com



WJD

World Journal of Diabetes

Submit a Manuscript: https://www.f6publishing.com

World J Diabetes 2024 March 15; 15(3): 308-310

DOI: 10.4239/wjd.v15.i3.308

ISSN 1948-9358 (online)

EDITORIAL

Unlocking new potential of clinical diagnosis with artificial intelligence: Finding new patterns of clinical and lab data

Pradeep Kumar Dabla

Specialty type: Endocrinology and metabolism

Provenance and peer review: Invited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): 0 Grade B (Very good): B Grade C (Good): C Grade D (Fair): 0 Grade E (Poor): 0

P-Reviewer: Liu S, China; Wang Q, China

Received: September 28, 2023 Peer-review started: September 28, 2023

First decision: December 15, 2023 Revised: December 19, 2023 Accepted: February 6, 2024 Article in press: February 6, 2024 Published online: March 15, 2024



Pradeep Kumar Dabla, Department of Biochemistry, Govind Ballabh Pant Institute of Postgraduate Medical Education and Research, Delhi 110002, India

Corresponding author: Pradeep Kumar Dabla, MD, Professor, Department of Biochemistry, Govind Ballabh Pant Institute of Postgraduate Medical Education and Research, J.L.N Marg, Delhi 110002, India. pradeep_dabla@yahoo.com

Abstract

Recent advancements in science and technology, coupled with the proliferation of data, have also urged laboratory medicine to integrate with the era of artificial intelligence (AI) and machine learning (ML). In the current practices of evidencebased medicine, the laboratory tests analysing disease patterns through the association rule mining (ARM) have emerged as a modern tool for the risk assessment and the disease stratification, with the potential to reduce cardiovascular disease (CVD) mortality. CVDs are the well recognised leading global cause of mortality with the higher fatality rates in the Indian population due to associated factors like hypertension, diabetes, and lifestyle choices. AI-driven algorithms have offered deep insights in this field while addressing various challenges such as healthcare systems grappling with the physician shortages. Personalized medicine, well driven by the big data necessitates the integration of ML techniques and high-quality electronic health records to direct the meaningful outcome. These technological advancements enhance the computational analyses for both research and clinical practice. ARM plays a pivotal role by uncovering meaningful relationships within databases, aiding in patient survival prediction and risk factor identification. AI potential in laboratory medicine is vast and it must be cautiously integrated while considering potential ethical, legal, and privacy concerns. Thus, an AI ethics framework is essential to guide its responsible use. Aligning AI algorithms with existing lab practices, promoting education among healthcare professionals, and fostering careful integration into clinical settings are imperative for harnessing the benefits of this transformative technology.

Key Words: Laboratory medicine; Artificial intelligence; Machine learning; Association rule mining; Cardiovascular diseases

©The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.



WJD | https://www.wjgnet.com

Core Tip: The integration of artificial intelligence (AI) and machine learning in laboratory medicine presents a promising opportunity to improve the patient care, particularly in the context of multi-factorial cardiovascular diseases. However, it is essential to approach this transformation carefully, side by side addressing ethical considerations, biases, while ensuring its responsible implementation through the collaboration between the technology experts and the healthcare professionals. Education and training are key to unlocking the full potential of AI while safeguarding patient privacy and data.

Citation: Dabla PK. Unlocking new potential of clinical diagnosis with artificial intelligence: Finding new patterns of clinical and lab data. *World J Diabetes* 2024; 15(3): 308-310 URL: https://www.wjgnet.com/1948-9358/full/v15/i3/308.htm

DOI: https://dx.doi.org/10.4239/wjd.v15.i3.308

INTRODUCTION

Recent developments with advancements of science and technology and production of massive data have helped laboratory medicine to reach the era of artificial intelligence (AI) and machine learning (ML). In the era of evidence-based medicine, combining laboratory testing with associated disease patterns using association rule mining (ARM) can prove to be modern tool for the risk assessment and disease stratification to reduce mortality in cardiovascular diseases (CVD) patients. AI based algorithms have brought more insights and addressed a variety of problems in this field and can be considered as emerging interdisciplinary field[1].

The available literature suggests that the CVDs had occurred earlier in the Indian population as compared to the European population. Further, the fatality rate has found to be even two-fold increase in Indian population in comparison with the same age group. Thus, CVDs have become the leading cause of mortality and source of much needed attention as a global threat. The hypertension, diabetes, metabolic syndrome, smoking, physical inactivity, diet pattern, and other environmental factors were counted as the major responsible factors for the higher rate of CVD in the Indian population [2]. Further, the available data supports the increased mortality with acute coronary syndrome in the young myocardial infarction patients of less than 45 years of age. It is pertinent to note that the CVDs and associated risk in the early stage are typically treated with the greatest probability of success. In another study which is conducted by Dabla *et al*[3], the researchers found the diagnostic edge with the with lipid indices like lipid tetrad index and lipid pentad index to evaluate the atherogenic index of plasma with respect to the higher risk of premature CAD.

Traditionally, physicians diagnose CVDs based on their knowledge from their previous experience with patients with similar clinical presentations. It cannot be ignored that many countries are currently dealing with the shortage of skilled physicians, where AI can prove to be hopeful solution for the overburdened healthcare system. The growing requirement of personalized medicine for modern laboratory practices cannot be denied, resulting in an increasing amount of big data. ML-based techniques and high-quality cleaned data utilising electronic health records (EHRs) presented in the right format, can help to raise the computation analysis, not only for research but for clinical practice as well. The predictive power of computational analysis of EHRs can be enhanced when coupled with imaging and clinical attributes[4]. This unique technique can prove to be a potential tool for the early detection and intervention while applying practical rules to assist doctors and patients in early detection and intervention. There are various methods and rules are applicable in data mining, out of which the ARM technique can extracts potential associations or causal relationships between the sets of patterns present in the given databases[5].

The Advanced Relation Mapping (ARM) method explores the informative index of specified persistent entities or occurrences, establishing connections between elements or events. Consequently, these guidelines unveil noteworthy associations among factors in the data repository, offering a powerful instrument for foreseeing the longevity of individuals experiencing symptoms of cardiac insufficiency. Moreover, it facilitates the identification of crucial clinical attributes (or risk elements) associated with the onset of heart failure. Soni et al[6] in 2016 employed an association rule algorithm to assess the potential risks for individuals with diabetes. Their study involved the application of this algorithm to extract relationships within an authentic dataset. Shehabi and Baba[7] in 2021 proposed a novel approach known as Mining Association Rules Classification to extract significant association rules, addressing challenges associated with symbolic methods. This method aims to overcome issues arising from generating an excessive number of association rules in the context of small datasets, a common problem leading to the production of redundant rules in large datasets. In 2022, Singh et al[8] employed the hotspot algorithm to identify patterns and associations among various attributes. The analysis encompassed a comprehensive set of biochemical evaluation tests, coupled with a detailed patient history that included physical examinations and electrocardiograms. The biochemical markers measured comprised the lipid profile, encompassing total cholesterol, triglyceride, low-density lipoprotein cholesterol, high-density lipoprotein cholesterol, apoprotein A1, apolipoprotein B, and Lp (a) levels. Moreover, it is imperative to acknowledge that the rapid pace of technological evolution and integration demands vigilant consideration of potential medical, ethical, legal, and reputational risks. In this context, ethical considerations are becoming topic of concern and soon necessary requirements. Though, AI application in lab medicine is limited till date compared to other healthcare facilities, however its realization also requires addressing risk of bias tools, algorithm auditing, error managements and most importantly privacy concerns and ethical issues. The significance of an AI ethics framework lies in its ability to illuminate both the potential risks and benefits associated with AI tools, while also setting forth guidelines for their responsible and ethical utilization.

Zaishidena® WJD | https://www.wjgnet.com

Dabla PK. AI-driven clinical diagnosis: Uncovering new data patterns

We cannot deny that advantages of new technologies require careful alignment and optimization of AI based algorithms with existing lab practices[9]. Hence, rather than hastily implementing technology, a more prudent approach involves directing its adoption through education and careful integration into clinical practices, ensuring its appropriate use by healthcare professionals.

CONCLUSION

The integration of AI in laboratory medicine holds immense potential to transform healthcare, particularly in combating CVDs. However, its responsible implementation, addressing ethical concerns, and collaboration between technology and healthcare experts are crucial to harnessing the benefits and improve patient outcomes.

FOOTNOTES

Author contributions: Dabla PK designed and written the manuscript and all data were generated in-house and no paper mill was used.

Conflict-of-interest statement: The authors declare that they have no conflict of interest.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: https://creativecommons.org/Licenses/by-nc/4.0/

Country/Territory of origin: India

ORCID number: Pradeep Kumar Dabla 0000-0003-1409-6771.

S-Editor: Qu XL L-Editor: A P-Editor: Chen YX

REFERENCES

- Albahra S, Gorbett T, Robertson S, D'Aleo G, Kumar SVS, Ockunzzi S, Lallo D, Hu B, Rashidi HH. Artificial intelligence and machine learning overview in pathology & laboratory medicine: A general review of data preprocessing and basic supervised concepts. *Semin Diagn Pathol* 2023; 40: 71-87 [PMID: 36870825 DOI: 10.1053/j.semdp.2023.02.002]
- 2 Tsao CW, Aday AW, Almarzooq ZI, Anderson CAM, Arora P, Avery CL, Baker-Smith CM, Beaton AZ, Boehme AK, Buxton AE, Commodore-Mensah Y, Elkind MSV, Evenson KR, Eze-Nliam C, Fugar S, Generoso G, Heard DG, Hiremath S, Ho JE, Kalani R, Kazi DS, Ko D, Levine DA, Liu J, Ma J, Magnani JW, Michos ED, Mussolino ME, Navaneethan SD, Parikh NI, Poudel R, Rezk-Hanna M, Roth GA, Shah NS, St-Onge MP, Thacker EL, Virani SS, Voeks JH, Wang NY, Wong ND, Wong SS, Yaffe K, Martin SS; American Heart Association Council on Epidemiology and Prevention Statistics Committee and Stroke Statistics Subcommittee. Heart Disease and Stroke Statistics-2023 Update: A Report From the American Heart Association. *Circulation* 2023; 147: e93-e621 [PMID: 36695182 DOI: 10.1161/CIR.000000000001123]
- 3 Dabla PK, Sharma S, Saurabh K, Chauhan I, Girish MP, Gupta MD. Atherogenic index of plasma: A novel biomarker and lipid indices in young myocardial infarction patients. *Biomed Biotechnol Res J* 2021; 5: 184-190 [DOI: 10.4103/bbrj.5brj_58_21]
- 4 Javaid M, Haleem A, Singh RP, Suman R, Rab S. Significance of machine learning in healthcare: Features, pillars and applications. Int J Intell Networks 2022; 3: 58-73 [DOI: 10.1016/j.ijin.2022.05.002]
- 5 Ma H, Ding J, Liu M, Liu Y. Connections between Various Disorders: Combination Pattern Mining Using Apriori Algorithm Based on Diagnosis Information from Electronic Medical Records. *Biomed Res Int* 2022; 2022: 2199317 [PMID: 35601156 DOI: 10.1155/2022/2199317]
- 6 Soni U, Behara S, Krishnan KU, Kumar R. Application of association rule mining in risk analysis for diabetes mellitus. *Int J Adv Res Comput Commun Eng* 2016; **5**: 548-551
- 7 Shehabi S, Baba A. MARC: Mining association rules from datasets by using clustering models. Int J Multidiscip Stud Innov Technol 2022; 5: 89-93
- 8 Singh A, Singh D, Sharma S, Upreti K, Maheshwari M, Mehta V, Sharma J, Mehra P, Dabla PK. Discovering Patterns of Cardiovascular Disease and Diabetes in Myocardial Infarction Patients Using Association Rule Mining. *Folia Med Indones* 2022; 58: 242-250 [DOI: 10.20473/fmi.v58i3.34975]
- 9 Gruson D, Dabla PK. Artificial intelligence and laboratory medicine: at the crossroads of value ethics and liability. APFCB News 2023; 1: 69-70

Raisbideng® WJD | https://www.wjgnet.com



Published by Baishideng Publishing Group Inc 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA Telephone: +1-925-3991568 E-mail: office@baishideng.com Help Desk: https://www.f6publishing.com/helpdesk https://www.wjgnet.com

