
# World Journal of *Gastrointestinal Surgery*

World J Gastrointest Surg 2022 June 27; 14(6): 528-631





### **Contents**

Monthly Volume 14 Number 6 June 27, 2022

### **MINIREVIEWS**

- 528 Transarterial chemoembolization failure/refractoriness: A scientific concept or pseudo-proposition Zhang S, Zhong BY, Zhang L, Wang WS, Ni CF
- 538 Indications for the surgical management of pancreatic trauma: An update Pavlidis ET, Psarras K, Symeonidis NG, Geropoulos G, Pavlidis TE
- 544 Clinical application and research progress of extracellular slow wave recording in the gastrointestinal tract Ding F, Guo R, Cui ZY, Hu H, Zhao G

### **ORIGINAL ARTICLE**

### **Retrospective Cohort Study**

- 556 Predicting the outcome of closed-loop small bowel obstruction by preoperative characteristics Toneman MK, de Kok BM, Zijta FM, Oei S, van Acker GJD, Westerterp M, van der Pool AEM
- Transjugular intrahepatic portosystemic shunt with radioactive seed strand for main portal vein tumor 567 thrombosis with cirrhotic portal hypertension

Yan XH, Yue ZD, Zhao HW, Wang L, Fan ZH, Wu YF, Meng MM, Zhang K, Jiang L, Ding HG, Zhang YN, Yang YP, Liu FQ

### **Retrospective Study**

Prognostic significance of the preoperative hemoglobin to albumin ratio for the short-term survival of 580 gastric cancer patients

Hu CG, Hu BE, Zhu JF, Zhu ZM, Huang C

### **META-ANALYSIS**

594 Comparison between laparoscopic uncut Roux-en-Y and Billroth II with Braun anastomosis after distal gastrectomy: A meta-analysis

Jiao YJ, Lu TT, Liu DM, Xiang X, Wang LL, Ma SX, Wang YF, Chen YQ, Yang KH, Cai H

### **CASE REPORT**

611 Intestinal perforation with abdominal abscess caused by extramedullary plasmacytoma of small intestine: A case report and literature review

Wang KW, Xiao N

621 Bowel intussusception caused by a percutaneously placed endoscopic gastrojejunostomy catheter: A case

Winters MW, Kramer S, Mazairac AH, Jutte EH, van Putten PG



### World Journal of Gastrointestinal Surgery

### **Contents**

Monthly Volume 14 Number 6 June 27, 2022

### **LETTER TO THE EDITOR**

Important role of acute care surgery during pandemic time 626 Yang M, Zhang CY

629 Advances and effectiveness of the immunotherapy after liver transplantation

Vulasala SSR, Onteddu NK, Kumar SP, Lall C, Bhosale P, Virarkar MK

II

### Contents

Monthly Volume 14 Number 6 June 27, 2022

### **ABOUT COVER**

Editorial Board Member of World Journal of Gastrointestinal Surgery, Arun Prasad, FACS, FRCS (Ed), FRCS (Gen Surg), MBBS, Adjunct Professor, Doctor, Professor, Surgeon, Department of Minimal Access, Thoracoscopic, Bariatric and Robotic Surgery, Apollo Hospital, New Delhi 110044, India. surgerytimes@gmail.com

### **AIMS AND SCOPE**

The primary aim of World Journal of Gastrointestinal Surgery (WJGS, World J Gastrointest Surg) is to provide scholars and readers from various fields of gastrointestinal surgery with a platform to publish high-quality basic and clinical research articles and communicate their research findings online.

WJGS mainly publishes articles reporting research results and findings obtained in the field of gastrointestinal surgery and covering a wide range of topics including biliary tract surgical procedures, biliopancreatic diversion, colectomy, esophagectomy, esophagostomy, pancreas transplantation, and pancreatectomy, etc.

### INDEXING/ABSTRACTING

The WJGS is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Current Contents/Clinical Medicine, Journal Citation Reports/Science Edition, PubMed, PubMed Central, Reference Citation Analysis, China National Knowledge Infrastructure, China Science and Technology Journal Database, and Superstar Journals Database. The 2022 Edition of Journal Citation Reports® cites the 2021 impact factor (IF) for WJGS as 2.505; IF without journal self cites: 2.473; 5-year IF: 3.099; Journal Citation Indicator: 0.49; Ranking: 104 among 211 journals in surgery; Quartile category: Q2; Ranking: 81 among 93 journals in gastroenterology and hepatology; and Quartile category: Q4.

### **RESPONSIBLE EDITORS FOR THIS ISSUE**

Production Editor: Rui-Rui Wu; Production Department Director: Xiang Li; Editorial Office Director: Ya-Juan Ma.

### NAME OF JOURNAL

World Journal of Gastrointestinal Surgery

### ISSN

ISSN 1948-9366 (online)

### LAUNCH DATE

November 30, 2009

### **FREQUENCY**

Monthly

### **EDITORS-IN-CHIEF**

Peter Schemmer

### **EDITORIAL BOARD MEMBERS**

https://www.wignet.com/1948-9366/editorialboard.htm

### **PUBLICATION DATE**

June 27, 2022

### COPYRIGHT

© 2022 Baishideng Publishing Group Inc

### **INSTRUCTIONS TO AUTHORS**

https://www.wjgnet.com/bpg/gerinfo/204

### **GUIDELINES FOR ETHICS DOCUMENTS**

https://www.wjgnet.com/bpg/GerInfo/287

### **GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH**

https://www.wjgnet.com/bpg/gerinfo/240

### **PUBLICATION ETHICS**

https://www.wjgnet.com/bpg/GerInfo/288

### **PUBLICATION MISCONDUCT**

https://www.wjgnet.com/bpg/gerinfo/208

### ARTICLE PROCESSING CHARGE

https://www.wjgnet.com/bpg/gerinfo/242

### STEPS FOR SUBMITTING MANUSCRIPTS

https://www.wjgnet.com/bpg/GerInfo/239

### **ONLINE SUBMISSION**


https://www.f6publishing.com

© 2022 Baishideng Publishing Group Inc. All rights reserved. 7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA E-mail: bpgoffice@wjgnet.com https://www.wjgnet.com

Ш



WJGS | https://www.wjgnet.com



Submit a Manuscript: https://www.f6publishing.com

World J Gastrointest Surg 2022 June 27; 14(6): 629-631

ISSN 1948-9366 (online) DOI: 10.4240/wjgs.v14.i6.629

LETTER TO THE EDITOR

# Advances and effectiveness of the immunotherapy after liver transplantation

Sai Swarupa R Vulasala, Nirmal K Onteddu, Sindhu P Kumar, Chandana Lall, Priya Bhosale, Mayur K Virarkar

Specialty type: Gastroenterology and hepatology

### Provenance and peer review:

Invited article; Externally peer reviewed

Peer-review model: Single blind

### Peer-review report's scientific quality classification

Grade A (Excellent): 0 Grade B (Very good): B Grade C (Good): 0 Grade D (Fair): D Grade E (Poor): 0

P-Reviewer: Chen YH, China; Koc ÖM, Belgium

A-Editor: Garg P, India

Received: November 23, 2021 Peer-review started: November 23,

First decision: January 12, 2022 Revised: January 15, 2022 Accepted: June 13, 2022 Article in press: June 13, 2022 Published online: June 27, 2022



Sai Swarupa R Vulasala, Sindhu P Kumar, Chandana Lall, Mayur K Virarkar, Department of Radiology, University of Florida College of Medicine, Jacksonville, FL 32209, United States

Nirmal K Onteddu, Department of Internal Medicine, Flowers Hospital, Dothan, AL 36305, United States

Priya Bhosale, Division of Diagnostic Imaging, Department of Diagnostic Radiology, The University of Texas MD Anderson Cancer Center, Houston, TX 77030, United States

Corresponding author: Sai Swarupa R Vulasala, MBBS, Research Assistant, Department of Radiology, University of Florida College of Medicine, 655 West 8th Street, C90, 2nd Floor, Clinical Center, Jacksonville, FL 32209, United States. vulasalaswarupa@gmail.com

### **Abstract**

Transplant recipients usually have increased chances of graft rejection and graft vs host disease, requiring chronic immunosuppressive therapy. Nonetheless, longterm immunosuppression risks malignancies such as skin cancer, lymphoma, and Kaposi sarcoma. However, there are very few studies that included solid organ transplant recipients while studying the efficacy of immunotherapy. "Immunotherapy after liver transplantation: Where are we now?" is a study, where the authors described the mechanism of action and outcomes of immune checkpoint inhibitors specific to liver transplant recipients. The authors reported the graft rejection rates and the factors contributing to the rejection in the liver transplant recipients.

Key Words: Immunotherapy; Hepatocellular carcinoma; Immune checkpoint inhibitors; Liver transplantation; Solid organ transplant; Graft rejection

©The Author(s) 2022. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: There is an increased risk of cancer among transplant recipients receiving chronic immunosuppression. Immunotherapy has a beneficiary effect over immunosuppressors in reducing the overall cancer risk. However, there are very few studies that included solid organ transplant recipients while studying the efficacy of immunotherapy. "Immunotherapy after liver transplantation: Where are we now?" is a study, where the authors described the mechanism of action and outcomes of immune checkpoint inhibitors specific to liver transplant recipients.

Citation: Vulasala SSR, Onteddu NK, Kumar SP, Lall C, Bhosale P, Virarkar MK. Advances and effectiveness of the immunotherapy after liver transplantation. World J Gastrointest Surg 2022; 14(6): 629-631

URL: https://www.wjgnet.com/1948-9366/full/v14/i6/629.htm

**DOI:** https://dx.doi.org/10.4240/wjgs.v14.i6.629

### TO THE EDITOR

Au et al[1] studied the consequences of immunotherapy in patients who underwent liver transplantation (LT) for hepatocellular carcinoma (HCC). We are writing to thank the authors after reading their article conscientiously. Many trials were conducted in the literature studying the efficacy of immunotherapy. However, they excluded organ transplant recipients due to the higher risk of fatal graft rejection.

Transplant recipients usually have increased chances of graft rejection and graft vs host disease (GVHD), requiring chronic immunosuppressive therapy. Nonetheless, long-term immunosuppression risks malignancies such as skin cancer, lymphoma, and Kaposi sarcoma. These malignancies constitute the second most common cause of death in organ transplant recipients[2]. Immunotherapy is a breakthrough in managing transplant recipients and acts through interruption of the cancer-immunity cycle. Immune checkpoints, cytotoxic T-lymphocyte antigen 4 (CTLA-4), and programmed cell death 1 (PD-1) are physiologically responsible for preventing effector T cell overactivation.

Immunotherapy includes antibodies against CTLA-4 and PD-1, thereby upregulating the T-cell immune response to the cancer antigen[3]. Although the host immunity against tumor antigens is restored, on the other hand, T-cell stimulation is one of the significant components of graft rejection. The overall rejection rates following immunotherapy are 29%-54% and 25%, respectively, in patients who underwent solid organ transplantation and LT[4-6]. Kidney (40%) is associated with higher rates of graft rejection than liver (35%) and heart (20%)[3]. Au et al[1] studied that the graft rejection rates were seen in 32% of patients who specifically underwent an LT. The rejection rates among individuals who received immunotherapy within 2.9 years of transplant were increased compared to 5.3 years of transplant. They also noticed a higher mortality rate of 56% among graft rejected patients.

Compared with CTLA-4 inhibitors, PD-1 inhibitors are associated with higher rates of graft rejection and graft loss in LT recipients[7,8]. Kittai et al[9] reported graft rejection in 4 of 8 patients treated with anti-PD-1, whereas no rejections were detected in patients receiving anti-CTLA-4 therapy. Programmed death-ligand 1 (PD-L1) expression on the graft lymphocytes aids as a marker of rejection after immunotherapy[2]. Tacrolimus-based or combination agents (corticosteroids, antimetabolites, calcineurin inhibitors, and mechanistic target of rapamycin inhibitors) immunosuppression is shown to reduce graft rejection and improve the response to immunotherapy[2]. A 10%-20% of post-transplant patients encounter recurrence of HCC[10]. In such cases, immunotherapy is effective only in 11% of patients.

A higher dose of immunotherapy medication, a shorter interval between LT and immunotherapy initiation, expression of PD-L1 on the graft lymphocytes, and a previous GVHD history are positively related with the risk of and response to graft rejection[4]. Studies on patient characteristics such as gender, age, pathological type of primary tumor, donor type, type, and duration of ischemia during LT and post-operative hepatitis virus status of the patient are necessary to learn the factors associated with favorable outcomes after immunotherapy. Proper patient selection is quintessential to preventing lethal graft rejection. Hence, a close collaboration among oncologists and transplant specialists is encouraged when handling patients who require immunotherapy. However, prospective studies focusing on: (1) Although the PD-1 pathway is dominant in establishing immune tolerance, whether anti-PD-1 and anti-CTLA-4 antibodies are associated with graft rejection[9]; (2) The treatment of immunotherapy related graft rejection; and (3) Its efficacy is there any difference in treatment modality between immunotherapy related graft rejection and isolated graft rejection, are required beforehand to recommend immune checkpoint inhibitors in transplant recipients.

### **FOOTNOTES**

Author contributions: Vulasala SSR, Onteddu NK, Kumar SP, Lall C, Bhosale P, and Virarkar MK have equal contributions to this article.



**Conflict-of-interest statement:** All the authors report no relevant conflicts of interest for this article.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is noncommercial. See: https://creativecommons.org/Licenses/by-nc/4.0/

Country/Territory of origin: United States

ORCID number: Sai Swarupa R Vulasala 0000-0002-9387-3673; Nirmal K Onteddu 0000-0002-6267-0240; Sindhu P Kumar 0000-0002-3862-7453; Chandana Lall 0000-0002-5318-4160; Priya Bhosale 0000-0003-4014-4941; Mayur K Virarkar 0000-0002-5825-3102.

S-Editor: Wang JJ L-Editor: A P-Editor: Wang JJ

### REFERENCES

- 1 Au KP, Chok KSH. Immunotherapy after liver transplantation: Where are we now? World J Gastrointest Surg 2021; 13: 1267-1278 [PMID: 34754394 DOI: 10.4240/wjgs.v13.i10.1267]
- Kumar V, Shinagare AB, Rennke HG, Ghai S, Lorch JH, Ott PA, Rahma OE. The Safety and Efficacy of Checkpoint Inhibitors in Transplant Recipients: A Case Series and Systematic Review of Literature. Oncologist 2020; 25: 505-514 [PMID: 32043699 DOI: 10.1634/theoncologist.2019-0659]
- 3 Fisher J, Zeitouni N, Fan W, Samie FH. Immune checkpoint inhibitor therapy in solid organ transplant recipients: A patient-centered systematic review. J Am Acad Dermatol 2020; 82: 1490-1500 [PMID: 31302190 DOI: 10.1016/j.jaad.2019.07.005]
- 4 Hu B, Yang XB, Sang XT. Liver graft rejection following immune checkpoint inhibitors treatment: a review. Med Oncol 2019; **36**: 94 [PMID: 31605245 DOI: 10.1007/s12032-019-1316-7]
- 5 Ijaz A, Khan AY, Malik SU, Faridi W, Fraz MA, Usman M, Tariq MJ, Durer S, Durer C, Russ A, Parr NNC, Baig Z, Sagar F, Ali Z, McBride A, Anwer F. Significant Risk of Graft-versus-Host Disease with Exposure to Checkpoint Inhibitors before and after Allogeneic Transplantation. Biol Blood Marrow Transplant 2019; 25: 94-99 [PMID: 30195074 DOI: 10.1016/j.bbmt.2018.08.028]
- Gassmann D, Weiler S, Mertens JC, Reiner CS, Vrugt B, Nägeli M, Mangana J, Müllhaupt B, Jenni F, Misselwitz B. Liver Allograft Failure After Nivolumab Treatment-A Case Report With Systematic Literature Research. Transplant Direct 2018; 4: e376 [PMID: 30255136 DOI: 10.1097/TXD.0000000000000814]
- Tio M, Rai R, Ezeoke OM, McQuade JL, Zimmer L, Khoo C, Park JJ, Spain L, Turajlic S, Ardolino L, Yip D, Goldinger SM, Cohen JV, Millward M, Atkinson V, Kane AY, Ascierto PA, Garbe C, Gutzmer R, Johnson DB, Rizvi HA, Joshua AM, Hellmann MD, Long GV, Menzies AM. Anti-PD-1/PD-L1 immunotherapy in patients with solid organ transplant, HIV or hepatitis B/C infection. Eur J Cancer 2018; 104: 137-144 [PMID: 30347289 DOI: 10.1016/j.ejca.2018.09.017]
- Wanchoo R, Riella LV, Uppal NN, Lopez CA, Nair V, Devoe C, Jhaveri KD. Immune checkpoint inhibitors in the cancer patient with an organ transplant. J Onco-Nephrol 2017; 1: 42-48 [DOI: 10.5301/jo-n.5000006]
- Kittai AS, Oldham H, Cetnar J, Taylor M. Immune Checkpoint Inhibitors in Organ Transplant Patients. J Immunother 2017; **40**: 277-281 [PMID: 28719552 DOI: 10.1097/CJI.0000000000000180]

631

Johnston MP, Khakoo SI. Immunotherapy for hepatocellular carcinoma: Current and future. World J Gastroenterol 2019; **25**: 2977-2989 [PMID: 31293335 DOI: 10.3748/wjg.v25.i24.2977]



## Published by Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

**Telephone:** +1-925-3991568

E-mail: bpgoffice@wjgnet.com

Help Desk: https://www.f6publishing.com/helpdesk

https://www.wjgnet.com

