

World Journal of *Gastrointestinal Surgery*

World J Gastrointest Surg 2024 February 27; 16(2): 260-634



EDITORIAL

- 260 Actuality and underlying mechanisms of systemic immune-inflammation index and geriatric nutritional risk index prognostic value in hepatocellular carcinoma
Tchilikidi KY
- 266 Prognostic impact of preoperative nutritional and immune inflammatory parameters on liver cancer
Bae SU
- 270 Don't forget emergency surgery! Lessons to learn from elective indocyanine green-guided gastrointestinal interventions
Perini D, Martellucci J
- 276 Mutational landscape of TP53 and CDH1 in gastric cancer
Cai HQ, Zhang LY, Fu LM, Xu B, Jiao Y
- 284 Overview of ectopic pancreas
Li CF, Li QR, Bai M, Lv YS, Jiao Y

ORIGINAL ARTICLE

Clinical and Translational Research

- 289 Phospholipase A2 enzymes PLA2G2A and PLA2G2B as potential diagnostic and prognostic biomarkers in cholangiocarcinoma
Qiu C, Xiang YK, Da XB, Zhang HL, Kong XY, Hou NZ, Zhang C, Tian FZ, Yang YL

Case Control Study

- 307 Classification of anatomical morphology of cystic duct and its association with gallstone
Zhu JH, Zhao SL, Kang Q, Zhu Y, Liu LX, Zou H

Retrospective Cohort Study

- 318 Will partial splenic embolization followed by splenectomy increase intraoperative bleeding?
Huang L, Li QL, Yu QS, Peng H, Zhen Z, Shen Y, Zhang Q
- 331 Influence of donor age on liver transplantation outcomes: A multivariate analysis and comparative study
Bezjak M, Stresec I, Kocman B, Jadrijević S, Filipec Kanizaj T, Antonijević M, Dalbelo Bašić B, Mikulić D
- 345 Machine learning-based radiomics score improves prognostic prediction accuracy of stage II/III gastric cancer: A multi-cohort study
Xiang YH, Mou H, Qu B, Sun HR

- 357 Risk stratification in gastric cancer lung metastasis: Utilizing an overall survival nomogram and comparing it with previous staging
Chen ZR, Yang MF, Xie ZY, Wang PA, Zhang L, Huang ZH, Luo Y
- 382 Systemic inflammatory response index is a predictor of prognosis in gastric cancer patients: Retrospective cohort and meta-analysis
Ren JY, Xu M, Niu XD, Ma SX, Jiao YJ, Wang D, Yu M, Cai H
- Retrospective Study**
- 396 Development of a clinical nomogram for prediction of response to neoadjuvant chemotherapy in patients with advanced gastric cancer
Liu B, Xu YJ, Chu FR, Sun G, Zhao GD, Wang SZ
- 409 Laparoscopic left hemihepatectomy guided by indocyanine green fluorescence: A cranial-dorsal approach
Wang XR, Li XJ, Wan DD, Zhang Q, Liu TX, Shen ZW, Tong HX, Li Y, Li JW
- 419 Hemoglobin loss method calculates blood loss during pancreaticoduodenectomy and predicts bleeding-related risk factors
Yu C, Lin YM, Xian GZ
- 429 Short- and long-term outcomes of surgical treatment in patients with intestinal Behcet's disease
Park MY, Yoon YS, Park JH, Lee JL, Yu CS
- 438 Preoperative neutrophil-to-lymphocyte ratio predicts symptomatic anastomotic leakage in elderly colon cancer patients: Multicenter propensity score-matched analysis
Wang CY, Li XL, Ma XL, Yang XF, Liu YY, Yu YJ
- 451 Preoperative blood markers and intra-abdominal infection after colorectal cancer resection
Liu CQ, Yu ZB, Gan JX, Mei TM
- 463 Immune function status of postoperative patients with colon cancer for predicting liver metastasis
Xiong L, Liu FC
- 471 Efficacy of transjugular intrahepatic portosystemic shunts in treating cirrhotic esophageal-gastric variceal bleeding
Hu XG, Dai JJ, Lu J, Li G, Wang JM, Deng Y, Feng R, Lu KP
- 481 Correlation between serum markers and transjugular intrahepatic portosystemic shunt prognosis in patients with cirrhotic ascites
Hu XG, Yang XX, Lu J, Li G, Dai JJ, Wang JM, Deng Y, Feng R
- 491 Development of a new Cox model for predicting long-term survival in hepatitis cirrhosis patients underwent transjugular intrahepatic portosystemic shunts
Lv YF, Zhu B, Meng MM, Wu YF, Dong CB, Zhang Y, Liu BW, You SL, Lv S, Yang YP, Liu FQ
- 503 "Five steps four quadrants" modularized *en bloc* dissection technique for accessing hepatic hilum lymph nodes in laparoscopic pancreaticoduodenectomy
Hu XS, Wang Y, Pan HT, Zhu C, Chen SL, Liu HC, Pang Q, Jin H

- 511** Efficacy and safety of endoscopic submucosal dissection for early gastric cancer and precancerous lesions in elderly patients

Xu WS, Zhang HY, Jin S, Zhang Q, Liu HD, Wang MT, Zhang B

- 518** Nomogram model including *LATS2* expression was constructed to predict the prognosis of advanced gastric cancer after surgery

Sun N, Tan BB, Li Y

Observational Study

- 529** To explore the pathogenesis of anterior resection syndrome by magnetic resonance imaging rectal defecography

Meng LH, Mo XW, Yang BY, Qin HQ, Song QZ, He XX, Li Q, Wang Z, Mo CL, Yang GH

- 539** Biopsy forceps are useful for measuring esophageal varices *in vitro*

Duan ZH, Zhou SY

SYSTEMATIC REVIEWS

- 546** First experience in laparoscopic surgery in low and middle income countries: A systematic review

Troller R, Bawa J, Baker O, Ashcroft J

- 554** Comparative effectiveness of several adjuvant therapies after hepatectomy for hepatocellular carcinoma patients with microvascular invasion

Pei YX, Su CG, Liao Z, Li WW, Wang ZX, Liu JL

META-ANALYSIS

- 571** Is tumor necrosis factor- α monoclonal therapy with proactive therapeutic drug monitoring optimized for inflammatory bowel disease? Network meta-analysis

Zheng FY, Yang KS, Min WC, Li XZ, Xing Y, Wang S, Zhang YS, Zhao QC

- 585** Poor oral health was associated with higher risk of gastric cancer: Evidence from 1431677 participants

Liu F, Tang SJ, Li ZW, Liu XR, Lv Q, Zhang W, Peng D

CASE REPORT

- 596** Treatment of hemolymphangioma by robotic surgery: A case report

Li TN, Liu YH, Zhao J, Mu H, Cao L

- 601** Postoperative encapsulated hemoperitoneum in a patient with gastric stromal tumor treated by exposed endoscopic full-thickness resection: A case report

Lu HF, Li JJ, Zhu DB, Mao LQ, Xu LF, Yu J, Yao LH

- 609** Early endoscopic management of an infected acute necrotic collection misdiagnosed as a pancreatic pseudocyst: A case report

Zhang HY, He CC

- 616** Percutaneous ultrasound-guided coaxial core needle biopsy for the diagnosis of multiple splenic lesions: A case report
Pu SH, Bao WYG, Jiang ZP, Yang R, Lu Q
- 622** Spilled gallstone mimicking intra-abdominal seeding of gallbladder adenocarcinoma: A case report
Huang CK, Lu RH, Chen CC, Chen PC, Hsu WC, Tsai MJ, Ting CT
- 628** Ileal collision tumor associated with gastrointestinal bleeding: A case report and review of literature
Wu YQ, Wang HY, Shao MM, Xu L, Jiang XY, Guo SJ

ABOUT COVER

Editorial Board Member of *World Journal of Gastrointestinal Surgery*, Nikolaos Chatzizacharias, FACS, FRCS, MD, PhD, Consultant Surgeon, Department of HPB and liver transplantation, Queen Elizabeth Hospital, University Hospitals Birmingham, Birmingham B15 2TH, United Kingdom. nikolaos.chatzizacharias@uhb.nhs.uk

AIMS AND SCOPE

The primary aim of *World Journal of Gastrointestinal Surgery* (WJGS, *World J Gastrointest Surg*) is to provide scholars and readers from various fields of gastrointestinal surgery with a platform to publish high-quality basic and clinical research articles and communicate their research findings online.

WJGS mainly publishes articles reporting research results and findings obtained in the field of gastrointestinal surgery and covering a wide range of topics including biliary tract surgical procedures, biliopancreatic diversion, colectomy, esophagectomy, esophagostomy, pancreas transplantation, and pancreatectomy, *etc.*

INDEXING/ABSTRACTING

The WJGS is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Current Contents/Clinical Medicine, Journal Citation Reports/Science Edition, PubMed, PubMed Central, Reference Citation Analysis, China Science and Technology Journal Database, and Superstar Journals Database. The 2023 Edition of Journal Citation Reports® cites the 2022 impact factor (IF) for WJGS as 2.0; IF without journal self cites: 1.9; 5-year IF: 2.2; Journal Citation Indicator: 0.52; Ranking: 113 among 212 journals in surgery; Quartile category: Q3; Ranking: 81 among 93 journals in gastroenterology and hepatology; and Quartile category: Q4.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Zi-Hang Xu, Production Department Director: Xiang Li, Editorial Office Director: Jia-Ru Fan.

NAME OF JOURNAL

World Journal of Gastrointestinal Surgery

ISSN

ISSN 1948-9366 (online)

LAUNCH DATE

November 30, 2009

FREQUENCY

Monthly

EDITORS-IN-CHIEF

Peter Schemmer

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/1948-9366/editorialboard.htm>

PUBLICATION DATE

February 27, 2024

COPYRIGHT

© 2024 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>



Prognostic impact of preoperative nutritional and immune inflammatory parameters on liver cancer

Sung Uk Bae

Specialty type: Gastroenterology and hepatology

Provenance and peer review: Invited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): 0
Grade B (Very good): 0
Grade C (Good): 0
Grade D (Fair): 0
Grade E (Poor): 0

P-Reviewer: Ren WR, China

Received: November 21, 2023

Peer-review started: November 21, 2023

First decision: December 17, 2023

Revised: January 2, 2024

Accepted: January 29, 2024

Article in press: January 29, 2024

Published online: February 27, 2024



Sung Uk Bae, Department of Surgery, School of Medicine, Dongsan Medical Center, Keimyung University, Daegu KS002, South Korea

Corresponding author: Sung Uk Bae, Doctor, MD, PhD, Associate Professor, Doctor, Department of Surgery, School of Medicine, Dongsan Medical Center, Keimyung University, 1035, Dalgubeol-daero, Dalseo-gu, Daegu KS002, South Korea. sabiston0000@hanmail.net

Abstract

The immune response to tissue damage or infection involves inflammation, a multifaceted biological process distinguished by immune cell activation, mediator secretion, and immune cell recruitment to the site of injury. Several blood-based immune-inflammatory biomarkers with prognostic significance in malignancies have been identified. In this issue of the *World Journal of Gastrointestinal Surgery*, they examined the prognosis of liver cancer radical resection in relation to pre-operative systemic immune-inflammation and nutritional risk indices. Comparing older and younger individuals often reveals compromised nutritional and immunological statuses in the former. Therefore, performing preoperative evaluations of the nutritional status and immunity in geriatric patients is critical. In addition to being a primary treatment modality, radical resection is associated with a significant mortality rate following surgery. Insufficient dietary consumption and an elevated metabolic rate within tumor cells contribute to the increased probability of malnutrition associated with the ailment, consequently leading to a substantial deterioration in prognosis. Recent studies, reinforce the importance of nutritional and immune-inflammatory biomarkers. Prior to surgical intervention, geriatric nutritional risk and systemic immune-inflammatory indices should be prioritized, particularly in older patients with malignant diseases.

Key Words: Systemic immune inflammation index; Nutritional risk index; Radical resection; Liver cancer; Prognosis; Correlation

©The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: In this issue of the *World Journal of Gastrointestinal Surgery*, they examined the prognosis of liver cancer radical resection in relation to the preoperative systemic immune-inflammation and geriatric nutritional risk indices. They provided further evidence for the significance of nutritional and immune-inflammatory biomarkers in patients undergoing hepatocellular carcinoma treatment.

Citation: Bae SU. Prognostic impact of preoperative nutritional and immune inflammatory parameters on liver cancer. *World J Gastrointest Surg* 2024; 16(2): 266-269

URL: <https://www.wjgnet.com/1948-9366/full/v16/i2/266.htm>

DOI: <https://dx.doi.org/10.4240/wjgs.v16.i2.266>

INTRODUCTION

The immune response to tissue damage or infection involves inflammation, a multifaceted biological process distinguished by immune cell activation, mediator secretion, and immune cell recruitment to the site of injury[1,2]. Chronic inflammation is characterized by sustained tissue damage, damage-induced cellular proliferation, prolonged infiltration of mononuclear immune cells, and tissue repair[3,4]. In addition to originating from sites of chronic inflammation, solid tumors can generate an inflammatory microenvironment[5]. Chronic inflammation has been associated with the development and progression of cancer, affecting various cellular processes, including invasion, metastasis, promotion, survival, proliferation, and angiogenesis[4,6]. Notably, increased levels of C-reactive protein in the bloodstream—an indicator of inflammation—have been associated with unfavorable prognoses in non-small cell lung, endometrial, cervical, colorectal, and breast cancer[7-10].

Recently, several blood-based immune-inflammatory biomarkers with prognostic significance in malignancies have been identified[11-14]. In patients with liver cancer, for instance, high neutrophil-to-lymphocyte ratios, high platelet-to-lymphocyte ratios, and low lymphocyte-to-monocyte ratios have been associated with unfavorable oncological outcomes [15-17]. The systemic immune-inflammatory index value is determined by among blood-based immune-inflammatory biomarkers, including neutrophils, platelets, and lymphocytes. Numerous studies have demonstrated that a heightened preoperative systemic immune-inflammatory index in patients with malignant diseases has a prognostic significance for oncologic outcomes[18-20]. Furthermore, the ratio of gamma-glutamyl transpeptidase to platelets has emerged as a prominent focus in liver cancer research[21]. In this issue of the *World Journal of Gastrointestinal Surgery*, Li *et al*[22] highlighted the prognosis of radical resection of liver cancer in relation to the nutritional risk and preoperative systemic immune-inflammation indices.

Recently, the number of older patients undergoing cancer surgery has increased. In contrast to younger individuals, older individuals frequently experience compromised nutritional and immunological statuses. Therefore, preoperative assessment of nutrition and immunity is important in older patients. Cachexia induced by cancer is a clinical condition that leads to skeletal muscle atrophy and affects as many as 80% of patients with advanced cancer[23]. Additionally, an inflammatory response mediated by inflammatory cytokines induces protein catabolism and inhibits muscle synthesis, ultimately resulting in the atrophy of skeletal muscle[24,25]. Elevated levels of inflammatory cytokines have been shown to exhibit a negative correlation with both muscle strength and hypertrophy[26]. Therefore, geriatric nutritional assessment, such as geriatric nutritional risk index before surgery and recovery of nutritional deficiency through appropriate rehabilitation exercises and nutritional support, may improve the patient's clinical and oncologic outcomes following surgery.

CONCLUSION

In addition to being a primary treatment modality, radical resection is associated with a significant mortality rate following surgery. Inadequate nutritional intake and a heightened metabolic rate in tumor cells further increase the likelihood of malnutrition associated with the disease, thereby substantially diminishing prognosis. Additionally, as surgical techniques and strategies for nutritional support have advanced, the number of cases of surgery in older individuals with liver cancer is increasing. Recent publications, including a study by Li *et al*[22], provided further evidence for the importance of nutritional and immune-inflammatory biomarkers. Particularly for older patients with malignant diseases, the geriatric nutritional risk and systemic immune-inflammatory indices should be prioritized prior to surgery.

FOOTNOTES

Author contributions: Bae SU designed research; Bae SU performed research; Bae SU analyzed data; Bae SU wrote the letter; and Bae SU revised the letter.

Conflict-of-interest statement: All the authors report no relevant conflicts of interest for this article.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country/Territory of origin: South Korea

ORCID number: Sung Uk Bae [0000-0002-7876-4196](https://orcid.org/0000-0002-7876-4196).

S-Editor: Li L

L-Editor: A

P-Editor: Zhao S

REFERENCES

- 1 Medzhitov R. Origin and physiological roles of inflammation. *Nature* 2008; **454**: 428-435 [PMID: [18650913](https://pubmed.ncbi.nlm.nih.gov/18650913/) DOI: [10.1038/nature07201](https://doi.org/10.1038/nature07201)]
- 2 Serhan CN, Levy BD. Resolvins in inflammation: emergence of the pro-resolving superfamily of mediators. *J Clin Invest* 2018; **128**: 2657-2669 [PMID: [29757195](https://pubmed.ncbi.nlm.nih.gov/29757195/) DOI: [10.1172/JCI97943](https://doi.org/10.1172/JCI97943)]
- 3 Khansari N, Shakiba Y, Mahmoudi M. Chronic inflammation and oxidative stress as a major cause of age-related diseases and cancer. *Recent Pat Inflamm Allergy Drug Discov* 2009; **3**: 73-80 [PMID: [19149749](https://pubmed.ncbi.nlm.nih.gov/19149749/) DOI: [10.2174/187221309787158371](https://doi.org/10.2174/187221309787158371)]
- 4 Singh N, Baby D, Rajguru JP, Patil PB, Thakkannavar SS, Pujari VB. Inflammation and cancer. *Ann Afr Med* 2019; **18**: 121-126 [PMID: [31417011](https://pubmed.ncbi.nlm.nih.gov/31417011/) DOI: [10.4103/aam.aam_56_18](https://doi.org/10.4103/aam.aam_56_18)]
- 5 Balkwill F, Mantovani A. Inflammation and cancer: back to Virchow? *Lancet* 2001; **357**: 539-545 [PMID: [11229684](https://pubmed.ncbi.nlm.nih.gov/11229684/) DOI: [10.1016/S0140-6736\(00\)04046-0](https://doi.org/10.1016/S0140-6736(00)04046-0)]
- 6 Mantovani A, Allavena P, Sica A, Balkwill F. Cancer-related inflammation. *Nature* 2008; **454**: 436-444 [PMID: [18650914](https://pubmed.ncbi.nlm.nih.gov/18650914/) DOI: [10.1038/nature07205](https://doi.org/10.1038/nature07205)]
- 7 Allin KH, Nordestgaard BG. Elevated C-reactive protein in the diagnosis, prognosis, and cause of cancer. *Crit Rev Clin Lab Sci* 2011; **48**: 155-170 [PMID: [22035340](https://pubmed.ncbi.nlm.nih.gov/22035340/) DOI: [10.3109/10408363.2011.599831](https://doi.org/10.3109/10408363.2011.599831)]
- 8 Morris-Stiff G, Gomez D, Prasad KR. C-reactive protein in liver cancer surgery. *Eur J Surg Oncol* 2008; **34**: 727-729 [PMID: [18356004](https://pubmed.ncbi.nlm.nih.gov/18356004/) DOI: [10.1016/j.ejso.2008.01.016](https://doi.org/10.1016/j.ejso.2008.01.016)]
- 9 Kataoka M, Gomi K, Ichioka K, Iguchi T, Shiota T, Makino A, Shimada K, Maruyama K, Mihara M, Kajikawa S. Clinical impact of C-reactive protein to albumin ratio of the 7th postoperative day on prognosis after laparoscopic colorectal cancer surgery. *Ann Coloproctol* 2023; **39**: 315-325 [PMID: [35692185](https://pubmed.ncbi.nlm.nih.gov/35692185/) DOI: [10.3393/ac.2022.00234.0033](https://doi.org/10.3393/ac.2022.00234.0033)]
- 10 Kwon CH, Seo HI, Kim DU, Han SY, Kim S, Lee NK, Hong SB, Ahn JH, Park YM, Noh BG. Clinical significance of C-reactive protein-to-prealbumin ratio in predicting early recurrence in resectable pancreatic cancer. *Korean J Clin Oncol* 2023; **19**: 11-17 [PMID: [37449394](https://pubmed.ncbi.nlm.nih.gov/37449394/) DOI: [10.14216/kjco.23003](https://doi.org/10.14216/kjco.23003)]
- 11 Nakano M, Kuromatsu R, Niizeki T, Okamura S, Iwamoto H, Shimose S, Shirono T, Noda Y, Kamachi N, Koga H, Torimura T, Kurume Liver Cancer Study Group of Japan. Immunological inflammatory biomarkers as prognostic predictors for advanced hepatocellular carcinoma. *ESMO Open* 2021; **6**: 100020 [PMID: [33399083](https://pubmed.ncbi.nlm.nih.gov/33399083/) DOI: [10.1016/j.esmoop.2020.100020](https://doi.org/10.1016/j.esmoop.2020.100020)]
- 12 Giannone F, Slovic N, Pessaux P, Schuster C, Baumert TF, Lupberger J. Inflammation-related prognostic markers in resected hepatocellular carcinoma. *Front Oncol* 2023; **13**: 1267870 [PMID: [38144522](https://pubmed.ncbi.nlm.nih.gov/38144522/) DOI: [10.3389/fonc.2023.1267870](https://doi.org/10.3389/fonc.2023.1267870)]
- 13 Yagi S, Furukawa S, Shiraiishi K, Miyake T, Tange K, Hashimoto Y, Kitahata S, Kawamura T, Ninomiya T, Mori K, Suzuki S, Shibata N, Murakami H, Ohashi K, Hasebe A, Tomida H, Yamamoto Y, Takeshita E, Ikeda Y, Hiasa Y. The albumin to globulin ratio is associated with clinical outcome in Japanese patients with ulcerative colitis. *Ann Coloproctol* 2023; **39**: 155-163 [PMID: [35350093](https://pubmed.ncbi.nlm.nih.gov/35350093/) DOI: [10.3393/ac.2021.01032.0147](https://doi.org/10.3393/ac.2021.01032.0147)]
- 14 Jung HI. Inflammatory and nutritional markers in patients with resectable pancreatic cancer. *Korean J Clin Oncol* 2023; **19**: 1-2 [PMID: [37449392](https://pubmed.ncbi.nlm.nih.gov/37449392/) DOI: [10.14216/kjco.23001](https://doi.org/10.14216/kjco.23001)]
- 15 Xue TC, Zhang L, Xie XY, Ge NL, Li LX, Zhang BH, Ye SL, Ren ZG. Prognostic significance of the neutrophil-to-lymphocyte ratio in primary liver cancer: a meta-analysis. *PLoS One* 2014; **9**: e96072 [PMID: [24788770](https://pubmed.ncbi.nlm.nih.gov/24788770/) DOI: [10.1371/journal.pone.0096072](https://doi.org/10.1371/journal.pone.0096072)]
- 16 Li DZ, Guo J, Song QK, Hu XJ, Bao XL, Lu J. Prognostic prediction of the platelet-to-lymphocyte ratio in hepatocellular carcinoma: a systematic review and meta-analysis. *Transl Cancer Res* 2022; **11**: 4037-4050 [PMID: [36523315](https://pubmed.ncbi.nlm.nih.gov/36523315/) DOI: [10.21037/tcr-22-1197](https://doi.org/10.21037/tcr-22-1197)]
- 17 Lin ZX, Ruan DY, Li Y, Wu DH, Ma XK, Chen J, Chen ZH, Li X, Wang TT, Lin Q, Wen JY, Wu XY. Lymphocyte-to-monocyte ratio predicts survival of patients with hepatocellular carcinoma after curative resection. *World J Gastroenterol* 2015; **21**: 10898-10906 [PMID: [26478681](https://pubmed.ncbi.nlm.nih.gov/26478681/) DOI: [10.3748/wjg.v21.i38.10898](https://doi.org/10.3748/wjg.v21.i38.10898)]
- 18 Li X, Gu L, Chen Y, Chong Y, Wang X, Guo P, He D. Systemic immune-inflammation index is a promising non-invasive biomarker for predicting the survival of urinary system cancers: a systematic review and meta-analysis. *Ann Med* 2021; **53**: 1827-1838 [PMID: [34647517](https://pubmed.ncbi.nlm.nih.gov/34647517/) DOI: [10.1080/07853890.2021.1991591](https://doi.org/10.1080/07853890.2021.1991591)]
- 19 Geng Y, Shao Y, Zhu D, Zheng X, Zhou Q, Zhou W, Ni X, Wu C, Jiang J. Systemic Immune-Inflammation Index Predicts Prognosis of Patients with Esophageal Squamous Cell Carcinoma: A Propensity Score-matched Analysis. *Sci Rep* 2016; **6**: 39482 [PMID: [28000729](https://pubmed.ncbi.nlm.nih.gov/28000729/) DOI: [10.1038/srep39482](https://doi.org/10.1038/srep39482)]
- 20 Huang H, Liu Q, Zhu L, Zhang Y, Lu X, Wu Y, Liu L. Prognostic Value of Preoperative Systemic Immune-Inflammation Index in Patients with Cervical Cancer. *Sci Rep* 2019; **9**: 3284 [PMID: [30824727](https://pubmed.ncbi.nlm.nih.gov/30824727/) DOI: [10.1038/s41598-019-39150-0](https://doi.org/10.1038/s41598-019-39150-0)]
- 21 Wang WL, Zheng XL, Zhang ZY, Zhou Y, Hao J, Tang G, Li O, Xiang JX, Wu Z, Wang B. Preoperative γ -glutamyl transpeptidase to platelet ratio (GPR) is an independent prognostic factor for HBV-related hepatocellular carcinoma after curative hepatic resection. *Medicine*

- (Baltimore) 2016; **95**: e4087 [PMID: [27399101](#) DOI: [10.1097/MD.0000000000004087](#)]
- 22 Li J, Shi HY, Zhou M. Correlation between preoperative systemic immune inflammation index, nutritional risk index, and prognosis of radical resection of liver cancer. *World J Gastrointest Surg* 2023; **15**: 2445-2455 [PMID: [38111765](#) DOI: [10.4240/wjgs.v15.i11.2445](#)]
 - 23 **Levolger S**, van Vugt JL, de Bruin RW, IJzermans JN. Systematic review of sarcopenia in patients operated on for gastrointestinal and hepatopancreatobiliary malignancies. *Br J Surg* 2015; **102**: 1448-1458 [PMID: [26375617](#) DOI: [10.1002/bjs.9893](#)]
 - 24 **Bano G**, Trevisan C, Carraro S, Solmi M, Luchini C, Stubbs B, Manzano E, Sergi G, Veronese N. Inflammation and sarcopenia: A systematic review and meta-analysis. *Maturitas* 2017; **96**: 10-15 [PMID: [28041587](#) DOI: [10.1016/j.maturitas.2016.11.006](#)]
 - 25 **Jo E**, Lee SR, Park BS, Kim JS. Potential mechanisms underlying the role of chronic inflammation in age-related muscle wasting. *Aging Clin Exp Res* 2012; **24**: 412-422 [PMID: [22717404](#) DOI: [10.3275/8464](#)]
 - 26 **Schaap LA**, Pluijm SM, Deeg DJ, Visser M. Inflammatory markers and loss of muscle mass (sarcopenia) and strength. *Am J Med* 2006; **119**: 526.e9-526.17 [PMID: [16750969](#) DOI: [10.1016/j.amjmed.2005.10.049](#)]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: office@baishideng.com

Help Desk: <https://www.f6publishing.com/helpdesk>

<https://www.wjgnet.com>

