

World Journal of *Gastrointestinal Surgery*

World J Gastrointest Surg 2024 April 27; 16(4): 974-1217



Contents

Monthly Volume 16 Number 4 April 27, 2024

EDITORIAL

- 974 How to identify early complications in patients undergoing distal gastrectomy?
Tropeano G, Chiarello MM, Fico V, Brisinda G
- 982 Quality assessment of surgery for colorectal cancer: Where do we stand?
Morarasu S, Livadaru C, Dimofte GM
- 988 Emerging molecules, tools, technology, and future of surgical knife in gastroenterology
Kumar A, Goyal A
- 999 Carcinoembryonic antigen in the diagnosis, treatment, and follow-up of focal liver lesions
Dilek ON, Arslan Kahraman Dİ, Kahraman G
- 1008 Relationship between *Helicobacter pylori* infection and colorectal polyp/colorectal cancer
Liu Y, Yang DQ, Jiang JN, Jiao Y

MINIREVIEWS

- 1017 Near-infrared cholangiography with intragallbladder indocyanine green injection in minimally invasive cholecystectomy
Symeonidis S, Mantzoros I, Anestiadou E, Ioannidis O, Christidis P, Bitsianis S, Bisbinas V, Zapsalis K, Karastergiou T, Athanasiou D, Apostolidis S, Angelopoulos S
- 1030 Blastomas of the digestive system in adults: A review
Liu Y, El Jabbour T, Somma J, Nakanishi Y, Ligato S, Lee H, Fu ZY

ORIGINAL ARTICLE

Retrospective Study

- 1043 Single-center retrospective study of the diagnostic value of double-balloon enteroscopy in Meckel's diverticulum with bleeding
He T, Yang C, Wang J, Zhong JS, Li AH, Yin YJ, Luo LL, Rao CM, Mao NF, Guo Q, Zuo Z, Zhang W, Wan P
- 1055 Prognostic value of a nomogram model for postoperative liver metastasis of colon cancer
Cheng DX, Xu KD, Liu HB, Liu Y
- 1066 Computer-assisted three-dimensional individualized extreme liver resection for hepatoblastoma in proximity to the major liver vasculature
Xiu WL, Liu J, Zhang JL, Wang JM, Wang XF, Wang FF, Mi J, Hao XW, Xia N, Dong Q
- 1078 Research on the prognostic value of adjusting intraperitoneal three-dimensional quality evaluation mode in laparoscopic cholecystectomy patients
Zhou Y, Chen ZQ

- 1087** Construction of a predictive model for acute liver failure after hepatectomy based on neutrophil-to-lymphocyte ratio and albumin-bilirubin score

Li XP, Bao ZT, Wang L, Zhang CY, Yang W

- 1097** Predicting short-term thromboembolic risk following Roux-en-Y gastric bypass using supervised machine learning

Ali H, Inayat F, Moond V, Chaudhry A, Afzal A, Anjum Z, Tahir H, Anwar MS, Dahiya DS, Afzal MS, Nawaz G, Sohail AH, Aziz M

- 1109** Comparative analysis of two digestive tract reconstruction methods in total laparoscopic radical total gastrectomy

Dong TX, Wang D, Zhao Q, Zhang ZD, Zhao XF, Tan BB, Liu Y, Liu QW, Yang PG, Ding PA, Zheng T, Li Y, Liu ZJ

- 1121** Incidence of surgical site infection in minimally invasive colorectal surgery

Ni LT, Zhao R, Ye YR, Ouyang YM, Chen X

Observational Study

- 1130** Burden of gallstone disease in the United States population: Prepandemic rates and trends

Unalp-Arida A, Ruhl CE

Prospective Study

- 1149** Kuicolong-yu enema decoction retains traditional Chinese medicine enema attenuates inflammatory response ulcerative colitis through TLR4/NF- κ B signaling pathway

Han L, Tang K, Fang XL, Xu JX, Mao XY, Li M

SYSTEMATIC REVIEWS

- 1155** Quality-adjusted life years and surgical waiting list: Systematic review of the literature

de la Plaza Llamas R, Ortega Azor L, Hernández Yuste M, Gorini L, Latorre-Fragua RA, Díaz Candelas DA, Al Shwely Abduljabar F, Gemio del Rey IA

META-ANALYSIS

- 1165** Impact of different anastomosis methods on post-recurrence after intestinal resection for Crohn's disease: A meta-analysis

Wang ZZ, Zhao CH, Shen H, Dai GP

CASE REPORT

- 1176** Suspected coexistence of perianal necrotizing sweet syndrome in chronic myelomonocytic leukemia: A case report

Yu KQ, Li HX, Wu J

- 1184** Successful splenic artery embolization in a patient with Behçet's syndrome-associated splenic rupture: A case report

Zhu GZ, Ji DH

- 1189** Stercoral perforation of the cecum: A case report

Yu HC, Pu TW, Kang JC, Chen CY, Hu JM, Su RY

- 1195** Percutaneous transhepatic stenting for acute superior mesenteric vein stenosis after pancreaticoduodenectomy with portal vein reconstruction: A case report
Lin C, Wang ZY, Dong LB, Wang ZW, Li ZH, Wang WB
- 1203** Endoscopic treatment of bleeding gastric ulcer causing gastric wall necrosis: A case report
Li WF, Gao RY, Xu JW, Yu XQ
- 1208** Intermittent melena and refractory anemia due to jejunal cavernous lymphangioma: A case report
Liu KR, Zhang S, Chen WR, Huang YX, Li XG

LETTER TO THE EDITOR

- 1215** New frontiers in ectopic pancreatic tissue management
Covantsev S

ABOUT COVER

Editorial Board Member of *World Journal of Gastrointestinal Surgery*, Arunachalam Rathnaswami, FACS, MBBS, MS, MNAMS, MCh, Ex-Professor and Head, Department of Surgical Gastroenterology, SRM Medical College Hospital and Research Institute SRMIST, Kattankulathur, Chennai, TamilNadu 603203, India. arunarathna@gmail.com

AIMS AND SCOPE

The primary aim of *World Journal of Gastrointestinal Surgery* (WJGS, *World J Gastrointest Surg*) is to provide scholars and readers from various fields of gastrointestinal surgery with a platform to publish high-quality basic and clinical research articles and communicate their research findings online.

WJGS mainly publishes articles reporting research results and findings obtained in the field of gastrointestinal surgery and covering a wide range of topics including biliary tract surgical procedures, biliopancreatic diversion, colectomy, esophagectomy, esophagostomy, pancreas transplantation, and pancreatectomy, *etc.*

INDEXING/ABSTRACTING

The WJGS is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Current Contents/Clinical Medicine, Journal Citation Reports/Science Edition, PubMed, PubMed Central, Reference Citation Analysis, China Science and Technology Journal Database, and Superstar Journals Database. The 2023 Edition of Journal Citation Reports® cites the 2022 impact factor (IF) for WJGS as 2.0; IF without journal self cites: 1.9; 5-year IF: 2.2; Journal Citation Indicator: 0.52; Ranking: 113 among 212 journals in surgery; Quartile category: Q3; Ranking: 81 among 93 journals in gastroenterology and hepatology; and Quartile category: Q4.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Zi-Hang Xu, Production Department Director: Xiang Li, Cover Editor: Jia-Ru Fan.

NAME OF JOURNAL

World Journal of Gastrointestinal Surgery

ISSN

ISSN 1948-9366 (online)

LAUNCH DATE

November 30, 2009

FREQUENCY

Monthly

EDITORS-IN-CHIEF

Peter Schemmer

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/1948-9366/editorialboard.htm>

PUBLICATION DATE

April 27, 2024

COPYRIGHT

© 2024 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>



New frontiers in ectopic pancreatic tissue management

Serghei Covantsev

Specialty type: Surgery

Provenance and peer review:

Unsolicited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): 0

Grade B (Very good): 0

Grade C (Good): C

Grade D (Fair): 0

Grade E (Poor): 0

P-Reviewer: Anestiadou E, Greece

Received: January 7, 2024

Peer-review started: January 7, 2024

First decision: January 27, 2024

Revised: January 28, 2024

Accepted: March 26, 2024

Article in press: March 26, 2024

Published online: April 27, 2024



Serghei Covantsev, Department of Clinical Research and Development, Botkin Hospital, Moscow 125284, Russia

Corresponding author: Serghei Covantsev, BSc, MD, Doctor, Research Scientist, Staff Physician, Surgeon, Surgical Oncologist, Department of Clinical Research and Development, Botkin Hospital, 2nd Botkin ave, Moscow 125284, Russia. kovantsev.s.d@gmail.com

Abstract

The pancreatic development variations are relatively frequent but are often overlooked in clinical practice. This is due to the fact that they do not present with a distinct clinical picture and are usually asymptomatic. It also refers to the ectopic pancreatic tissue in the stomach. This anomaly can be diagnosed in any part of the digestive system, but it is mostly seen in the upper gastrointestinal tract, especially in the stomach, duodenum and jejunum. The management of this condition has evolved due to the development of minimally invasive procedures.

Key Words: Ectopic pancreatic tissue; Stomach; Endoscopy; Laparoscopy; Pancreas; Anomalies

©The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: The pancreatic development variations are relatively frequent, however simply overlooked. Pancreatic anomalies are difficult in their diagnosis and treatment, as there is little information about their management. The treatment of this condition has improved due to the development of minimally invasive procedures. Overall, both laparoscopic resection and endoscopic submucosal dissection seem to be methods of choice for the treatment of ectopic pancreatic tissue in the stomach, albeit surgery is better in the case of a large mass located deep in the abdominal cavity.

Citation: Covantsev S. New frontiers in ectopic pancreatic tissue management. *World J Gastrointest Surg* 2024; 16(4): 1215-1217

URL: <https://www.wjgnet.com/1948-9366/full/v16/i4/1215.htm>

DOI: <https://dx.doi.org/10.4240/wjgs.v16.i4.1215>

TO THE EDITOR

We read with interest the article by Zheng *et al*[1] titled “Laparoscopic resection and endoscopic submucosal dissection for treating gastric ectopic pancreas”, which explores the efficacy of laparoscopic resection and endoscopic submucosal dissection (ESD) in gastric ectopic pancreas. Indeed, it is a rare developmental variation and there is limited information about its management. Overall, the developmental variations of the pancreas are relatively frequent but are often overlooked in clinical practice[2]. This is due to the fact that they do not present with a distinct clinical picture and usually are asymptomatic[3]. In some cases these developmental anomalies can lead to chronic or acute pancreatitis and malignancies[3,4]. Therefore, the majority of developmental variations and anomalies are diagnosed in adulthood. It also refers to the ectopic pancreatic tissue in the stomach. This anomaly can be diagnosed in any part of the digestive system, but it is mostly seen in the upper gastrointestinal tract, especially in the stomach, duodenum and jejunum[5].

The authors report 49 cases of ectopic pancreas tissue in the stomach, its diagnosis and treatment. The manuscript is interesting in many ways as the study provides detailed information about endoscopic and laparoscopic managements of this complex entity. There have been several similar reports, one of which in Japan (57 patients) and another in China (93 patients)[6,7]. None of the included patients had severe adverse events or relapse. Thus, ESD is a safe and implementable method for the treatment of ectopic pancreatic tissue in the stomach. With the recent progress in endoscopic technology, ESD method has evolved to the full-thickness endoscopic resection[1,6,7]. The current progress in endoscopy allows to perform minimally invasive procedures on the gastrointestinal and pancreatobiliary tract with lower postoperative results compared to open surgery[8].

The researchers collected a cohort of cases where minimally invasive procedures were employed, shedding light on their feasibility, safety and overall outcomes. The patients were diagnosed by means of endoscopic ultrasonography. Notably, the research suggests that laparoscopic resection and ESD can be effective in managing gastric ectopic pancreas, providing a less invasive alternative to traditional surgical approaches.

This study focuses on endoscopic and laparoscopic techniques. It is particularly noteworthy, as it aligns with the broader trend in surgical practices towards minimally invasive procedures. The use of laparoscopic approaches not only reduces postoperative pain, but also shortens hospital stay and recovery time. These benefits, when applied to the treatment of gastric ectopic pancreas, hold the potential to enhance patient outcomes and satisfaction.

The study also highlights the importance of a multidisciplinary approach in the management of gastric ectopic pancreas. Collaboration between gastroenterologists and surgeons becomes crucial in determining the most appropriate treatment strategy for individual cases. The establishment of clear guidelines and protocols based on the evidence presented in this study can further streamline decision-making processes in clinical settings.

However, like any research, this study has its limitations that are disclosed by the authors. The sample size and the retrospective nature of the analysis may introduce biases and limit the generalizability of the findings. Additionally, the absence of a direct comparison with traditional surgical methods leaves room for future studies to explore the relative advantages and disadvantages of different approaches more comprehensively.

Nevertheless, this study lays a solid foundation for future research avenues in the field of gastric ectopic pancreas management. Prospective multicentric studies comparing laparoscopic resection and ESD with traditional surgical methods would provide a more robust understanding of the comparative effectiveness and safety profiles. In overall, both laparoscopic resection and ESD seem to be methods of choice for the treatment of ectopic pancreatic tissue in the stomach, albeit surgery is better in the case of a large mass located deep in the abdominal cavity[1].

FOOTNOTES

Author contributions: Covantsev S analyzed the data and wrote the manuscript.

Conflict-of-interest statement: The author declares no conflict of interest.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country/Territory of origin: Russia

ORCID number: Serghei Covantsev 0000-0001-7236-5699.

S-Editor: Lin C

L-Editor: A

P-Editor: Yu HG

REFERENCES

- 1 Zheng HD, Huang QY, Hu YH, Ye K, Xu JH. Laparoscopic resection and endoscopic submucosal dissection for treating gastric ectopic

- pancreas. *World J Gastrointest Surg* 2023; **15**: 2799-2808 [PMID: [38222013](#) DOI: [10.4240/wjgs.v15.i12.2799](#)]
- 2 **Covantsev S**, Chicu C, Mazuruc N, Belic O. Pancreatic ductal anatomy: more than meets the eye. *Surg Radiol Anat* 2022; **44**: 1231-1238 [PMID: [35986117](#) DOI: [10.1007/s00276-022-03002-w](#)]
- 3 **Covantev S**. Pancreas divisum: a reemerging risk factor for pancreatic diseases. *Rom J Intern Med* 2018; **56**: 233-242 [PMID: [30521477](#) DOI: [10.2478/rjim-2018-0022](#)]
- 4 **Elwir S**, Glessing B, Amin K, Jensen E, Mallery S. Pancreatitis of ectopic pancreatic tissue: a rare cause of gastric outlet obstruction. *Gastroenterol Rep (Oxf)* 2017; **5**: 237-240 [PMID: [26224685](#) DOI: [10.1093/gastro/gov037](#)]
- 5 **Zhang H**, Zhao HY, Zhang FH, Liang W. Gastric and intestinal ectopic pancreas: Two case reports. *World J Clin Cases* 2023; **11**: 7221-7226 [PMID: [37946777](#) DOI: [10.12998/wjcc.v11.i29.7221](#)]
- 6 **Kobara H**, Miyaoka Y, Ikeda Y, Yamada T, Takata M, Fujihara S, Nishiyama N, Fujita K, Tani J, Kobayashi N, Chiyo T, Yachida T, Okano K, Suzuki Y, Mori H, Masaki T. Outcomes of Endoscopic Submucosal Dissection for Subepithelial Lesions Localized Within the Submucosa, Including Neuroendocrine Tumors: A Multicenter Prospective Study. *J Gastrointest Liver Dis* 2020; **29**: 41-49 [PMID: [32176758](#) DOI: [10.15403/jgld-510](#)]
- 7 **Zhou Y**, Zhou S, Shi Y, Zheng S, Liu B. Endoscopic submucosal dissection for gastric ectopic pancreas: a single-center experience. *World J Surg Oncol* 2019; **17**: 69 [PMID: [30992068](#) DOI: [10.1186/s12957-019-1612-x](#)]
- 8 **Shabunin AV**, Bagatelia ZA, Bedin VV, Korzheva IY, Shikov DV, Kolotilshchikov AA, Kalashnikova EA, Covantsev S. Endoscopic transpapillary stent placement in patients with necrotizing pancreatitis and disconnected main pancreatic duct syndrome. *Front Surg* 2023; **10**: 1328304 [PMID: [38148749](#) DOI: [10.3389/fsurg.2023.1328304](#)]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: office@baishideng.com

Help Desk: <https://www.f6publishing.com/helpdesk>

<https://www.wjgnet.com>

