

Name of journal: World Journal of Clinical Cases

ESPS Manuscript NO: 19755

Manuscript Type: Case Report

Lower gastrointestinal tract bleeding caused by dieulafoy-like lesion
synchronous meckel diverticulum: A rare case report

Song-Hu Li, Guang-Yao Wu, Xiao-Dong Lin, Zong-Quan Wen, Mei-Ting
Huang, Shao-Ping Yu, Hao Zhang

Abstract

Meckel diverticulum is an embryonic remnant of the Gastrointestinal duct which cause symptoms < 5% in the 2% population. Painless bleeding and abdominal pain are the most often reported symptoms. Dieulafoy lesion/dieulafoy-like lesion often cause upper GI tract bleeding, but massive lower gastrointestinal bleeding is rare. We reported a 19-year-old male presented massive lower GI tract bleeding caused by Meckel diverticulum synchronous dieulafoy-like lesion.

Match Overview

1	CrossCheck 36 words Ronald M. Kline. "Ruptured Meckel Diverticulum Mimicking Mucositis in a Patient Receiving Induction Therapy for High-risk ..."	3%
2	Publications 35 words Lin, Saayu Suhocki, Paul V. Ludwig, Kirk. "Gastrointestinal bleeding in adult patients with Meckel's diverticulum: The role ..."	3%
3	CrossCheck 18 words "Clinical Vignettes", The American Journal of Gastroenterology, 9/2006	1%
4	CrossCheck 10 words Rafael Amaro. "Rectal Dieulafoy's lesion", Diseases of the Colon & Rectum, 10/1999	1%
5	Internet 8 words crawled on 02-Nov-2009 www.emisphere.com	1%



Lower gastrointestinal tract bleeding caused by dieulafoy-like lesion synchro



Web

[Imagens](#)

[Vídeos](#)

[Notícias](#)

[Shopping](#)

[Mapas](#)

[Livros](#)

Aproximadamente 1.600 resultados

Qualquer país

País: Brasil

Em qualquer idioma

Páginas em português

Em qualquer data

Na última hora

Nas últimas 24 horas

Na última semana

No último mês

No último ano

Todos os resultados

Ao pé da letra

[\[PDF\] Dieulafoy's Lesion, a Rare Cause of Lower Gastrointestinal ...](#)

www.turner-white.com/pdf/hp_sep01_hemorrhage.pdf

This report presents the case of a 41-year-old man with massive LGI bleeding caused by a Dieulafoy's lesion of ... ing jejunum and excision of a Meckel's diverticulum that was ... tions of the jejunum is similar to that of patients with ... Congenital lesion found anywhere in the gastrointestinal tract (mostly in children) ... that is.

[Surgery for a gastric Dieulafoy's lesion reveals an occult bleeding ...](#)

www.biomedcentral.com/1471-2482/12/S1/S29

15 Nov 2012 ... Jejunal diverticulosis is an uncommon disease and usually asymptomatic. ... It is frequently seen in the duodenum while jejunal and ileal locations are very rare. ... This case report shows in the same patient two rare causes of GI ... for lower GI tract lesions, can be used to stop the bleeding by selective ...

[ArterioVenous Malformation within Jejunal Diverticulum: An Unusual ...](#)

www.hindawi.com/journals/grp/2009/384506/

6 Aug 2009 ... We report a case of massive gastrointestinal bleeding from an ... However several reports have shown jejunal diverticulosis as a rare cause of massive GI bleeding. ... is rare and massive bleeding from an acquired Dieulafoy-like AVM ... for secondary coexisting lesions within the diverticulae, for example, ...

[Rectal Bleeding in Adults, Blood in Stool, Information | Patient.co.uk](#)

www.patient.co.uk/doctor/rectal-bleeding-in-adults

Dieulafoy's lesion of small or large bowel. Endometriosis. Meckel's diverticulum (in adults less often than children). Rectal varices. GI tract invasion of non-GI ...

[Lower Gastrointestinal Bleeding - SlideShare](#)

pt.slideshare.net/dRKah/lower-gastrointestinal-bleeding

20 Jun 2013 ... 1- Diverticular Disease the most common cause of significant lower GI



Lower gastrointestinal tract bleeding caused by dieulafoy-like lesion sy



网页

图片

视频

新闻

更多

搜索工具

找到约 1,560 条结果 (用时 0.58 秒)

[PDF] Dieulafoy's Lesion, a Rare Cause of Lower Gastrointestin...

www.turner-white.com/pdf/hp_sep01_hemorrhage.pdf 翻译此页

作者: SK Metyas - 2001 - 被引用次数: 7 - 相关文章

This report presents the case of a 41-year-old man with massive LGI bleeding caused by a Dieulafoy's lesion of ... ing jejunum and excision of a Meckel's diverticulum that was ... tions of the jejunum is similar to that of patients with ... Congenital lesion found anywhere in the gastrointestinal tract (mostly in children) that is.

Surgery for a gastric Dieulafoy's lesion reveals an ... - Paperity

paperity.org/.../surgery-for-a-gastric-dieulafoys-lesion-reveals-... 翻译此页

Multiple giant diverticula of the jejunum causing intestinal obstruction: report of a case and ... Bleeding "Dieulafoy's-like" lesion resembling the duodenal papilla: a case report ... seen in the duodenum while jejunal and ileal locations are very rare. ... more suitable for lower GI tract lesions, can be used to stop the bleeding by ...

Surgery for a gastric Dieulafoy's lesion reveals an occult ...

www.biomedcentral.com/1471-2482/12/S1/S29 翻译此页

作者: G Orlando - 2012 - 相关文章

2012年11月15日 - We describe a case of an occult bleeding jejunal diverticulum, casually ... It is frequently seen in the duodenum while jejunal and ileal locations are very rare. ... This case report shows in the same patient two rare causes of GI ... Angiography, more suitable for lower GI tract lesions, can be used to stop the ...

Rectal Bleeding in Adults, Blood in Stool, Information | Patient

patient.info > Professional Reference 翻译此页

2015年9月3日 - The majority of cases of rectal bleeding are due to benign causes, ...



网页

图片

视频

新闻

更多 ▾

搜索工具

找到约 1,550 条结果 (用时 0.60 秒)

[\[PDF\] Dieulafoy's Lesion, a Rare Cause of Lower Gastrointestin...](#)

www.turner-white.com/pdf/hp_sep01_hemorrhage.pdf ▾ 翻译此页

作者: SK Metyas - 2001 - 被引用次数: 7 - 相关文章

This **report** presents the **case** of a 41-year-old man with massive LGI **bleeding caused** by a **Dieulafoy's lesion** of ... ing jejunum and excision of a **Meckel's diverticulum** that was ... tions of the jejunum is **similar to** that of patients with ... Congenital **lesion** found anywhere in the **gastrointestinal tract** (mostly in children) that is.

[Surgery for a gastric Dieulafoy's lesion reveals an ... - Paperity](#)

paperity.org/.../surgery-for-a-gastric-dieulafoys-lesion-reveals-... ▾ 翻译此页

Multiple giant **diverticula** of the jejunum **causing** intestinal obstruction: **report** of a **case** and ... **Bleeding "Dieulafoy's-like" lesion** resembling the duodenal papilla: a **case report** ... seen in the duodenum while jejunal and **ileal** locations are very **rare**. ... more suitable for **lower GI tract lesions**, can be used to stop the **bleeding** by ...

[Surgery for a gastric Dieulafoy's lesion reveals an occult ...](#)

www.biomedcentral.com/1471-2482/12/S1/S29 ▾ 翻译此页

作者: G Orlando - 2012 - 相关文章

2012年11月15日 - We describe a **case** of an occult **bleeding** jejunal **diverticulum**, casually ... It is frequently seen in the duodenum while jejunal and **ileal** locations are very **rare**. ... This **case report** shows in the same patient two **rare causes** of GI ... Angiography, more suitable for **lower GI tract lesions**, can be used to stop the ...

[Rectal Bleeding in Adults, Blood in Stool. Information | Patient](#)

patient.info ▸ **Professional Reference** ▾ 翻译此页

2015年9月3日 - The majority of **cases** of rectal **bleeding** are due to benign **causes**, ... **Dieulafoy's lesion** of small or large bowel. Endometriosis. **Meckel's diverticulum** (in adults less often than children). Rectal ... Fresh bright red **blood** usually comes from **low** down in the **GI tract** ... Family **history** of bowel cancer or polyps