



14712-Review

BY SHIVANI PAHWA

Quotes Excluded
Bibliography Excluded4%
SIMILAR**Name of journal:** World Journal of Clinical Cases**ESPS Manuscript NO:** 14712**Columns:** Diagnostic Advances**Multidetector CT of temporomandibular joint: A road less travelled**

Shivani Pahwa, Ashu Seith Bhalla, Ajoy Roychaudhary, Ongkila Bhutia

Abstract

This article reviews the imaging anatomy of Temporomandibular Joint (TMJ), describes the technique of MDCT of the Temporomandibular joint, and describes in detail various osseous pathologic afflictions affecting the joint. Traumatic injuries affecting the mandibular condyle are most common, followed by joint ankylosis as a sequel to arthritis. The congenital anomalies are less frequent, hemifacial microsomia being the most commonly encountered anomaly involving the TMJ. Neoplastic afflictions of TMJ

Match Overview

1	Internet 44 words www.dent-links.de	1%
2	CrossCheck 32 words Bhalla, Ashu, Kalyanasundaram Srinivasan, and Pankaj Gupta. "Dental Scan and Odontoiatric Applications". Multi-Detecto	1%
3	Internet 22 words crawled on 01-Apr-2012 www.ncbi.nlm.nih.gov	1%
4	Internet 22 words crawled on 02-Apr-2014 www.science.gov	1%

[网页](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 41,300 条结果（用时 0.57 秒）

Google 学术: Multidetector CT of temporomandibular joint: A road less travelled

A comparison of maxillofacial CBCT and medical CT - Angelopoulos - 被引用次数: 13

Oxford Desk Reference-Major Trauma - Smith - 被引用次数: 3

Anaesthesia and airway management in ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: R Walker - 2013 - 被引用次数: 15 - [相关文章](#)

2012年11月30日 - Excessively thick secretions throughout the upper and lower airways can worsen airway obstruction. ... Multidetector CT could provide additional information about glottic Mouth opening or temporomandibular-joint range of motion should boards, and received speakers honoraria and travel support.

Battlefield radiology

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: RNJ Graham - 2012 - 被引用次数: 3 - [相关文章](#)

Multidetector CT allows accurate determination of battlefield trauma injuries. Less severely injured patients and those without battlefield injuries receive MDCT it is important to assess the temporomandibular joints, the maxilla and mandible for Bullets can travel through the iliac wings into the pelvis, often injuring the ...

[网页](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 2,130 条结果 (用时 0.55 秒)

Google 学术: **Multidetector computed tomography of temporomandibular joint: A road less travelled**

A comparison of maxillofacial CBCT and medical CT - Angelopoulos - 被引用次数: 13

Oxford Desk Reference-Major Trauma - Smith - 被引用次数: 3

Anaesthesia and airway management in ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: R Walker - 2013 - 被引用次数: 16 - 相关文章

2012年11月30日 - **Multidetector CT** could provide additional information about glottic and subglottic Mouth opening or **temporomandibular-joint** range of motion should be However the use of volatile anaesthetics at **less** than one minimum alveolar in advisory boards, and received speakers honoraria and **travel** support.

RSNA Products - RSNA.org

www2.rsna.org/timssnet/store/forsearch/ ▾ [翻译此页](#)

Radiology Select Imaging of **Joints** · 2014 Cardiac ... **Multidetector CT** Evaluation of Airway Stents: What the Radiologist Should Know · To Do or Radiopaque **Jaw** Lesions: An Approach to the Differential Diagnosis ... The **Road Less Traveled**: Importance of the Lesser Branches of the Celiac Axis in Liver Embolotherapy