

## Match Overview



Name of journal: *World Journal of Clinical Cases*

ESPS Manuscript NO: 16376

Columns: Case Report

### **Paraspinous hemolymphangioma associated with adolescent scoliosis**

Ishaan Swarup, Benjamin T Bjerke-Kroll, Matthew E Cunningham

#### **Abstract**

Lymphangiomas are a group of benign malformations of the lymphatic system, and hemolymphangioma (or hemangiolymphangioma) is a rare congenital malformation of the lymphatic system with vascular involvement. These benign malformations are most commonly diagnosed at an early age, and may be present as a part of an associated syndrome. In this case report, we describe the first case of adolescent scoliosis associated with a large, paraspinous hemolymphangioma. A 15-year-old girl with an

There are no matching sources for this report.



Paraspinous hemolymphangioma associated with adolescent scoliosis



网页

图片

新闻

视频

更多 ▾

搜索工具

找到约 70,000 条结果 (用时 0.49 秒)

### Severe progressive scoliosis due to huge subcutaneous ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: Y Ogura - 2011 - 被引用次数: 1 - 相关文章

2011年3月17日 - Cavernous **hemangioma** consists mainly of congenital vascular ... extending from the subcutaneous region to the **paraspinal** muscles and the ... The diagnosis of severe progressive **scoliosis associated** with cavernous **hemangioma** was made. .... for correction of **adolescent** thoracic idiopathic **scoliosis**.

### [PDF] Primary Tumors of the Spine - Springer

[www.springer.com/cda/content/.../9783540405115-c2.pdf?...](http://www.springer.com/cda/content/.../9783540405115-c2.pdf?...) ▾ 翻译此页

histiocytosis, chordoma, and **hemangioma**. .... are often **associated** with **scoliosis** and typically present with **paraspinal** ... as in **adolescent** idiopathic **scoliosis**.

### Scoliosis: An Overview - HSS.edu - HSS

[www.hss.edu/conditions\\_scoliosis-imaging-overview.asp](http://www.hss.edu/conditions_scoliosis-imaging-overview.asp) ▾ 翻译此页

2008年11月10日 - **Scoliosis** and other conditions that impact the spine are detected by the HSS ... vertebral bodies **involved** and the degree of the vertebral body compression. ... bone tumor of the spine is a **hemangioma** which rarely causes symptoms. ... body or **paraspinal** soft tissues that indicate that an infection is present.

### Complex Spinal-Paraspinal Fast-Flow Lesions in CLOVES ...

[www.ajnr.org/content/32/10/1812.full](http://www.ajnr.org/content/32/10/1812.full) ▾ 翻译此页

Paraspinous hemolymphangioma associated with adolescent scoliosis



网页

图片

新闻

地图

视频

更多 ▾

搜索工具

找到约 57,000 条结果 (用时 0.49 秒)

### Severe progressive scoliosis due to huge subcutaneous ...

[www.ncbi.nlm.nih.gov](#) > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: Y Ogura - 2011 - 被引用次数: 1 - 相关文章

2011年3月17日 - Cavernous **hemangioma** consists mainly of congenital vascular ... extending from the subcutaneous region to the **paraspinal** muscles and the ... The diagnosis of severe progressive **scoliosis associated** with cavernous **hemangioma** was made. .... for correction of **adolescent** thoracic idiopathic **scoliosis**.

### Kaposiform hemangioendothelioma with adolescent ...

[www.ncbi.nlm.nih.gov](#) > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: Y Zhu - 2011 - 被引用次数: 6 - 相关文章

2011年3月9日 - We report a unique spinal KHE with painless thoracic **scoliosis** in a 14-year-old girl. ... There was an **associated** abnormal soft tissue mass paralleling the left lateral .... and biologic uniqueness from **juvenile hemangioma**.

### [PDF] Primary Tumors of the Spine - Springer

[www.springer.com/cda/content/.../9783540405115-c2.pdf?...](#) ▾ [翻译此页](#)

histiocytosis, chordoma, and **hemangioma**. .... are often **associated** with **scoliosis** and typically present with **paraspinal** ... as in **adolescent** idiopathic **scoliosis**.

### Complex Spinal-Paraspinal Fast-Flow Lesions in CLOVES ...

[www.ajnr.org/content/32/10/1812.full](#) ▾ [翻译此页](#)

作者: Al Alomari - 2011 - 被引用次数: 19 - 相关文章