

Name of journal: World Journal of Clinical Cases

ESPS Manuscript NO: 17350

Columns: Editorial

New skin closure system facilitates wound healing after cardiovascular implantable electronic device surgery

Elia De Maria

Abstract

The manuscript describes the efficacy of a new skin closure system (ZipLine™) for wound closure after pacemaker/ICD surgery. The system is particularly useful when wound healing is difficult with traditional methods and in patients at high risk for Surgical Site Infections (SSIs). This skin closure option is easy and quick to apply and remove, and produces excellent cosmetic results. Although it is associated with a minimal expense

Match Overview

There are no matching sources for this report.



A new skin closure system facilitates wound healing after Cardiovascula



网页 图片 视频 新闻 更多 搜索工具

找到约 104,000 条结果 (用时 0.98 秒)

Clinical use of antibacterial mesh envelopes in ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: DS Hirsh - 2015 - 相关文章

2015年1月12日 - Cardiovascular implantable electronic device system infection is a serious ... antibiotics that can be placed in the surgical incision prior to closure. ... The right-sided device had poor wound healing, and it was re-relocated back to the left side. Two months after the second relocation, he had skin erosion and ...

The Cardiac Implantable Device Has Been Extracted: What ...

www.innovationsinrm.com/cardiac.../94-cied-extracted-what-... - 翻译此页

KEYWORDS, defibrillator, extraction, infection, pacemaker, wound care, ... leads, erosion of the device and leads through the skin, or venous thrombosis. ... A recent update on cardiac implantable electronic device (CIED) infections ... of a new device system by following surgical principles of a clean and hemostatic wound.

Mandell, Douglas, and Bennett's Principles and Practice of ...

https://books.google.com.hk/books?isbn=0323263739 - 翻译此页

John E. Bennett, Raphael Dolin, Martin J. Blaser - 2014 - Medical

John E. Bennett, Raphael Dolin, Martin J. Blaser. TABLE 84-3 Risk Factors for Left Ventricular Assist Device Infection Length and extent of surgery required for ... cardiovascular implantable electronic device) Immune system dysregulation due to ... Vacuumassisted closure systems can help to facilitate wound healing.74 ...

[PDF] Guideline PDF - Infectious Diseases Society of America

www.idsociety.org/WorkArea/DownloadAsset.aspx?id... - 翻译此页

2010年1月4日 - Cardiovascular Surgery and Anesthesia, Council on Cardiovascular Nursing, ... Update on Cardiovascular Implantable Electronic Device Infections and Their ... The 6 years after the publication of the 2003 document1 ... Implantation of a new system (OR0.46 compared with ... than optimal wound care.

[PDF] ICED infection - The British Society for Antimicrobial ...

bsac.org.uk/wp.../BSAC-ICED-infection-for-consultation.pdf - 翻译此页

vi) via contamination after erosion through the skin. ... and when valve surgery is

網頁 圖片 影片 新聞 地圖 書籍

約有 51,400 項結果

不限國家/地區
國家/地區: 香港

不限語言
所有中文網頁
繁體中文網頁

不限時間
過去 1 小時
過去 24 小時
過去 1 週
過去 1 個月
過去 1 年

所有結果
一字不差

[有關New skin closure system facilitates wound healing after cardiovascular implantable electronic device surgery的學術文章](#)

[Treatment of infections associated with surgical ...](#) - 1038 - Darouiche 個引述

[... and process for establishing a sterile area of skin](#) - 361 - Groves 個引述

[Ventricular assist device-related infections](#) - 98 - Gordon 個引述

[Clinical use of antibacterial mesh envelopes in cardiovascular ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4296961/ ▾

12 Jan 2015 ... Cardiovascular implantable electronic device system infection is a serious ... antibiotics that can be placed in the surgical incision prior to closure. The right- sided device had poor wound healing, and it was re-relocated back to the left side. Two months after the second relocation, he had skin erosion and ...

[Mandell, Douglas, and Bennett's Principles and Practice of ... - Google 圖書結果](#)

<https://books.google.com.hk/books?isbn=0323263739>

John E. Bennett, Raphael Dolin, Martin J. Blaser - 2014 - Medical

John E. Bennett, Raphael Dolin, Martin J. Blaser. TABLE 84-3 Risk Factors for Left Ventricular Assist Device Infection Length and extent of surgery required for ... cardiovascular implantable electronic device) Immune system dysregulation due to ... Vacuumassisted closure systems can help to facilitate wound healing. 74 ...

[The Cardiac Implantable Device Has Been Extracted: What Next?](#)

网页 图片 新闻 视频 更多 ▾ 搜索工具

找到约 49,100 条结果 (用时 0.73 秒)

Clinical use of antibacterial mesh envelopes in ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: DS Hirsh - 2015 - 相关文章

2015年1月12日 - Cardiovascular implantable electronic device system infection is a serious ... antibiotics that can be placed in the surgical incision prior to closure. The right-sided device had poor wound healing, and it was re-relocated back to the left side. Two months after the second relocation, he had skin erosion and ...

Mandell, Douglas, and Bennett's Principles and Practice of ...

<https://books.google.com.hk/books?isbn=0323263739> - [翻译此页](#)

John E. Bennett, Raphael Dolin, Martin J. Blaser - 2014 - Medical

John E. Bennett, Raphael Dolin, Martin J. Blaser. TABLE 84-3 Risk Factors for Left Ventricular Assist Device Infection Length and extent of surgery required for ... cardiovascular implantable electronic device) Immune system dysregulation due to ... Vacuumassisted closure systems can help to facilitate wound healing.74 ...

A Novel, Quick and Easy Non-Invasive Option for Skin ...

www.eplabdigest.com/.../Novel-Quick-and-Easy-Non-Invasive-... ▾ [翻译此页](#)

(Inpatient prospective payment system and fiscal year 2013-Final Rule, CMS.) ... Recently a new "non-invasive" device for skin closure (Zip[®] Surgical Skin ... The device uses an integrated linkage to provide uniform wound closure force ... After fascia and subcutaneous closure have been performed, the surgical site is wiped ...