

Match Overview



There are no matching sources for this report.

Name of Journal: *World Journal of Clinical Cases*

ESPS Manuscript NO: 19388

Manuscript Type: Letter to the Editor

Is endoscopic resection a correct treatment for atypical gastrointestinal lipomas?

Edoardo Virgilio, Paolo Mercantini, Marco Cavallini

Abstract

We would like offering our experience about a very rare and underestimated type of gastrointestinal lipoma, which is the lipoma with precancerous or frankly malignant features of the mucosal epithelium, the so-called atypical lipoma. So far, only few cases

[网页](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 114,000 条结果 (用时 0.84 秒)

Large Colonic Lipomas

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: G Nallamotheu - 2011 - 被引用次数: 15 - 相关文章

Symptoms correlate with the size of the lipoma; lipomas larger than 4 cm in ... gastrointestinal bleeding, perforation, or obstruction.7 Giant lipomas (>4 cm) ... a large mass with atypical characteristics (ulceration) on gross examination, ... When attempted endoscopic resection fails, large lipomas should be removed surgically.

Lipomas Treatment & Management: Approach ...

emedicine.medscape.com/article/191233-treatment ▾ 翻译此页

2015年6月19日 - Benign lipomas are simply "shelled out," with complete removal of the capsule in an extracapsular plane. ... Next Section: Endoscopic Therapy ...

Lipomas: Background, Pathophysiology, Etiology

emedicine.medscape.com/article/191233-overview ▾ 翻译此页

2015年6月19日 - Lipomas are the most common soft-tissue tumor. ... Background; Pathophysiology; Etiology; Epidemiology; Prognosis ... retroperitoneal, gastrointestinal [GI]) will be included as appropriate. Hizawa K, Kawasaki M, Kouzuki T. Unroofing technique for the endoscopic resection of a large duodenal lipoma.

Pedunculated Cecal Lipoma Causing Colo-Colonic ...

www.hindawi.com/journals/cris/2012/279213/ ▾ 翻译此页

作者: S Atmatzidis - 2012 - 被引用次数: 10 - 相关文章

2012年11月12日 - Gastrointestinal lipomas are uncommon nonepithelial neoplasms that can ... Typically, they are asymptomatic and incidentally found during endoscopy, surgery, or autopsy. ... Histopathology of the resected lesion confirmed the diagnosis of a ... However, occasionally colon lipomas might have atypical CT ...

[网页](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 114,000 条结果 (用时 0.49 秒)

Large Colonic Lipomas

www.ncbi.nlm.nih.gov › ... › [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: G Nallamotheu - 2011 - 被引用次数: 15 - [相关文章](#)

Symptoms correlate with the size of the **lipoma**; **lipomas** larger than 4 cm in ... **gastrointestinal** bleeding, perforation, or obstruction.7 Giant **lipomas** (>4 cm) ... a large mass with **atypical** characteristics (ulceration) on gross examination, ... When attempted **endoscopic resection** fails, large **lipomas** should be removed surgically.

Lipomas Treatment & Management: Approach ...

emedicine.medscape.com/article/191233-treatment ▾ [翻译此页](#)

2015年6月19日 - Benign **lipomas** are simply "shelled out," with complete removal of the capsule in an extracapsular plane. ... Next Section: **Endoscopic Therapy** ...

Lipomas: Background, Pathophysiology, Etiology

emedicine.medscape.com/article/191233-overview ▾ [翻译此页](#)

2015年6月19日 - **Lipomas** are the most common soft-tissue tumor. ... Background; Pathophysiology; Etiology; Epidemiology; **Prognosis** ... retroperitoneal, **gastrointestinal** [GI]) will be included as appropriate. Hizawa K, Kawasaki M, Kouzuki T. Unroofing technique for the **endoscopic resection** of a large duodenal **lipoma**.

Pedunculated Cecal Lipoma Causing Colo-Colonic ...

www.hindawi.com/journals/cris/2012/279213/ ▾ [翻译此页](#)

作者: S Atmatzidis - 2012 - 被引用次数: 10 - [相关文章](#)

2012年11月12日 - **Gastrointestinal lipomas** are uncommon nonepithelial neoplasms that can ... Typically, they are asymptomatic and incidentally found during **endoscopy**, surgery, or autopsy. ... Histopathology of the **resected** lesion confirmed the **diagnosis** of a ... However, occasionally colon **lipomas** might have **atypical** CT ...