



26963-Review

 Quotes Included
 Bibliography Included

 9%
 SIMILAR
Name of Journal: *World Journal of Clinical Cases*

ESPS Manuscript NO: 26963

Manuscript Type: Case Report

 Increasing access to kidney transplantation for sensitized recipient through ²three-way kidney paired donation with desensitization: **The first Indian report**
⁷Vivek B Kute, Himanshu V Patel, Pankaj R Shah, Pranjal R Modi, Veena R Shah, Sayyed J Rizvi, Bipin C Pal, Manisha P Modi, Priya S Shah, Umesh T Varyani, Pavan S Wakhare, Saiprasad G Shinde, Viajay A Ghodela, Minaxi H Patel, Varsha B Trivedi, Hargovind L Trivedi
Abstract

The combination of kidney paired donation (KPD) with desensitization represents a promising method of increasing the ⁶rate of living donor kidney transplantation (LDKT) in immunologically challenging patients. Patients who are difficult to match and desensitize due to strong donor specific antibody (DSA) are may be transplanted by a combination of desensitization and kidney paired donation (KPD) protocol with more immunologically favorable donor. We present our experience of combination of desensitization protocol with 3-way KPD which contributed to successful LDKT in highly sensitized ESRD patient. All recipients were discharged with normal and stable allograft function at 24 months follow up. We believe that this is first report from India

Match Overview

1	CrossCheck 33 words Robert A Montgomery. "Using donor exchange paradigms with desensitization to enhance transplant rates among f...."	2%
2	CrossCheck 31 words Kute, Vivek B., Priyadarshini S. Shah, Aruna V. Vanikar, Manoj R. Gumber, Himanshu V. Patel, Divyesh P. Engineer,	2%
3	CrossCheck 18 words Kute, Vivek B., Aruna V. Vanikar, Manoj R. Gumber, Varsha B. Trivedi, Pankaj R. Shah, Himanshu V. Patel, Manish	1%
4	CrossCheck 18 words "American Transplant Congress 2007 Executive and Program Planning Committees and Abstract Review Committee	1%
5	CrossCheck 16 words Chacko, Bobby, and Paul Trevillian. "ABO-Incompatible Failed Kidney Exchange for Failed Desensitization.", <i>Transpl</i>	1%
6	CrossCheck 14 words "WORLD TRANSPLANT CONGRESS 2006 POSTER ABSTRACTS", <i>American Journal of Transplantation</i> , 8/2006	1%

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 4,130 条结果 (用时 0.72 秒)

Successful three-way kidney paired donation transplantation: ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: VB Kute - 2014 - 被引用次数: 2 - 相关文章

We report our first successful three-way KPD transplantation from India. ... Kidney paired donation (KPD) increases access to live donor transplantation. ... KPD transplantation resulting in transplantation of a highly sensitized patient and ... Patient 2 was hard-to-match due to AB donor and a recipient blood type combination.

Increasing access to renal transplantation in India through our...

onlinelibrary.wiley.com > ... > Vol 27 Issue 10 > Abstract - [翻译此页](#)

作者: VB Kute - 2014 - 被引用次数: 4 - 相关文章

2014年8月22日 - Because access to transplantation with HLA-desensitization protocols ... kidney paired donation (KPD) promises hope to a growing number of ... To our knowledge, this is the largest single-center report from India. 3-way kidney exchange ... 4, Bonus for pediatric, sensitized, and difficult to match patients.

[PDF] ABSTRACTS POSTER PRESENTATIONS ... - ikdrcitsco...

ikdrcitscon.info/img/PDF/NEPHROLOGY.pdf ▾ [翻译此页](#)

Increasing Access To Kidney Transplantation For Sensitized Recipient Through Three-Way Kidney Paired Donation With Desensitization: The First Indian Report ... Kidney Transplantation For Sensitized Recipient Through Three-Way Kidney ... anti T cell therapy at the time of rejection, which failed to improve renal function.

Kidney paired donation - Nephrology Dialysis Transplantation...

ndt.oxfordjournals.org/content/26/7/2091.full ▾ [翻译此页](#)

作者: CB Wallis - 2011 - 被引用次数: 60 - 相关文章

2011年3月31日 - Kidney paired donation (KPD) was first suggested in 1986, but it was not ... This approach not only increases the number of transplants ... (B) A three-way

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 3,800 条结果 (用时 1.09 秒)

Successful three-way kidney paired donation transplantation: The first ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: VB Kute - 2014 - 被引用次数: 2 - 相关文章

We report our first successful three-way KPD transplantation from India. ... Kidney paired donation (KPD) increases access to live donor transplantation. ... She was hepatitis C virus positive so desensitization treatment was not considered. Patient 2 was hard-to-match due to AB donor and a recipient blood type combination.

Increasing access to renal transplantation in India through our single ...

onlinelibrary.wiley.com/doi/10.1111/tri.12373/pdf - [翻译此页](#)

作者: VB Kute - 2014 - 被引用次数: 4 - 相关文章

Because access to transplantation with HLA-desensitization protocols and ABO ... of infections from more intense immunosuppression, kidney paired donation ... approved study of 56 ESRD patients [25 two-way and 2 three-way pairs] who ... center report from India. ... kidney recipient who has a willing but incompatible live.

Kidney paired donation: principles, protocols and programs

ndt.oxfordjournals.org/content/early/2014/10/07/ndt.gfu309.full - [翻译此页](#)

作者: P Ferrari - 2014 - 被引用次数: 14 - 相关文章

2014年10月7日 - Alternatively, in kidney paired donation (KPD) a medically approved ... on live-donor source, was the first country to report the establishment of a KPD program in 1991 [15]. ... sensitized transplant wait-list recipients and if no suitable recipient ... Using two- and three-way exchanges, the match probability for ...

Single-Center Kidney Paired Donation: The Methodist San Antonio ...

https://www.researchgate.net/.../224878061_Single-Center_Kidney_Paired_... - [翻译此页](#)

Kidney paired donation increases access to live donor transplantation but has been ... and five were done with desensitization combined with paired donation. ... two-way and three-way exchanges as well

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 4,030 条结果 (用时 0.74 秒)

Successful three-way kidney paired donation transplantation: The first ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: VB Kute - 2014 - 被引用次数: 2 - [相关文章](#)

We report our first successful three-way KPD transplantation from India. ... Kidney paired donation (KPD) increases access to live donor transplantation. ... She was hepatitis C virus positive so desensitization treatment was not considered. Patient 2 was hard-to-match due to AB donor and a recipient blood type combination.

Increasing access to renal transplantation in India through our single ...

onlinelibrary.wiley.com/doi/10.1111/tri.12373/pdf - [翻译此页](#)

作者: VB Kute - 2014 - 被引用次数: 4 - [相关文章](#)

Because access to transplantation with HLA-desensitization protocols and ABO ... of infections from more intense immunosuppression, kidney paired donation ... approved study of 56 ESRD patients [25 two-way and 2 three-way pairs] who ... center report from India, ... kidney recipient who has a willing but incompatible live,

Kidney paired donation - Nephrology Dialysis Transplantation

ndt.oxfordjournals.org/content/26/7/2091.full.pdf ▾ [翻译此页](#)

作者: CB Wallis - 2011 - 被引用次数: 60 - [相关文章](#)

Advance Access publication 31 March 2011 ... Kidney paired donation (KPD) was first suggested in 1986, ... chains of transplants to increase the number of transplants ... (B) A three-way exchange with no reciprocal exchanges so hard-to-match pairs are better ... a kidney to a highly sensitized recipient via desensitization.

Kidney paired donation: principles, protocols and programs

ndt.oxfordjournals.org > ... > Advance Access - [翻译此页](#)

作者: P Ferrari - 2014 - 被引用次数: 14 - [相关文章](#)