

Name of Journal: *World Journal of Clinical Cases*

ESPS Manuscript NO: 25429

Manuscript Type: Diagnostic Advances

Low expression of angiotensinogen and dipeptidyl peptidase 1 in saliva of patients with proliferative verrucous leukoplakia

Isadora Luana Flores, Alan Roger Santos-Silva, Ricardo Della Coletta, Adriana Franco Paes Leme, Marcio Ajudarte Lopes

Abstract

Match Overview

| | | |
|---|---|-----|
| 1 | Internet 98 words crawled on 01-Jun-2016 bmccancer.biomedcentral.com | 3% |
| 2 | CrossCheck 39 words Kawahara, Rebeca, Renato Niyama Lima, Romênia R. Domingues, Bianca Alves Pauletti, Gabriela V. Meirelles, | 1% |
| 3 | CrossCheck 22 words Bagordakis, Elizabete, Iris Sawazaki-Calone, Carolina Carneiro Soares Macedo, Carolina M. Carnielli, Carine Er | 1% |
| 4 | CrossCheck 13 words Kawahara, Rebeca, James G. Bollinger, César Rivera, Ana Carolina P. Ribeiro, Thaís Bianca Brandão, Adriana F. | <1% |
| 5 | CrossCheck 13 words Simabuco, Fernando, Rebeca Kawahara, Sami Yokoo, Daniela C Granato, Lucas Miguel, Michelle Agostini, Anne | <1% |
| 6 | CrossCheck 12 words Provenzano, José Claudio, José F. Siqueira, Isabela N. R. Assas, Romênia R. Domingues, Adriana F. Paes L | <1% |
| 7 | Internet 10 words crawled on 29-May-2016 | <1% |

[All](#)[Images](#)[News](#)[Shopping](#)[Videos](#)[More ▾](#)[Search tools](#)

About 410 results (0.63 seconds)

[Angiotensinogen - Biblioteca Digital do Portal Bolsas de ...](#)
[biblioteca.portalbolsasdeestudo.com.br/?...angiotensin...](#) ▾ [Translate this page](#)
Angiotensinogen (AGT) gene polymorphisms have been linked to increased risk of ... Decreased **expression of angiotensinogen and dipeptidyl peptidase 1** may be associated with the development of **proliferative verrucous leukoplakia** mRNA sequences in rat kidney cortex and medulla in rats on high and **low** salt diet.

['angiotensinogen' - Biblioteca Digital Versila](#)
[biblioteca.versila.com/?q=angiotensinogen](#) - [Translate this page](#)
Página 1 dos resultados de 546 itens digitais encontrados em 0.004 segundos ... Decreased **expression of angiotensinogen and dipeptidyl peptidase 1** may be associated with the development of **proliferative verrucous leukoplakia** much **lower** than those in rat plasma; however, detailed information is deficient due to lack ...

[Patent US7977306 - Albumin fusion proteins - Google Patents](#)
<https://www.google.com/patents/US7977306> Google ▾
Jul 12, 2011 - The method of claim 1 wherein the diabetes is Type II diabetes. 4 is a map of the pSAC35 yeast *S. Cerevisiae* **expression** vector (Sleep et al., Biotechnology 8:42 (1990)). ... 8 compares the anti-**proliferative** activity of IFN albumin fusion protein encoded by **angiotensin I** to, Disorders; Obesity; Vascular.

<http://www.jove.com/visualize/abstract/19961391/gingival> ...
www.jove.com/.../j-periodontol.xml ▾ Journal of Visualized Experiments ▾
... /abstract/19905950/alanine-aminopeptidase-**dipeptidyl-peptidase-iv-saliva**-chronic 1 /19656031/gingival-crevicular-fluid-mmp-8-13-timp-1-levels-patients-with 1 /**proliferative-verrucous-leukoplakia**-potentially-malignant-disorder 1 1 <http://www.jove.com/visualize/abstract/20653439/periodontal-therapy-low-birth-> ...

All

Images

News

Shopping

Videos

More ▾

Search tools

About 311 results (0.71 seconds)

Salivary and serum interleukin-6 levels in proliferative verrucous ...

www.ncbi.nlm.nih.gov/.../26254143 ▾ National Center for Biotechnology Information ▾

by L Bagan - 2016 - Cited by 1 - Related articles

Aug 9, 2015 - **Salivary** and serum interleukin-6 levels in **proliferative verrucous leukoplakia**. Bagan L(1), Sáez GT(2), Tormos MC(2), Labaig-Rueda C(3), ... **BACKGROUND:** Cytokines and chemokines have been analysed in **patients** with oral squamous ... or tested in **proliferative verrucous leukoplakia** (PVL), however.

Missing: expression angiotensinogen dipeptidyl peptidase

Oral proliferative verrucous leukoplakia: A case report with an update

www.ncbi.nlm.nih.gov/.../PMC37578... ▾ National Center for Biotechnology Information ▾

by R Issrani - 2013 - Cited by 14 - Related articles

There are many variants of OL, **one** of which is oral **proliferative verrucous** ... Keywords: Carcinoma, hyperkeratosis, **leukoplakia**, malignant transformation, oral ... Two of the largest studies of OPVL **patients** reported a predilection for this ... lesions occur bilaterally, mainly affecting the lower alveolar ridge and buccal mucosa.

Missing: angiotensinogen dipeptidyl peptidase saliva

Liver Angiotensinogen Is the Primary Source of Renal Angiotensin II

biblioteca.posgraduacaoredentor.com.br/?q=Angiotensinogen ▾

Decreased expression of angiotensinogen and dipeptidyl peptidase 1 may be associated with the development of **proliferative verrucous leukoplakia** = : Diminuição ... subjacentes são relevantes e nenhum estudo anterior investigou a saliva de ... sequences in rat kidney cortex and medulla in rats on high and low salt diet.

Proliferative Verrucous Leukoplakia Clinical Presentation: History ...

emedicine.medscape.com/article/1081559-clinical ▾ Medscape ▾

Jul 5, 2016 - **Proliferative verrucous leukoplakia** (PVL) is an uncommon form of progressive ... Only 30% of **patients** with **proliferative verrucous leukoplakia** report a ... While conventional oral squamous cell carcinomas tend to occur on the vermilion lower lip, ... **One patient** has been reported with cutaneous extension of ...

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 311 条结果 (用时 0.59 秒)

Liver Angiotensinogen Is the Primary Source of Renal Angiotensin II

biblioteca.posgraduacaoredentor.com.br/?q=Angiotensinogen ▾ 翻译此页

Decreased expression of angiotensinogen and dipeptidyl peptidase 1 may be associated with the development of proliferative verrucous leukoplakia = : Diminuição ... subjacentes são relevantes e nenhum estudo anterior investigou a saliva de ... sequences in rat kidney cortex and medulla in rats on high and low salt diet.

Proliferative verrucous leukoplakia: a follow-up study of 54 cases. - NCBI

www.ncbi.nlm.nih.gov/pubmed/9269017 ▾ 翻译此页

作者: S Silverman Jr - 1997 - 被引用次数: 219 - 相关文章

1. Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 1997 Aug;84(2):154-7. STUDY DESIGN: Fifty-four patients with proliferative verrucous leukoplakia (17 ...

缺少字词: low expression angiotensinogen dipeptidyl peptidase saliva

Salivary and serum interleukin-6 levels in proliferative verrucous ...

www.ncbi.nlm.nih.gov/pubmed/26254143 ▾ 翻译此页

作者: L Bagan - 2016 - 被引用次数: 1 - 相关文章

2015年8月9日 - Salivary and serum interleukin-6 levels in proliferative verrucous leukoplakia. Bagan L(1), Sáez GT(2), Tormos MC(2), Labaig-Rueda C(3), ... BACKGROUND: Cytokines and chemokines have been analysed in patients with oral squamous ... or tested in proliferative verrucous leukoplakia (PVL), however.

缺少字词: expression angiotensinogen dipeptidyl peptidase

Proliferative verrucous leukoplakia: high incidence of gingival ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/12846783 ▾ 翻译此页

作者: JV Bagan - 2003 - 被引用次数: 95 - 相关文章

Bagan JV(1), Jimenez Y, Sanchis JM, Poveda R, Milian MA, Murillo J, Scully C. ... BACKGROUND: