

5

Name of Journal: *World Journal of Clinical Cases*

ESPS Manuscript NO: 23387

Manuscript Type: Case Report

Postoperative delirium as the only initial presenting symptom of urosepsis in a patient who underwent nephrolithotomy: High index of suspicion and aggressive management can save lives

Deb Sanjay Nag, Abhishek Chatterjee, Devi Prasad Samaddar, Harprit Singh

#### Abstract

We report a case of 70 years old male who underwent percutaneous nephrolithotomy for renal calculi. After an uneventful recovery from anaesthesia, the patient developed delirium which manifested as restlessness, agitation, irritability and combative behavior.

#### Match Overview

1	Internet 51 words crawled on 31-Jan-2016 <a href="http://rba.elsevier.es">rba.elsevier.es</a>	2%
2	Internet 40 words crawled on 22-Sep-2015 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
3	Internet 36 words crawled on 12-Mar-2014 <a href="http://www.revistamexicanadeurologia.com">www.revistamexicanadeurologia.com</a>	1%
4	Internet 27 words crawled on 29-Sep-2013 <a href="http://www.anes.ucla.edu">www.anes.ucla.edu</a>	1%
5	Internet 23 words crawled on 06-May-2015 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
6	CrossCheck 21 words JJ Munoz. "Intrathoracic gastric volvulus mimicking pyloric stenosis", <i>Journal of Paediatrics and Child Health</i> , 3/2003	1%

[网页](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 36,800 条结果 (用时 0.60 秒)

## Septicaemia | Doctor | Patient

[patient.info](#) > [Professional Reference](#) ▾ [翻译此页](#)

2015年10月26日 - Synonyms: **sepsis**, blood poisoning Septicaemia may not be obvious and a **high index of suspicion** is required to make the **diagnosis**, which is potentially. .... **can** cause systemic signs and **symptoms** with a number of sequelae. .... **saves** 1 in 6 lives for patients **presenting** with severe **sepsis** and septic shock.

缺少字词: [postoperative delirium](#)

## Sepsis - National Center for Biotechnology Information

[www.ncbi.nlm.nih.gov](#) > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: LV Karnatovskaia - 2012 - 被引用次数: 2 - [相关文章](#)

Stroke and traumatic brain injury **can** predispose a patient to develop **sepsis**, .... A basic **initial strategy to sepsis management** consists of "SAVE": **Suspicion**, Act, .... **Management** of pseudomonas infection requires a **high index of suspicion**, .... it **can** be one of its causes, but **delirium** is not the **only clinical presentation** of SAE.

## [PDF] Surviving Sepsis: Are You Prepared to Save a Life?

<https://www.dhs.wisconsin.gov/sites/.../rl.../c4-d7-e6-ppt.pdf> ▾ [翻译此页](#)

Identify standard **treatment** for patients with ... **Sepsis**. • When SIRS is caused by infection, the term **sepsis** is used. • Patient has ... Need to develop a **high index of suspicion** ... **saves lives** .... \***Delirium** \* **Dementia** ... **Early Presenting Signs & Symptoms**



全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 3,070 条结果 (用时 1.17 秒)

### Harrison flashcards | Quizlet

<https://quizlet.com/12391316/harrison-flash-cards/>

The sensitivity of the test is 85%, and the specificity is 75%. In a population of 1000, how many patients will have the diagnosis of disease X missed by this test?

缺少字词: urosepsis nephrolithotomy

### Primary Care -- AAFP flashcards | Quizlet

<https://quizlet.com/28585733/primary-care-aafp-flash-cards/>

Older patients can be treated with the same drug regimens as younger ... may be recommended to patients with preexisting disease, a high risk of disease, or high ... With dissecting aneurysms, however, the presenting symptom depends on the ... Initial management should reduce the systolic blood pressure to 100-120 mm ...

缺少字词: urosepsis nephrolithotomy suspicion

### [PDF] ABSTRACTS - American Association of Clinical ...

<https://www.aace.com/files/abstracts-2013.pdf> ▾

FEMINIZING ADRENAL TUMOR PRESENTING AS ... Clinical Course: 5th post op day E2 was 114 & remained .... at the time of initial presentation and platelet counts ... All patients underwent pituitary .... requires a high index of clinical suspicion particularly in .... Metastatic disease can present at the time of diagnosis or.

缺少字词: delirium nephrolithotomy save

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 1,140 条结果（用时 0.71 秒）

## Urological surgery in elderly patients: results and ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: M Brodak - 2015 - 相关文章

2015年2月2日 - Surgical procedures in elderly patients are associated with a higher risk of ... Other complications included mild respiratory insufficiency, delirium, bleeding, etc. ... A cohort of 221 patients aged 75 and older, who underwent surgery in ... but without any symptoms of sepsis, and he improved spontaneously.

缺少字词: mimicking

## Sepsis: Multiple Abnormalities, Heterogeneous Responses ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > PubMed Central (PMC) ▾ 翻译此页

作者: KN Iskander - 2013 - 被引用次数: 58 - 相关文章

Those patients who initially survive sepsis experience functional deficits and diminished ... of sepsis mimic the signs and laboratory findings present in septic patients. ... In animal models of sepsis, postoperative hypothermia is associated with ... in mental status ranging from mild confusion to delirium or coma, motor rigidity, ...

缺少字词: urosepsis nephrolithotomy

## [http://academic.research.microsoft.com/Publication ...](http://academic.research.microsoft.com/Publication)

[academic.research.microsoft.com/LowPublicationSitemap482.xml](http://academic.research.microsoft.com/LowPublicationSitemap482.xml) ▾

... 0.5 <http://academic.research.microsoft.com/Publication/31417184/initial-> ..... -of-delirium-tremens-by-large-doses-of-tincture-of-digitalis 2015-08-21 weekly 0.5 ..... -that-mimicked-treatment-related-complications-in-a-breast-cancer-patient ..... -fistula-diagnosis-and-postoperative-surveillance-with-hida-scan 2015-08-21 ...

## [PDF] Shelf notes.pdf

[https://wiki.ucfilespace.uc.edu/groups/uccom2014/.../Shelf\\_notes.pdf](https://wiki.ucfilespace.uc.edu/groups/uccom2014/.../Shelf_notes.pdf) ▾

Smoking: up to 6× risk for post-op complications due ... Alcohol use: delay surgery until pt