

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35974

Manuscript Type: CASE REPORT

HHV-8 positive iatrogenic Kaposi's sarcoma in the setting of refractory ulcerative colitis

Erica Duh, Sean Fine

Abstract

Although Kaposi Sarcoma (KS) has been more traditionally considered an AIDS-defining illness, it may also be seen in individuals on immunosuppressive therapy. We report a case of a patient who presented to the hospital in the setting of increasingly refractory ulcerative colitis. CT scan of the abdomen was consistent with sigmoid diverticulitis and blood cultures were positive for

Match Overview

1 **Crossref** 14 words
Magali Svrcek. "KSHV/HHV8-Associated Intestinal Kaposi's Sarcoma in Patient with Ulcerative Colitis Receiving Imm ...

1%



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 50,500 条结果 (用时 0.63 秒)

Iatrogenic colorectal Kaposi sarcoma complicating a refractory ...<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3880822/> - 翻译此页

作者: L Hamzaoui - 2013 - 被引用次数: 1 - 相关文章

跳到 **Patient and observation** - A 30-year-old heterosexual man, without familial and personal history, was diagnosed with rectosigmoid **ulcerative colitis** ...[Introduction](#) - [Discussion](#)**Refractory ulcerative colitis and iatrogenic colorectal Kaposi's sarcoma**www.sciencedirect.com/science/article/pii/S1590865807005555 - 翻译此页

作者: CM Girelli - 2009 - 被引用次数: 6 - 相关文章

Refractory ulcerative colitis and iatrogenic colorectal Kaposi's sarcoma ... All these **patients** presented severe, **refractory** IBD, and most of them underwent ...**Refractory ulcerative colitis and iatrogenic colorectal Kaposi's sarcoma**[www.dldjournalonline.com/article/S1590-8658\(07\)00555-5/pdf](http://www.dldjournalonline.com/article/S1590-8658(07)00555-5/pdf) - 翻译此页**Kaposi's sarcoma** associated with **ulcerative colitis** is **iatrogenic**. © 2007 Editrice features of HIV-negative **patients** presenting **colorectal** KS, published after ...**Refractory ulcerative colitis and iatrogenic colorectal Kaposi's sarcoma**https://www.researchgate.net/.../5792976_Refractory_ulcerative_colitis_and_... - 翻译此页**Refractory ulcerative colitis and iatrogenic colorectal Kaposi's sarcoma** ... a **refractory ulcerative colitis** in a human immunodeficiency negative-virus **patient**.**Iatrogenic colorectal Kaposi sarcoma complicating a refractory ...**<https://www.ajol.info/index.php/pamj/article/view/100160> - 翻译此页

作者: L Hamzaoui - 2013 - 被引用次数: 1 - 相关文章

Iatrogenic colorectal Kaposi sarcoma complicating a **refractory ulcerative colitis** in a human



HHV-8 positive iatrogenic Kaposi's sarcoma in the setting of refractory ulcer



登录

全部

图片

新闻

视频

购物

更多

设置

工具

找到约 7,270 条结果 (用时 0.58 秒)

Iatrogenic colorectal Kaposi sarcoma complicating a refractory ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: L Hamzaoui - 2013 - 被引用次数: 1 - 相关文章

2013年8月29日 - ... herpes virus-8. It often occurs in human immunodeficiency virus-positive subjects.

... Keywords: Kaposi's Sarcoma, ulcerative colitis, Human Herpes Virus-8, Infliximab, ... It's associated to human herpes virus-8 (HHV8) [1, 2].

HHV-8 positive, HIV negative disseminated Kaposi's sarcoma ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Bursics - 2005 - 被引用次数: 15 - 相关文章

HHV-8 positive, HIV negative disseminated Kaposi's sarcoma complicating steroid ... (A) Histological signs of ulcerative colitis and Kaposi's sarcoma (KS) from the ... 20th century has been associated with a higher prevalence of iatrogenic KS.

缺少字词: setting refractory

Refractory ulcerative colitis and iatrogenic colorectal Kaposi's sarcoma

<https://docslide.com.br> > Documents - 翻译此页

Resected colon with ulcerative colitis and Kaposi's sarcoma (A), ... Immunohistochemical staining monoclonal antibody to HHV-8 latent antigen 10, Novocastra, ... lesions are frequently observed in a setting of haemorrhagic ulcerative colitis. KS was first subsequent the AIDS and positive and * Correspon of Gastroente Busto ...

HHV-8 positive, HIV negative disseminated Kaposi's sarcoma ...

https://www.researchgate.net/.../7790309_HHV-8_positive_HIV_negative_disseminated...

HHV-8 positive, HIV negative disseminated Kaposi's sarcoma complicating steroid ... Figure 1 (A)

Histological signs of ulcerative colitis and Kaposi's sarcoma (KS) The prevalence and the role of EBV and HHV8 in refractory UC have not been Iatrogenic Kaposi's sarcoma following steroid therapy

找到约 6,360 条结果 (用时 0.56 秒)

Iatrogenic colorectal Kaposi sarcoma complicating a refractory ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: L Hamzaoui - 2013 - 被引用次数: 1 - 相关文章

2013年8月29日 - ... herpes virus-8. It often occurs in human immunodeficiency virus-positive subjects. ... Keywords: **Kaposi's Sarcoma**, **ulcerative colitis**, Human Herpes Virus-8, Infliximab, ... It's associated to human herpes virus-8 (HHV8) [1, 2].

HHV-8 positive, HIV negative disseminated Kaposi's sarcoma ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Bursics - 2005 - 被引用次数: 15 - 相关文章

HHV-8 positive, HIV negative disseminated **Kaposi's sarcoma** complicating steroid ... (A) Histological signs of **ulcerative colitis** and **Kaposi's sarcoma** (KS) from the ... 20th century has been associated with a higher prevalence of **iatrogenic** KS.

缺少字词: ~~setting refractory~~

HHV-8 positive, HIV negative disseminated Kaposi's sarcoma ...

https://www.researchgate.net/.../7790309_HHV-8_positive_HIV_negative_disseminated...

HHV-8 positive, HIV negative disseminated **Kaposi's sarcoma** complicating steroid ... Figure 1 (A) Histological signs of **ulcerative colitis** and **Kaposi's sarcoma** (KS) The prevalence and the role of EBV and **HHV8** in **refractory** UC have not been **Iatrogenic Kaposi's sarcoma** following steroid therapy for nonspecific ...

Refractory ulcerative colitis and iatrogenic colorectal Kaposi's sarcoma

<https://docslide.com.br> > Documents ▼ 翻译此页

Resected colon with **ulcerative colitis** and **Kaposi's sarcoma** (A), ... Immunohistochemical staining monoclonal antibody to **HHV-8** latent antigen 10, Novocastra, ... lesions are frequently observed in a **setting** of haemorrhagic **ulcerative colitis**. KS was firs subsequent the AIDS e **positive** an * Correspon of Gastroente Busto ...

Kaposi's sarcoma: An opportunistic infection by human herpesvirus-8 ...

<https://academic.oup.com/ecco-jcc/article/4/5/586/2366585> - 翻译此页