

Taeniasis: a possible cause of ileal bleeding

全部 图片 视频 新闻 地图 图书

找到约 17,900 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Lower gastrointestinal bleeding - Wikipedia](#)

https://en.wikipedia.org/wiki/Lower_gastrointestinal_bleeding

Lower gastrointestinal **bleeding**, commonly abbreviated LGIB, is any form of gastrointestinal **bleeding** in the lower gastrointestinal tract. LGIB is a common ...

[Typhoid ulcer causing life-threatening bleeding from Dieulafoy's ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2887901/>

3 Jun 2010 ... We report a case of typhoid ulcer with Dieulafoy's lesion of the **ileum** causing severe life-threatening **bleeding** and discuss the management of ...

[Ileitis: When It Is Not Crohn's Disease - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2914216/>

Ileitis, or inflammation of the **ileum**, is often **caused** by Crohn's disease. ... Severe Yersinia infections may **cause ileal** perforation and rectal **bleeding**. ... infiltration), profound neutropenia, impaired host defenses, and **possibly** ischemia.

[\[PDF\] On the diagnosis of human taeniasis by endoscopy](#)

[www.giejournal.org/article/S0016-5107\(10\)00150-1/pdf](http://www.giejournal.org/article/S0016-5107(10)00150-1/pdf)

lum by covering the **bleeding** areas, and hemostasis was attained (Fig. Akarsu M, Akpinar H, Jejunal and **ileal** thickening **caused** by *Taenia* sagi- nata diagnosed by ... avoided if at all **possible** in such cases, with emphasis on noninvasive ...

[Multiple Intestinal Erosions as a Result of Hemorrhage due to ...](#)

<https://www.hindawi.com/journals/dte/2011/340869/>

4 Apr 2011 ... Multiple Intestinal Erosions as a Result of Hemorrhage due to ... two patients with a massive obscure gastrointestinal **bleeding due to ascariasis**, ... In one of our patients, **ileal** exploration was **possible** during colonoscopy.

[\[PDF\] Intestinal Parasites](#)

www.ucdenver.edu/.../2.1

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35181

Manuscript Type: CASE REPORT

Taeniasis: A possible cause of ileal bleeding

Alessia Settesoldi, Alessandro Tozzi, Ottaviano Tarantino

Abstract

Taenia spp. are flatworms of the class Cestoda, whose definitive hosts are humans and primates. Human infestation (taeniasis) results from the ingestion of raw meat contaminated with encysted larval tapeworms and is considered relatively harmless and mostly asymptomatic. Anemia is not recognized as a possible sign of taeniasis and taeniasis-induced hemorrhage is not described in medical books. Its therapy is based on antihelmintics such praziquantel, niclosamide or albendazole. Here we describe a case of acute ileal bleeding in an Italian man affected with both *Taenia* spp. infestation resistant to albendazole and *Helicobacter pylori*-associated duodenal ulcers.

Match Overview

| | | |
|---|---|----|
| 1 | Internet 31 words crawled on 21-May-2016 www.healingthesymptomsknownasautism.com | 1% |
| 2 | Internet 15 words crawled on 22-Mar-2017 en.wikipedia.org | 1% |



Taeniasis: A possible cause of ileal bleeding



学术搜索

找到约 237 条结果 (用时0.08秒)

我的著作引用情况

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[\[PDF\] Gastrointestinal mucormycosis in an infant.](#)

A Mohta, S Neogi, S Das - 2011 - imsear.li.mahidol.ac.th

... O, Yavuzer D, Dolapcioglu C, Senu S, Tuncer K. Granulomatous gastritis due to **Taeniasis**. ...
Zygomycosis (mucormycosis) is an opportunist mycotic infection **caused** by fungi of the order ...
of suitable diagnostic tests, knowledge of this condition as a **possible cause** of intestinal ...

被引用次数: 6 相关文章 所有 5 个版本 引用 保存

[Isolated granulomatous gastritis successfully treated by Helicobacter pylori eradication: a possible association between granulomatous gastritis and Helicobacter ...](#)

M Miyamoto, K Haruma, M Yoshihara... - Journal of ..., 2003 - Springer

... 375 **cause** of chronic active gastritis and intestinal metapla- sia.11 Thus, IGG is likely to be a
disease strongly associ- ated with H. pylori infection. ... They concluded that their case was due
to **taeniasis** and to a **possible** hypersensitivity reaction,7 Dhillon and Sawyerr10 de ...

被引用次数: 25 相关文章 所有 9 个版本 引用 保存

[\[引用\] On the diagnosis of human taeniasis by endoscopy](#)

MT Galán-Puchades, MV Fuentes - Gastrointestinal endoscopy, 2010 - Mosby

被引用次数: 6 相关文章 所有 6 个版本 引用 保存

[\[引用\] University of Toronto and the Hospital for Sick Children Toronto, Ontario, Canada](#)

EA Roberts - childhood (letter), 1988

相关文章 引用 保存

[Malabsorption associated with diarrhea and intestinal infections.](#)

IH Rosenberg, NW Solomons... - The American journal of ..., 1977 - Am Soc Nutrition

... ABSTRACT An episode of diarrhea **causes** weight loss and a temporary cessation of growth
in infants and children. ... The framework of **possible** mecha- nisms is presented in Table 3.
Malabsorp- tion could occur **because** of events in the lumen of the intestine which ...

被引用次数: 107 相关文章 所有 4 个版本 引用 保存

[Jejunal and ileal thickening caused by Taenia saginata diagnosed by double-balloon endoscopy \(with video\).](#)

M Akarsu, H Akpınar - Gastrointestinal endoscopy, 2010 - cabdirect.org

A 40-year-old woman with abdominal pain for nearly 4 years was admitted to one clinic in Turkey
for evaluation. She was otherwise asymptomatic. Physical examination, complete blood count,

[\[PDF\] mahidol.ac.th](#)[\[PDF\] giejournal.org](#)

全部 图片 新闻 视频 购物 更多 设置 工具

找到约 20,000 条结果 (用时 0.54 秒)

[Acute intestinal bleeding due to Taenia solium infection]. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/15038662> - 翻译此页

作者: P De Simone - 2004 - 被引用次数: 3 - 相关文章

We report here on a case of acute intestinal bleeding due to Taenia solium infection diagnosed at surgery. A 79-year-old white female patient was admitted to ...

Typhoid ulcer causing life-threatening bleeding from Dieulafoy's lesion ...

<https://www.ncbi.nlm.nih.gov/pubmed/20511111> - NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: RF Ezzat - 2010 - 被引用次数: 5 - 相关文章

2010年6月3日 - We report a case of typhoid ulcer with Dieulafoy's lesion of the ileum causing severe life-threatening bleeding and discuss the management of ...

缺少字词: taeniasis

On the diagnosis of human taeniasis by endoscopy - Gastrointestinal ...

[www.giejournal.org/article/S0016-5107\(10\)00150-1/pdf](http://www.giejournal.org/article/S0016-5107(10)00150-1/pdf) - 翻译此页

作者: MT Galán-Puchades - 2010 - 被引用次数: 6 - 相关文章

lum by covering the bleeding areas, and hemostasis was attained (Fig. Akarsu M, Akpınar H. Jejunal and ileal thickening caused by Taenia saginata diagnosed by ... avoided if at all possible in such cases, with emphasis on noninvasive ...

Multiple Intestinal Erosions as a Result of Hemorrhage due to ...

<https://www.hindawi.com/journals/dte/2011/340869/> - 翻译此页

作者: H Pitanga Lukashok - 2011 - 被引用次数: 3 - 相关文章

2011年4月4日 - Multiple Intestinal Erosions as a Result of Hemorrhage due to ... two patients with a massive obscure gastrointestinal bleeding due to ascariasis, ... In one of our patients, ileal exploration was possible during colonoscopy.