

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 35352

Manuscript Type: Case Report

Embryonal rhabdomyosarcoma in the maxillary sinus with orbital involvement in a pediatric patient: Case report

Ana Carolina Rodrigues de Melo, Tácio Candeia Lyra, Isabella Lima Arrais Ribeiro, Alexandre Rolim da Paz, Paulo Rogério Ferreti Bonan, Ricardo Dias de Castro, Ana Maria Gondim Valença

Abstract

This report presents a case of embryonal rhabdomyosarcoma located in the left maxillary sinus and invading the orbital cavity in a ten-year-old male patient who was treated at a referral hospital. The images provided from the Computed Tomography showed a heterogeneous mass with soft-tissue density, occupying part of the left half of the face inside the maxillary sinus, and infiltrating and destroying the bone structure of the

Match Overview

There are no matching sources for this report.

找到约 8,870 条结果 (用时 0.45 秒)

Rhabdomyosarcoma in a pediatric patient: A rare case report

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: SP Shrutha - 2015 - 被引用次数: 2 - 相关文章

Rhabdomyosarcoma in a pediatric patient: A rare case report ... Site predilections in the oral cavity are a soft palate, maxillary sinus and alveolus, posterior ... [1] The most common sites of involvement of RMS are head and neck, ... hypothesis is that RMS arises due to the proliferation of embryonic mesenchymal tissue.[4].

Nasal Cavity or Alveolar Paranasal Sinus Rhabdomyosarcoma with ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JL Torres-Peña - 2015 - 被引用次数: 1 - 相关文章

2015年7月8日 - Alveolar RMS of the orbit and nasal cavity or paranasal sinuses is rare, and most reported cases affect children. ... CASE 1. A 24-year-old male patient with a 2-month history of epistaxis, ... Factors associated with a less favorable outcome include the alveolar subtype, parameningeal involvement, and ...

Oral embryonal rhabdomyosarcoma in a child: A case report with ...

www.sciencedirect.com/science/article/pii/S1741940905000907 - 翻译此页

作者: GV Durães - 2006 - 被引用次数: 14 - 相关文章

This article describes a case of an embryonal rhabdomyosarcoma in a child. ... in 1854, and accounts for 6% of all malignancies in children under 15 years of age. ... the most frequently affected sites are orbit, paranasal sinuses, soft tissues of the ... Computerized tomography revealed a large lesion in the maxillary sinus, ...

Sinonasal embryonal rhabdomyosarcoma presenting as bilateral ...

[https://www.innovativepublication.com/admin/.../IJOOO_1\(1\)_10-13.pdf](https://www.innovativepublication.com/admin/.../IJOOO_1(1)_10-13.pdf) - 翻译此页

biopsy of mass revealed to be rhabdomyosarcoma, embryonal type. ... diagnosis in cases of sudden loss of vision with normal fundus in children. ... rare case. Case report. A 12 year old girl, presented with complaints ... paranasal sinus involvement of the 39 patients ... maxillary region and is locally

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 53,000 条结果 (用时 0.69 秒)

Rhabdomyosarcoma in a pediatric patient: A rare case report

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : SP Shrutha - 2015 - 被引用次数 : 2 - [相关文章](#)

Rhabdomyosarcoma in a **pediatric patient**: A rare **case report** ... Site predilections in the oral cavity are a soft palate, **maxillary sinus** and alveolus, posterior ... [1] The most common sites of **involvement** of RMS are head and neck, ... hypothesis is that RMS arises due to the proliferation of **embryonic** mesenchymal tissue.[4].

Oral embryonal rhabdomyosarcoma in a child: A case report with ...

www.sciencedirect.com/science/article/pii/S1741940905000907 - [翻译此页](#)

作者 : GV Durães - 2006 - 被引用次数 : 15 - [相关文章](#)

RMS was first described by Weber in 1854, and accounts for 6% of all malignancies in **children** under 15 years of age. It occurs most often in the head and neck ...

Rare Adult Sinonasal Embryonal Rhabdomyosarcoma with Optic ...

<https://www.omicsonline.org/rare-adult-sinonasal-embryonal-rhabdomyosarc...> - [翻译此页](#)

Rhabdomyosarcoma of the Paranasal sinus accounts for 10% to 15% of adult ... with paranasal sinus **involvement** of the 39 **patients** with head and neck RMS. ... Another **study** reported 12 adult sinonasal RMS and 2 of them were ERMS and ... **Rhabdomyosarcoma** of **Maxillary Sinus** Following Multimodal Therapy: **Case** ...

[PDF] Orbital Rhabdomyosarcoma in an Adult, Case Report - ARC Journals

<https://www.arcjournals.org/pdfs/ajs/v3-i1/4.pdf> - [翻译此页](#)

Orbital Rhabdomyosarcoma in an Adult, **Case Report** ... about 4% of all **pediatric** malignancies, with ... resembling the areas of **embryonal** ... alveolar RMS, one **patient** had **involvement** of ... **rhabdomyosarcoma** of **maxillary sinus** following.

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 25,900 条结果 (用时 0.58 秒)

Rhabdomyosarcoma in a pediatric patient: A rare case report

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: SP Shrutha - 2015 - 被引用次数: 2 - [相关文章](#)

Rhabdomyosarcoma in a **pediatric patient**: A rare **case report** ... Site predilections in the oral cavity are a soft palate, **maxillary sinus** and alveolus, posterior ... [1] The most common sites of **involvement** of RMS are head and neck, ... hypothesis is that RMS arises due to the proliferation of **embryonic** mesenchymal tissue.[4].

Oral embryonal rhabdomyosarcoma in a child: A case report with ...

www.sciencedirect.com/science/article/pii/S1741940905000907 ▼ [翻译此页](#)

作者: GV Durães - 2006 - 被引用次数: 14 - [相关文章](#)

Oral **embryonal rhabdomyosarcoma** in a child: A **case report** with ... Weber in 1854, and accounts for 6% of all malignancies in **children** under 15 years of age.

[PDF] Orbital Rhabdomyosarcoma in an Adult, Case Report - ARC Journals

<https://www.arcjournals.org/pdfs/ajs/v3-i1/4.pdf> ▼ [翻译此页](#)

Orbital Rhabdomyosarcoma in an Adult, **Case Report** ... about 4% of all **pediatric** malignancies, with ... resembling the areas of **embryonal** ... alveolar RMS, one **patient** had **involvement** of ... **rhabdomyosarcoma** of **maxillary sinus** following.

Rare Adult Sinonasal Embryonal Rhabdomyosarcoma with Optic ...

<https://www.omicsonline.org/rare-adult-sinonasal-embryonal-rhabdomyosar...> ▼ [翻译此页](#)

Rhabdomyosarcoma of the Paranasal sinus accounts for 10% to 15% of adult ... found in three sites; **orbital**, parameningeal (nasal cavity, paranasal sinus, ... with paranasal sinus **involvement** of the 39 **patients** with head and neck RMS. **Maxillary Sinus** Following Multimodal Therapy: **Case Reports** and Literature Reviews.