

Name of Journal: *World Journal of Clinical Cases*

ESPS Manuscript NO: 25725

Manuscript Type: Case Report

Multiple perforations and fistula formation from corticosteroid  
administration: Case report

He JN *et al.* Multiple intestinal perforations in EGPA

Jing-Ni He, Zhong Tian, Xu Yao, Hang-Yu Li, Yun Yu, Yuan Liu, Jin-Gang  
Liu

### Abstract

Eosinophilic granulomatosis with polyangiitis (EGPA) is a rare systemic small- and medium-sized-vessel vasculitis. The literature contains only a few reports of gastrointestinal perforation with this condition. We report a patient with EPGA treated with a high dose of steroids who underwent emergency

### Match Overview

1	<b>Crossref</b> 37 words Yasuko Nakamura. "Multiple Perforated Ulcers of the S... all Intestine Associated with Allergic Granulomatous Ang	2%
2	<b>Internet</b> 24 words crawled on 24-Mar-2016 <a href="http://www.rsroc.org.tw">www.rsroc.org.tw</a>	1%
3	<b>Internet</b> 23 words crawled on 16-Feb-2010 <a href="http://www.medworm.com">www.medworm.com</a>	1%
4	<b>Crossref</b> 21 words Aydin Çiledağ. "An aggressive and lethal course of Chur g-Strauss syndrome with alveolar hemorrhage, intesti ...	1%
5	<b>Crossref</b> 15 words Sami Akbulut. "Multiple Ileal Perforations in a Patient wit h Wegener's Granulomatosis: A Case Report and Lite ...	1%
6	<b>Crossref</b> 14 words Saburo Murakami. "Churg-Strauss Syndrome Manifest ... g as Perforation of the Small Intestine: Report of a Cas	1%
7	<b>Crossref</b> 13 words Ye, Lu, Xiaoyong Lu, and Jing Xue. "Eosinophilic granulo	1%

## 学术搜索

找到约 13,700 条结果 (用时0.10秒)

## 文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

## 我的图书馆

[Long-term corticosteroid therapy for regional enteritis: an analysis of 58 courses in 54 patients](#)

M Sparberg, JB Kirsner - Digestive Diseases and Sciences, 1966 - Springer

... particularly for the complications of obstruction, fistula formation, and localized perforations of the ... The response to corticosteroids was extremely variable; of the multiple parameters examined, very few ... to reach a minimal effective dose, might have been wiser for several patients ...

被引用次数: 79 相关文章 所有 4 个版本 引用 保存

[Intestinal Behcet's disease: report of five cases](#)

S Baba, M Maruta, K Ando, T Teramoto... - Diseases of the Colon & ..., 1976 - Springer

... Stomatitis aphthosa had first developed in 1971. Since then several recurrences had been noticed. ... Discussion In these five cases, the ulcers tended to perforate at multiple sites, especially in the ileocecal region. ... Two were operated on due to repeated perforations. ...

被引用次数: 102 相关文章 所有 5 个版本 引用 保存

[Multiple perforated ulcers of the small intestine associated with allergic granulomatous angiitis: report of a case](#)

Y Nakamura, Y Sakurai, T Matsubara, T Nagai... - Surgery today, 2002 - Springer

... Y. Nakamura et al.: AGA with Multiple Perforated Ulcers ... the high rate of response to corticosteroid therapy.29 In conclusion, although intestinal perforation occurs relatively ... H, Aoyagi K, Yada S, Hizawa K. Churg-Strauss syndrome presenting with jejunal perforations: report of a ...

被引用次数: 28 相关文章 所有 9 个版本 引用 保存

[Idiopathic ulcerative esophagitis: Report of a case](#)

H Achenbach, JP Lynch... - New England Journal of ..., 1956 - Mass Medical Soc

... During these months the patient had several episodes of jaundice. ... Multiple perforations caused abscesses in the upper lobe of the right lung and in the mediastinum. ... 6. Felsen, J. Multiple necrotizing skin lesions in chronic ulcerative colitis. New York State J. Med. ...

用 保存

## 时间不限

2016以来

2015以来

2012以来

自定义范围...

## 按相关性排序

按日期排序

## 搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☐ 创建快讯



[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 141,000 条结果 (用时 0.67 秒)

## Google 学术: Multiple perforations and fistula formation from corticosteroid administration: Case report

Long-term corticosteroid therapy for regional enteritis: ... - Sparberg - 被引用次数: 79

Intestinal Behcet's disease: report of five cases - Baba - 被引用次数: 102

Multiple perforated ulcers of the small intestine ... - Nakamura - 被引用次数: 28

## Gastropleural fistula from gastric perforation due to renal cell ... - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: OM Dias - 2011 - 被引用次数: 6 - [相关文章](#)

Gastropleural fistula from gastric perforation due to renal cell carcinoma after ... leakage of this substance in the chest drain insertion after oral administration. .... Some case reports have indicated a predisposition caused by oral steroids or ... wound repair and predisposing the patient to fistula formation and bleeding.

## Reoperative Surgery: Postoperative Enterocutaneous Fistula: When to ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: KL Galie - 2006 - 被引用次数: 17 - [相关文章](#)

In the latter case, there is an additional designation of a moderate-output fistula that ... When possible, patient-related risk factors for fistula formation should be .... Home administration of TPN is ideal for patients who require long-term TPN and ... In several studies, somatostatin has been shown to reduce the time to fistula ...

全部

图片

新闻

购物

视频

更多

设置

工具

找到约 110,000 条结果 (用时 1.05 秒)

## Google 学术: Multiple perforations and fistula formation from corticosteroid administration: Case report

Long-term corticosteroid therapy for regional enteritis: ... - Sparberg - 被引用次数: 79

Intestinal Behcet's disease: report of five cases - Baba - 被引用次数: 102

Multiple perforated ulcers of the small intestine ... - Nakamura - 被引用次数: 28

## Small intestinal perforation caused by cytomegalovirus reactivation ...

[link.springer.com/article/10.1007/s12328-013-0360-7](http://link.springer.com/article/10.1007/s12328-013-0360-7) - 翻译此页

作者: H Fujikawa - 2013 - 被引用次数: 1 - 相关文章

She developed intestinal perforation after high-dose steroid therapy. ... Multiple intestinal perforations were found in the ileum, and the perforated ... We herein report a case of ileal perforation associated with CMV reactivation ... a subtotal colectomy with end ileostomy and mucous fistula formation in the sigmoid colon.

## Bevacizumab-Induced Bowel Perforation | The Journal of the ...

[jaoa.org/article.aspx?articleid=2094210](http://jaoa.org/article.aspx?articleid=2094210) ▼ 翻译此页

2011年7月5日 - Mechanism of Perforation; Risk Factors; Presentation and Diagnosis; Treatment ... hemorrhage, thrombosis, fistula formation, and bowel perforation.<sup>1,3</sup> The ... Although NSAIDs and steroids have been associated with peptic ulcer .... fistula during bevacizumab therapy for ovarian cancer: a case report.

## Pneumatosis intestinalis after gefitinib therapy for pulmonary ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Maeda - 2016