

Name of Journal: *World Journal of Clinical Cases*

ESPS Manuscript NO: 29984

Manuscript Type: MINIREVIEWS

Bayés syndrome and acute cardioembolic ischemic stroke

Adrià Arboix, Lucía Martí, Sebastien Dorison, María-José Sánchez

Match Overview

1	Publications 85 words Arboix, Adrià Massons, Joan Garc&#x. Trends in clinical features and early outcome in patients with acute cardi ...	4%
2	Internet 56 words crawled on 20-Apr-2016 content.karger.com	2%
3	Internet 32 words crawled on 13-Apr-2011 www.ncbi.nlm.nih.gov	1%
4	Internet 29 words crawled on 25-Feb-2015 www.neurores.org	1%
5	Internet 19 words crawled on 24-Oct-2009 www.emnet-usa.org	1%
6	Internet 18 words crawled on 04-May-2016 f1000.com	1%

学术搜索

找到约 88 条结果 (用时0.05秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Neurological deterioration in acute lacunar infarctions The role of excitatory and inhibitory neurotransmitters

J Serena, R Leira, J Castillo, JM Pumar, M Castellanos... - Stroke, 2001 - Am Heart Assoc

... This method is a probabilistic technique based on Bayes' rules that provides the maximum ... There were no significant differences between the 2 groups in lacunar syndromes at admission and ... CT showed an acute lesion consistent with lacunar syndrome in 65% of patients; MRI ...

被引用次数: 113 相关文章 所有 6 个版本 引用 保存

D-dimer, magnetic resonance imaging diffusion-weighted imaging, and ABCD 2 score for transient ischemic attack risk stratification

BL Cucchiara, SR Messe, L Sansing... - Journal of Stroke and ..., 2009 - Elsevier

... 2, 3, 4, 5 and 6 Further, studies have also suggested a role for DD in the evaluation of patients presenting with suggested acute coronary syndromes, both in terms of increasing diagnostic accuracy and ... Hemostatic markers in acute transient ischemic attacks. ... 7; A. Bayes-Genis, J ...

被引用次数: 34 相关文章 所有 5 个版本 引用 保存

Progression of ischaemic stroke and excitotoxic aminoacids

J Castillo, A Dávalos, M Noya - The Lancet, 1997 - Elsevier

... This method is a probabilistic technique based on Bayes' rules, which provides the maximum probability of a correct classification. ... Diagnosis. Large-artery atherosclerosis, 20 (47%), 37 (44%), Cardioembolism, 13 (30%), 28 (33%), ... Deterioration of acute stroke. ...

被引用次数: 346 相关文章 所有 10 个版本 引用 保存

Insulin-like growth factor (IGF) I,-II, and IGF binding protein-3 and risk of ischaemic stroke

SP Johnsen, HH Hundborg... - The Journal of ..., 2005 - press.endocrine.org

... cortical or cerebellar dysfunction and lacunar syndrome, and data (eq. ... given the age profile of

学术搜索

找到约 98 条结果 (用时0.06秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☐ 创建快讯小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

Neurological deterioration in acute lacunar infarctions The role of excitatory and inhibitory neurotransmitters

J Serena, R Leira, J Castillo, JM Pumar, M Castellanos... - *Stroke*, 2001 - Am Heart Assoc

... This method is a probabilistic technique based on Bayes' rules that provides the maximum ... There were no significant differences between the 2 groups in lacunar syndromes at admission and ... CT showed an acute lesion consistent with lacunar syndrome in 65% of patients; MRI ...

被引用次数: 115 相关文章 所有 6 个版本 引用 保存

D-dimer, magnetic resonance imaging diffusion-weighted imaging, and ABCD 2 score for transient ischemic attack risk stratification

BL Cucchiara, SR Messe, L Sansing... - *Journal of Stroke and ...*, 2009 - Elsevier

... 2, 3, 4, 5 and 6 Further, studies have also suggested a role for DD in the evaluation of patients presenting with suggested acute coronary syndromes, both in terms of increasing diagnostic accuracy and ... Hemostatic markers in acute transient ischemic attacks. ... 7; A. Bayes-Genis, J

被引用次数: 36 相关文章 所有 5 个版本 引用 保存

Progression of ischaemic stroke and excitotoxic aminoacids

J Castillo, A Dávalos, M Noya - *The Lancet*, 1997 - Elsevier

... This method is a probabilistic technique based on Bayes' rules, which provides the maximum probability of a correct classification. ... Diagnosis. Large-artery atherosclerosis, 20 (47%), 37 (44%), Cardioembolism, 13 (30%), 28 (33%), ... Deterioration of acute stroke. ...

被引用次数: 347 相关文章 所有 10 个版本 引用 保存

Insulin-like growth factor (IGF) I,-II, and IGF binding protein-3 and risk of ischemic stroke

[全部](#)[图片](#)[新闻](#)[视频](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 2,410 条结果 (用时 0.62 秒)

Google 学术: Bayés syndrome and acute cardioembolic ischemic stroke

Neurological deterioration in acute lacunar infarctions ... - [Serena](#) - 被引用次数: 115

... 2 score for transient ischemic attack risk stratification - [Cucchiara](#) - 被引用次数: 36

... of ischaemic stroke and excitotoxic aminoacids - [Castillo](#) - 被引用次数: 347

Cardioembolic stroke - ScienceDirect.com

www.sciencedirect.com/science/article/pii/S1062145895001808 - 翻译此页

1999年3月2日 - Among younger patients, a higher likelihood of cardioembolic stroke (CES) justifies ...

Acute Myocardial Infarction We favor routine anticoagulation for patients ... of cerebral ischemic events have a potential cardioembolic etiology (1). ... Sick sinus syndrome is associated with CES in the elderly; the rate of ...

Acute Cardioembolic Cerebral Infarction: Answers to Clinical Questions

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - 翻译此页

作者: A Arboix - 2012 - 被引用次数: 64 - 相关文章

Cardioembolic cerebral infarction is the most severe ischaemic stroke subtype, with ... The recognition of this syndrome is important for a clinical suspicion of the ...

Cardioembolic Stroke: Clinical Features, Specific Cardiac Disorders ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - 翻译此页

作者: A Arboix - 2010 - 被引用次数: 154 - 相关文章

Cardioembolic stroke accounts for 14-30% of ischemic strokes and, In addition, some signs or syndromes, such as lacunar clinical presentations (e.g., pure ... Approximately 2.5% of patients with