



37093-Review

Quotes Excluded  
Bibliography Excluded6%  
SIMILAR

## Match Overview



1

**Internet** 86 words  
crawled on 23-Nov-2016  
[pdfs.semanticscholar.org](https://pdfs.semanticscholar.org)

6%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 37093

Manuscript Type: Case Report

Evaluation of revascularization after total arch replacement in common carotid artery occlusion

Yasuhiro Matsuda, Tadaaki Koyama

**Abstract**

Occlusion of the common carotid artery (CCA) is rare. CCA occlusion (CCAO) can present as drowsiness and right hemiplegia related to emboli after total arch replacement. Although we selected a follow-up at first because color duplex sonography showed retrograde flow from the left external carotid artery to the internal carotid artery, this patient had epilepsy and single-photon emission computed tomography (SPECT) acquired quantitative results of actual brain perfusion and showed insufficient collateral blood flow. To improve brain

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 772,000 条结果 (用时 0.40 秒)

## Google 学术 : Evaluation and Timing of Revascularization for Common Carotid Artery Occlusion

Neuroradiologic evaluation of patients with acute ... - Wolpert - 被引用次数 : 459

... assessment for coronary artery revascularization: the ... - Salasidis - 被引用次数 : 219

... occlusion as a criterion for permanent internal carotid ... - Abud - 被引用次数 : 112

## Evaluation of Endarterectomy Recanalization under Ultrasound ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4670099/> - 翻译此页

作者 : Y Liu - 2015 - 被引用次数 : 2 - 相关文章

2015年12月4日 - Evaluation of Endarterectomy Recanalization under Ultrasound ... with common carotid artery occlusion (CCAO) or internal carotid artery ... CDFI is helpful in screening patients with carotid artery occlusion and may ... According to the results of CEA revascularization, patients were ..., (2013) Time is brain?

## Carotid revascularization: risks and benefits - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4094625/> - 翻译此页

作者 : M O'Brien - 2014 - 被引用次数 : 20 - 相关文章

2014年7月7日 - First described for carotid artery stenosis in 1994,40 CTA is now a ... Anzidei et al found that CTA is the most accurate technique for evaluating carotid stenosis, .... 70% stenosis of the internal carotid artery if the risk for perioperative stroke ... symptomatic carotid patients, they did not address the issue of time ...



找到约 179,000 条结果 (用时 0.44 秒)

## Google 学术 : Evaluation of revascularization after total arch replacement in common carotid artery occlusion

Utility of left subclavian artery revascularization in ... - Peterson - 被引用次数 : 248

... carotid artery trauma: report of two cases and review of ... - Krajewski - 被引用次数 : 185

Carotid artery repair for radiation-associated ... - Kashyap - 被引用次数 : 118

## Common Carotid Artery Occlusion Treatment: Revealing a Gap in the ...

<https://www.sciencedirect.com/science/article/pii/S107858841300405X> - 翻译此页

作者 : C Klonaris - 2013 - 被引用次数 : 14 - 相关文章

Most of the patients (61.5%) had ipsilateral internal carotid artery (ICA) and external carotid artery (ECA) patent, while an occluded ICA and a patent ECA were ... After excluding articles whose titles had no relevance to the area of concern of this review, the full texts of 28 articles were retrieved and assessed for eligibility.

## Management of common carotid artery dissection due to extension ...

[www.sciencedirect.com/science/article/pii/S0741521413007052](http://www.sciencedirect.com/science/article/pii/S0741521413007052) - 翻译此页

作者 : KM Charlton-Ouw - 2013 - 被引用次数 : 12 - 相关文章

Although several reports describe concomitant endovascular repair of common carotid artery dissection (CCAD) during open ascending aortic repair, the criteria for repair, ... with nonoperative management of CCAD after acute aortic dissection repair to determine the risk of stroke and the need for carotid revascularization.

## Common Carotid Artery Occlusion Treatment - European Journal of ...

[www.sciencedirect.com/science/article/pii/S107858841300405X](http://www.sciencedirect.com/science/article/pii/S107858841300405X) - 翻译此页

[全部](#)[图片](#)[视频](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 156,000 条结果 (用时 0.53 秒)

## Google 学术: Evaluation of revascularization after total arch replacement in common carotid artery occlusion

Utility of left subclavian artery revascularization in ... - Peterson - 被引用次数: 249

... carotid artery trauma: report of two cases and review of ... - Krajewski - 被引用次数: 185

Carotid artery repair for radiation-associated ... - Kashyap - 被引用次数: 118

## Common Carotid Artery Occlusion Treatment: Revealing a Gap in the ...

<https://www.sciencedirect.com/science/article/pii/S107858841300405X> - 翻译此页

作者: C Klonaris - 2013 - 被引用次数: 14 - 相关文章

Most of the patients (61.5%) had ipsilateral internal carotid artery (ICA) and external carotid artery (ECA) patent, while an occluded ICA and a patent ECA were ... After excluding articles whose titles had no relevance to the area of concern of this review, the full texts of 28 articles were retrieved and assessed for eligibility.

## Management of common carotid artery dissection due to extension ...

<https://www.sciencedirect.com/science/article/pii/S0741521413007052> - 翻译此页

作者: KM Charlton-Ouw - 2013 - 被引用次数: 12 - 相关文章

Although several reports describe concomitant endovascular repair of common carotid artery dissection (CCAD) during open ascending aortic repair, the criteria for repair, ... with nonoperative management of CCAD after acute aortic dissection repair to determine the risk of stroke and the need for carotid revascularization.

## Common Carotid Artery Occlusion Treatment - European Journal of ...

[www.ejves.com/article/S1078-5884\(13\)00405-X/pdf](http://www.ejves.com/article/S1078-5884(13)00405-X/pdf) - 翻译此页

作者: C Klonaris - 2013 - 被引用次数: 14 - 相关文章