

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 39,300 条结果 (用时 0.55 秒)

L-carnitine and Vitamin B Complex for the Treatment of ...

<https://www.clinical-lymphoma-myeloma-leukemia.com/article/S2152.../pdf> - [翻译此页](#)

Case Report ... Keywords: Acute lymphoblastic leukemia, Allogeneic stem cell transplantation, Asparaginase, ... after the development of severe hyperbilirubinemia after treatment ... admission, posaconazole was held and ursodiol 300 mg 3 times daily ... eighth salvage chemotherapy with MOAD 16 months after alloSCT.

Acute Myeloid Leukaemia AML - ResearchGate

https://www.researchgate.net/.../23281773_The_management_of_prolonged... - [翻译此页](#)

2018年7月31日 - To report a case of isolated hyperbilirubinemia in a patient treated with cytarabine-based ... hyperbilirubinemia following cytarabine-based ... Myeloid Leukaemia (AML), is chemotherapy with cytotoxic play a major role as the literature reports liver ... Isolated hyperbilirubinemia associated with combi-

Hemophagocytic syndrome in patients with acute myeloid leukemia ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3943310/> - [翻译此页](#)

作者: K Delavigne - 2014 - 被引用次数: 30 - [相关文章](#)

Patients with acute myeloid leukemia may be prone to develop ... association with severe infections (i.e, infection-associated hemophagocytic syndrome), ... In patients with acute myeloid leukemia (AML), HLH has been occasionally described in case-reports. Outcome of patients after induction remission chemotherapy.

Acute myeloid leukemia following etoposide therapy for EBV ...

<https://bmcpediatr.biomedcentral.com/articles/10.1186/s12887-016-0649-z> - [翻译此页](#)

作者: H Pan - 2016 - 被引用次数: 3 - [相关文章](#)

2016年7月29日 - We report a case of acquired EBV-triggered HLH with progression to t-AML

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 42332

Manuscript Type: CASE REPORT

Posaconazole-associated severe hyperbilirubinemia in acute myeloid leukemia following chemotherapy: A case report and review of the literature

Song ZW *et al.* Posaconazole-associated hyperbilirubinemia following chemotherapy

Zai-Wei Song, Yu-Chen Pan, Zhen-Cheng Huang, Wen-Xi Liu, Rong-Sheng Zhao, Hong-Mei Jing, Fei Dong

Abstract

Match Overview

1	Crossref 28 words N/A. "Oxycodone", <i>Reactions Weekly</i> , 05/2008	1%
2	Crossref 14 words Robles-Diaz, Mercedes, Miren Garcia-Cortes, Inmaculada Medina-Caliz, Andres Gonzalez-Jimenez, Rocio Gonzalez-	1%
3	Crossref 12 words "Posters Presented at the 21st Joint Meeting of the International Society of Dermatopathology, February 14, 2018, Th ...	1%
4	Internet 12 words crawled on 08-Sep-2017 www.mdpi.com	1%

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

已启用安全搜索

找到约 14,200 条结果 (用时 0.61 秒)

Acute Myeloid Leukemia Presenting as Obstructive Jaundice Caused ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2871626/> ▼ [翻译此页](#)作者：JY Lee - 2007 - 被引用次数：9 - [相关文章](#)

2007年12月31日 - We **report** a rare **case** of granulocytic sarcoma infiltrating the bile duct in a patient ... The **bilirubin** level increased gradually **after** induction **chemotherapy** with cytarabine. infiltrate giving rise to obstructive **jaundice associated** with **acute myeloid leukemia** ... A **report** of one **case** and **review of the literature**.

缺少字词： posaconazole severe

Antifungal prophylaxis with posaconazole vs. fluconazole or ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4426129/> ▼ [翻译此页](#)作者：M Döring - 2015 - 被引用次数：20 - [相关文章](#)

2015年2月14日 - In pediatric patients with neutropenia **after chemotherapy** and ... high-dose **chemotherapy** and HSCT was **associated** with isolated **cases** of ALL **acute lymphoblastic leukemia**; AML **acute myeloid leukemia**; Increase in direct **bilirubin** Durrant S. **Posaconazole** or fluconazole for prophylaxis in **severe** ...

The management of prolonged, isolated hyperbilirubinemia following ...

https://www.researchgate.net/.../23281773_The_management_of_prolonged... ▼ [翻译此页](#)

2018年7月31日 - PDF | Patients diagnosed with **Acute Myeloid Leukaemia** (AML) often ... To **report** a **case** of isolated **hyperbilirubinemia** in a patient treated with ... bilirubinemia **after** cytarabine-based **chemotherapy** play a major role as the **literature reports** liver ... Isolated **hyperbilirubinemia associated** with combi-.

Diagnosis and management of acute myeloid leukemia in children ...

www.bloodjournal.org/content/bloodjournal/120/16/3187.full.pdf - [翻译此页](#)作者：U Creutzig - 2012 - 被引用次数：298 - [相关文章](#)2018年1月17日 - **Review article**. **Diagnosis** Childhood **acute myeloid leukemia** (AML) is a rare and