

Name of Journal: *World Journal of Clinical Cases*

Manuscript No: 36937

Manuscript Type: Original Article

Retrospective Clinical Study

Assessment of clinical and pathological features of patients underwent thyroid surgery: A retrospective clinical study

Emre A *et al.* Clinicopathologic features of thyroid diseases

符合内容总览

1	互联网 68 个字 于 2017年09月22日 缓慢进行 www.wjgnet.com	2%
2	互联网 54 个字 于 2016年09月07日 缓慢进行 www.science.gov	2%
3	Crossref 30 个字 Sangchul Lee. "Open Versus Robot-Assisted F... rtial Nephrectomy: Effect on Clinical Outcome" ...	1%
4	互联网 29 个字 于 2016年03月25日 缓慢进行 www.jmidonline.org	1%
5	Crossref 25 个字 "13th European Congress of Clinical Microbiol... ov and Infectious Diseases" Clinical Microbiol...	1%
6	互联网 22 个字 于 2016年05月07日 缓慢进行 www.em-consulte.com	1%
7	出版物 21 个字 "Researchers at Sun Yat Sen University Targe... Transplantation." Blood Weekly Dec 27 2012 is	1%
8	Crossref 20 个字 Karateke, Atilla, Mustafa Kaplanoglu, and Ali Ba... lolu. "Relations of Platelet Indices with Endor	1%
9	Crossref 20 个字 Connor, M. P., D. Wells, and C. E. Schmalbach. "Variables Predictive of Bilateral Occult Panillar	1%
10	出版物 19 个字 "Study Results from Children's Hospital in the Ar... ea of Bacterial Infections Reported (Lack of Ac	1%



文章

找到约 26,900 条结果 (用时0.18秒)

- 时间不限
- 2017以来
- 2016以来
- 2013以来
- 自定义范围...

按相关性排序
按日期排序

- 不限语言
- 中文网页
- 简体中文网页

- 包括专利
- 包含引用

创建快讯

Google 已关闭此广告

停止显示此广告 广告选择

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Fine-needle aspiration of thyroid nodules: A study of 4703 patients with histologic and clinical correlations

J Yang, V Schnadig, R Logrono... - Cancer ... 2007 - Wiley Online Library
... with FNA diagnoses that favor a benign lesion can be followed clinically. ... Papanicolaou Society of Cytopathology recently developed recommendations for the assessment of specimen ... Because of the high malignancy rate, most clinical guidelines recommend surgical removal ...

☆ 99 被引用次数：571 相关文章 所有 4 个版本

An observation trial without surgical treatment in patients with papillary microcarcinoma of the thyroid

Y Ito, T Uruno, K Nakano, Y Takamura, A Miya... - ..., 2003 - online.liebertpub.com
... They were all diagnosed as papillary carcinoma by pathological examination, and their TNM classification is summarized in Table 3. ... in the lymph nodes and residual thyroids, indicating that such residual carcinoma may often not be clinically harmful for ... Clinical Otolaryngology ...

☆ 99 被引用次数：576 相关文章 所有 6 个版本

[PDF] kneelsit.com

BRAF mutation predicts a poorer clinical prognosis for papillary thyroid cancer

M Xing, WH Westra, RP Tufano... - ... Journal of Clinical ... 2005 - press.endocrine.org
... BRAF Mutation Predicts a Poorer Clinical Prognosis for Papillary Thyroid Cancer. ... for other works by this author on: Oxford Academic, PubMed, Google Scholar, William H. Westra William H. Westra. 2. Department of Medicine, and Departments of Pathology (WHW), Baltimore ...

☆ 99 被引用次数：754 相关文章 所有 9 个版本

[HTML] endocrine.org

[HTML] Risk of malignancy in nonpalpable thyroid nodules: predictive value of ultrasound and color-Doppler features

E Papini, R Guglielmi, A Bianchini... - ... Journal of Clinical ... 2002 - press.endocrine.org
... considerable controversy over whether clinically unapparent thyroid lesions should be assessed

[HTML] endocrine.org



文章

找到约 28,200 条结果 (用时0.17秒)

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯**seek68文献馆--各种中外期刊数据库!**

不限IP | 包月下载 | 可开发票 | 九年金牌服务

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Fine-needle aspiration of **thyroid** nodules: A study of 4703 patients with **histologic** and **clinical** correlations

J Yang, V Schnadig, R Logrono... - Cancer ..., 2007 - Wiley Online Library

... with FNA diagnoses that favor a benign lesion can be followed **clinically** ... Papanicolaou Society of Cytopathology recently developed recommendations for the **assessment** of specimen ... Because of the high malignancy rate, most **clinical** guidelines recommend **surgical** removal ...

☆ 99 被引用次数: 585 相关文章 所有 4 个版本

[HTML] wiley.com**An observation trial** without **surgical** treatment in patients with papillary microcarcinoma of the **thyroid**

Y Ito, T Uruno, K Nakano, Y Takamura, A Miya... - ..., 2003 - online.liebertpub.com

... They were all diagnosed as papillary carcinoma by **pathological** examination, and their TNM classification is summarized in Table 3 ... in the lymph nodes and residual thyroids, indicating that such residual carcinoma may often not be **clinically** harmful for ... **Clinical** Otolaryngology ...

☆ 99 被引用次数: 593 相关文章 所有 6 个版本

[PDF] kneelsit.com**BRAF** mutation predicts a poorer **clinical** prognosis for papillary **thyroid** cancerM Xing, WH Westra, RP Tufano... - ... **Journal of Clinical** ..., 2005 - press.endocrine.org... BRAF Mutation Predicts a Poorer **Clinical** Prognosis for Papillary **Thyroid** Cancer ... for other works by this author on: Oxford Academic. PubMed. Google Scholar. William H. Westra William H. Westra. 2. Department of Medicine, and Departments of **Pathology** (WHW), Baltimore ...

☆ 99 被引用次数: 777 相关文章 所有 9 个版本

[HTML] endocrine.org**[HTML]** Risk of malignancy in nonpalpable **thyroid** nodules: predictive value of ultrasound and color-Doppler **features**E Papini, R Guadagni, A Bianchini... - ... **Journal of Clinical** ..., 2002 - press.endocrine.org... er **clinically** unapparent **thyroid** lesions should be **assessed****[HTML]** endocrine.org

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,310,000 条结果 (用时 0.54 秒)

Google 学术: Assessment of clinical and pathological features of patients underwent thyroid surgery: A retrospective clinical study

... predicts a poorer clinical prognosis for papillary thyroid ... - Xing - 被引用次数: 791

... : A study of 4703 patients with histologic and clinical ... - Yang - 被引用次数: 591

... observation trial without surgical treatment in patients ... - Ito - 被引用次数: 597

Evaluation of clinical significance and risk factors of incidental ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5626316/> - 翻译此页

作者: J Zheng - 2017

2017年9月29日 - Retrospective analysis of clinical and pathological features of 548 consecutive thyroidectomy cases was compared by grouping into inadvertent ... study was to evaluate the frequency, risk factors, and clinical significance of incidental extirpation of the parathyroid glands during thyroid surgery as well as the ...

[Abstract](#) · [Introduction](#) · [Methods](#) · [Results](#)

Clinical characteristics and treatment of thyroid cancer in children and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5442978/> - 翻译此页

作者: X Mao - 2017 - 被引用次数: 2 - 相关文章

2016年8月26日 - In this study, we reviewed retrospective clinical information from 83 patients up to 18 years of age, who underwent surgery at our hospital for diagnosis and treatment of thyroid cancer. We analyzed the clinical features, effectiveness of our surgical approach, RAI therapy, thyroxin suppressive-substitutional ...

Assessment of risk factors of incidental parathyroidectomy during ...

<https://www.sciencedirect.com/science/article/pii/S1743919110000026> - 翻译此页

作者: T Youssef - 2010 - 被引用次数: 28 - 相关文章

To determine the incidence, risk factors and clinical relevance of incidental parathyroidectomy during thyroidectomy ... about the clinical significance and the risk factors of incidental parathyroidectomy ...