

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 18,000 条结果 (用时 0.63 秒)

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated ...

<https://www.ncbi.nlm.nih.gov/pubmed/20362242> ▾ [翻译此页](#)

作者: N Miyakoshi - 2010 - 被引用次数: 29 - 相关文章

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated with neurofibromatosis type 1 causing severe spinal cord compression. Miyakoshi N(1) ...

缺少字词: literature

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated ...

https://www.researchgate.net/.../42974124_Bilateral_and_symmetric_C1-C2... - [翻译此页](#)

The purpose of the study was to present an additional case with bilateral and ... C1-C2 dumbbell ganglioneuromas associated with neurofibromatosis type 1 causing ... in a Case of Neurofibromatosis Type-I: Case Report and Literature Review.

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas ...

<https://www.semanticscholar.org/.../Bilateral-and-symmetric-C1-C2-dumbbell...> - [翻译此页](#)

Only two cases of bilateral and symmetric dumbbell tumor have been reported ... purpose of the study was to present an additional case with bilateral and symmetric ... C1-C2 dumbbell ganglioneuromas associated with neurofibromatosis type 1 ... dumbbell lumbar ganglioneuroma: a case report and review of the literature.

Cervical Symmetric Dumbbell Ganglioneuromas ... - Asian Spine Journal

<https://www.asianspinejournal.org/m/makeCookie.php?url=/m/journal/...> ▾ [翻译此页](#)

作者: A Hioki - 2014 - 被引用次数: 9 - 相关文章

2014年2月6日 - ²Department of Reconstructive Surgery for Spine, Bone, and Joint, Gifu University

... We report an extremely rare case with bilateral and symmetric dumbbell ... In cervical

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 41058

Manuscript Type: Case Report

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated with neurofibromatosis type 1: A case report

Chun-Yu Tan, Jia-Wei Liu, Yi Lin, Xin-Xin Tie, Peng Cheng, Xue Qi, Yue Gao, Zong-Ze Guo

Abstract

Ganglioneuroma (GN) is a rare and benign tumor that originates from autonomic nervous system ganglion cells. The most frequently involved sites

Match Overview

1	Crossref 50 words Ahmed Abdel Khalek Abdel Razek. "MR imaging of ne... lastic and non-neoplastic lesions of the brain and spine i	3%
2	Crossref 41 words Agnieszka Dąbrowska-Thing, Wojciech Rogowski, Ryszard Pacho, Ewa Nawrocka-Laskus, Żaneta Nitek. "Retr ...	2%
3	Internet 32 words crawled on 03-Mar-2017 www.e-sciencecentral.org	2%
4	Internet 28 words crawled on 13-Oct-2018 www.asianspinejournal.org	1%
5	Internet 17 words crawled on 20-Jun-2017 www.wjgnet.com	1%
6	Crossref 14 words Miyakoshi, N.. "Bilateral and symmetric C1C2 dumbbell ganglioneuromas associated with neurofibromatosis ty ...	1%
7	Crossref 13 words Cristina Barrera López, Beatriz De la Calle García, Rosa	1%

[全部](#)[图片](#)[视频](#)[购物](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 13,800 条结果 (用时 0.44 秒)

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated ...

<https://www.ncbi.nlm.nih.gov/pubmed/20362242> ▼ [翻译此页](#)

作者 : N Miyakoshi - 2010 - 被引用次数 : 31 - [相关文章](#)

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated with ... of the study was to present an additional case with bilateral and symmetric ... ganglioneuromas of the spine in a patient with neurofibromatosis type 1 (NF-1).

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas ...

[www.thespinejournalonline.com/article/S1529-9430\(10\)00059-8/abstract?](http://www.thespinejournalonline.com/article/S1529-9430(10)00059-8/abstract?)... - [翻译此页](#)

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated with ... Only two cases of bilateral and symmetric dumbbell tumor have been reported ... The purpose of the study was to present an additional case with bilateral and ... ganglioneuromas of the spine in a patient with neurofibromatosis type 1 (NF-1).

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated ...

[www.thespinejournalonline.com/article/S1529-9430\(10\)00059-8/pdf](http://www.thespinejournalonline.com/article/S1529-9430(10)00059-8/pdf) - [翻译此页](#)

作者 : N Miyakoshi - 2010 - 被引用次数 : 31 - [相关文章](#)

Case Report. Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated with neurofibromatosis type 1 causing severe spinal cord compression.

Bilateral and symmetric C1-C2 dumbbell ganglioneuromas associated ...

https://www.researchgate.net/publication/429741124_Bilateral_and_symmetric_C1-C2_dumbbell_ganglioneuromas_associated_with_neurofibromatosis_type_1 - [翻译此页](#)