

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 45842

Manuscript Type: CASE REPORT

Liquorice-induced severe hypokalemia rhabdomyolysis with Gitelman syndrome and diabetes: A case report

Lu-Yang Yang, Jin-Hua Yin, Jing Yang, Yi Ren, Chen-Yu Xiang, Chun-Yan Wang

Abstract

BACKGROUND

Match Overview

1	Crossref 81 words Hideki Kumagai. "Hypokalemic rhabdomyolysis in a child with Gitelman's syndrome", <i>Pediatric Nephrology</i> , 01/14/2010	4%
2	Internet 63 words crawled on 26-Aug-2018 www.thieme-connect.de	3%
3	Crossref 49 words Ting Liu, Cui Wang, Jingru Lu, Xiangzhong Zhao, Yanhua Lang, Leping Shao. "Genotype/Phenotype Analysis in 67 Ch ...	3%
4	Internet 43 words crawled on 08-Apr-2018 www.endocrineconnections.com	2%
5	Crossref 43 words Christian Templin. "Hypokalemic paralysis with rhabdomyolysis and arterial hypertension caused by liquorice ingestion"	2%
6	Crossref 42 words Chandrika Jayakanthi Subasinghe, Nirmala Dushyanthi Sirisena, Chula Herath, Knut Erik Berge, Trond Paul Leren, Udi	2%
7	Crossref 21 words Emilie Dehours, Baptiste Vallé, Marie Eve Rougé-Bugat, Battfort Florent, Vincent Bounes, Nicolas Franchitto. "Susp...	1%
8	Crossref 17 words Akkas Camkurt Meltem. "A hypokalemic muscular weakness after licorice ingestion: a case report", <i>Cases Journal</i> , 20	1%

国内版

国际版

Liquorice-induced severe hypokalemia rhabdomyolysis with Gitelman syndrome a



All

Images

Videos

翻译成中文

关闭取词

12,300 Results

Any time ▾

[PDF] Liquorice-Induced Severe Hypokalaemic Rhabdomyolysis ...

www.annals.edu.sg/pdf/46VolNo9Sep2017/V46N9p354.pdf

Liquorice-Induced **Severe** Hypokalaemic **Rhabdomyolysis** with Acute Kidney Injury Dear Editor, Hypokalaemia is uncommonly reported as a cause of **rhabdomyolysis** and serum creatine kinase (CK) is often not measured when hypokalaemia is detected. We **report** a ...

Liquorice-Induced Severe Hypokalaemic Rhabdomyolysis ...

https://www.researchgate.net/publication/321098703_Liquorice...

Liquorice-Induced **Severe** Hypokalaemic **Rhabdomyolysis** with Acute Kidney Injury Article (PDF Available) in Annals of the Academy of Medicine, Singapore 46(9):354-355 ...

[PDF] Rhabdomyolysis Secondary to Severe Hypokalemia: Case ...

www.turkjem.org/uploads/pdf/14-4-0_100-102.pdf

Bartter **syndrome** and **Gitelman syndrome** were excluded, because the patient had a history of hypertension for nine years. Biochemical diagnosis of PA was made by measuring a high level of PAC (≥ 15 ng/dL) in the setting of low PRA (< 1 ng/mL/h). If the Çelik et al. Turk Jem 2010; 14: 100-2 **Rhabdomyolysis** Secondary to **Severe Hypokalemia: Case** ...

[PDF] Severe Hypokalemia due to Excessive Coca-Cola ...

<https://symbiosisonlinepublishing.com/urology-nephrology/urology...>

Severe Hypokalemia due to Excessive Coca-Cola Consumption, Presenting with Tetraparesis, **Rhabdomyolysis**, Atrial Fibrillation and Hypokalemic Nephropathy – **Case Report**. Elena Zakharova* Department of Nephrology, Moscow City Hospital n.a. S.P Botkin. **Case Report**. Journal of Urology and Nephrology Open Access. Open Access

[国内版](#)[国际版](#)

Liquorice-induced severe hypokalemia rhabdomyolysis with Gitelman syndrome a

[All](#)[Images](#)[Videos](#)[翻译成中文](#)[开启取词](#)

12,300 Results

Any time ▾

[PDF] Liquorice-Induced Severe Hypokalaemic Rhabdomyolysis ...

www.annals.edu.sg/pdf/46VolNo9Sep2017/V46N9p354.pdf

Liquorice-Induced **Severe** Hypokalaemic **Rhabdomyolysis** with Acute Kidney Injury Dear Editor, Hypokalaemia is uncommonly reported as a cause of **rhabdomyolysis** and serum creatine kinase (CK) is often not measured when hypokalaemia is detected. We **report** a ...

Liquorice-Induced Severe Hypokalaemic Rhabdomyolysis ...

https://www.researchgate.net/publication/321098703_Liquorice...

Liquorice-Induced **Severe** Hypokalaemic **Rhabdomyolysis** with Acute Kidney Injury Article (PDF Available) in Annals of the Academy of Medicine, Singapore 46(9):354-355 ...

[PDF] Rhabdomyolysis Secondary to Severe Hypokalemia: Case ...

www.turkjem.org/uploads/pdf/14-4-0_100-102.pdf

Bartter **syndrome** and **Gitelman syndrome** were excluded, because the patient had a history of hypertension for nine years. Biochemical diagnosis of PA was made by measuring a high level of PAC (≥ 15 ng/dL) in the setting of low PRA (< 1 ng/mL/h). If the Çelik et al. Turk Jem 2010; 14: 100-2 **Rhabdomyolysis** Secondary to **Severe Hypokalemia: Case** ...

syndrome causes electrolyte abnormalities induced ...

https://www.jstage.jst.go.jp/article/endocrj/66/3/66_EJ18-0496/_pdf/-char/ja ▾

syndrome (RFS). In this **case**, abnormal loss by vomiting, insufficient intake and previous inappropriate fluid infusion as well as the development of RFS may accelerate the severity of **hypokalemia** due to HG. Thus, as her abnormalities were considered as results of **rhabdomyolysis and diabetes** insipidus due to **severe** HG associated **hypokalemia** ...

Low-dose liquorice ingestion resulting in severe ...

www.ncbi.nlm.nih.gov > ... > Clin Kidney J > v.7(1); 2014 Feb

Low-dose liquorice ingestion resulting in **severe** hypokalaemic paraparesis, **rhabdomyolysis** and nephrogenic **diabetes** insipidus. Robin de Putter 1 and Jan Donck 2 ... We will discuss **a case** of