

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 227,000 条结果 (用时 0.60 秒)

Google 学术 : Endoscopic ultrasound localization of foreign body in the upper esophageal wall: endoscopic mucosal dissection

Submucosal tunneling endoscopic resection for small ... - Ye - 被引用次数 : 111

Diagnostic value of endoscopic ultrasonography for ... - Xu - 被引用次数 : 77

... acid monofilaments in patients with benign esophageal ... - Saito - 被引用次数 : 142

Endoscopic Management of Foreign Bodies in the Upper ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5580008/> - 翻译此页

作者 : P Magalhães-Costa - 2016 - 被引用次数 : 10 - 相关文章

2015年10月23日 - Keywords: Endoscopy, Gastrointestinal; Foreign Bodies; Upper Gastrointestinal Tract ... the esophagus is the location where most complications occur. ... the presence of underlying pathology, mucosal damage due to the FB/food bolus of the esophageal wall with possible perforation and fistulization.55 ...

缺少字词 : ultrasound dissection

Quality in upper gastrointestinal endoscopic submucosal dissection

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6064797/> - 翻译此页

作者 : F Purchiaroni - 2018 - 被引用次数 : 1

Endoscopic submucosal dissection (ESD) has been developed in Japan with the ... Endoscopic evaluation of tumor's depth varies upon the location along the GI tract and is ... Indeed, esophageal lumen is narrow, the wall is thin, and the esophagus High-resolution endoscopy and endoscopic ultrasound for evaluation of ...

Endoscopic submucosal dissection and endoscopic mucosal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5387148/> - 翻译此页

作者 : B Ning - 2017 - 被引用次数 : 20 - 相关文章

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 46053

Manuscript Type: CASE REPORT

**Successful endoscopic extraction of proximal oesophageal foreign body
following accurate localisation using endoscopic ultrasound scan**

Xiao-Ming Wang, Shan Yu, Xin Chen

Abstract

Background

It is rare to find fish bones completely embedded in the walls of the esophagus and endoscopic findings similar to those of submucosal tumors.

Match Overview

1 Internet 71 words
crawled on 07-Mar-2019
www.wjgnet.com

6%

[国内版](#)[国际版](#)

Successful endoscopic extraction of proximal oesophageal foreign body following

[All](#)[Images](#)[Videos](#)[翻译成中文](#)[关闭取词](#)

27,700 Results

Any time ▼

Denture impacted in the oesophagus for 9 months ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981415>

Sep 28, 2011 - This case report describes the presentation and **successful endoscopic** retrieval of an impacted denture plate from the distal oesophagus where it had been in-situ for nine months.

Oesophageal foreign bodies are not uncommon. Most present within 48 h and are found in the **proximal** third of the ...

Cited by: 1

Author: John E. Anderson, Jo-Etienne Abela

Publish Year: 2011

Oesophageal and gastric endoscopic foreign body removal ...

onlinelibrary.wiley.com/doi/10.1111/j.1748-5827.2009.00845.x/abstract

Objectives: To assess complication rate, risk factors for complications and outcome in dogs with **oesophageal** and gastric **endoscopic foreign body** (FB) removal. Methods: Medical records of 102 dogs undergoing **endoscopic** removal of **oesophageal** and/or gastric FBs from March 2001 to November 2006 were retrospectively reviewed.

Published in: Journal of Small Animal Practice - 2009

Authors: P Gianella · Nadia S Pfammatter · Iwan A Burgener

Affiliation: University of Bern

About: Stomach · **Foreign body** · Pneumothorax · Endoscopy · **Body weight**

[PDF] Management of ingested foreign bodies and food ...

https://www.asge.org/docs/default-source/education/practice_guidelines/doc-management...

Management of ingested **foreign bodies** and food impactions ... ble.4 In children, the duration of the **foreign body** in the **esophagus** may be unknown. Some advocate urgent re- ... to perform dilation **after** food bolus **extraction** when an Management of ingested **foreign bodies**.

Management and endoscopic techniques for digestive ...

<https://www.sciencedirect.com/science/article/pii/S1590865812004203>

It has been showed in animal models that experienced endoscopists achieve **endoscopic extraction** of **foreign body** with higher **success** rates and faster than fellows-in-training . Even in cases where timing is optimal (urgent or less than 6 h), in 30% no **foreign body** can be found in the upper digestive tract [2]

Cited by: 20

Author: Armelle Chauvin, Jerome Viala, Philippe ...

Publish Year: 2013

Oesophageal foreign bodies in dogs: Factors affecting