



A complicated case of innominate and right common arterial aneurysm due to Tak



All

Images

Videos

翻译成中文

开启取词

89,600 Results

Any time ▼

Surgical treatment of innominate artery and aortic ...

www.ncbi.nlm.nih.gov › ... › J Cardiothorac Surg › v.8; 2013

Jun 01, 2013 · Innominate artery (IA) aneurysms represent 3% of all arterial aneurysms. Due to the risk of thromboembolic complications and spontaneous rupture, surgical repair is usually recommended on an early elective basis.

Cited by: 7

Author: Erdinc Soylu, Leanne Harling, Leanne Ha...

Publish Year: 2013

Takayasu arteritis as a cause of arterial hypertension ...

www.ncbi.nlm.nih.gov › Journal List › Springer Open Choice

Case report. A 16-year-old Caucasian girl was referred to our hospital due to elevated arterial blood pressure, which was detected by chance. Upon admission, the girl was in good general condition. The physical examination revealed normal physical and mental development.

Cited by: 10

Author: Elżbieta Sadurska, Renata Jawniak, Mar...

Publish Year: 2012

A Case Report of Calcified Submitral Aneurysm Associated ...

<https://www.omicsonline.org/open-access/a-case-report-of-calcified...> ▼

Mar 05, 2018 · In our case, the SMA was associated with the right SCA aneurysm and left SCA occlusion which indicates that the SMA is due to Takayasu's arteritis more than a congenital disjunction between left ventricle and left atrial musculature. MRI is a useful tool in ...

Author: Hamsini Bc, Gowda Gd, Viswamitra S... Publish Year: 2018

Takayasu's Arteritis in Pregnancy: A Rare Case Report from ...

<https://www.hindawi.com/journals/crig/2017/2403451> ▼

She had surgical correction of complete stenosis of right common carotid artery (CCA) and right vertebral and subclavian artery by percutaneous stenting of right brachiocephalic (size 7 × 39 mm) and right CCA (size 9 × 30 mm) in some peripheral hospital. She had no history of ...

Author: Sheeba Marwah, Monika Rajput, Ritin...

Publish Year: 2017

Takayasu's Arteritis - an overview | ScienceDirect Topics

<https://www.sciencedirect.com/.../takayasus-arteritis>

Inflammatory Disease of the Carotid Arteries. Takayasu arteritis is associated with concentric increased intima-media thickening on B-mode imaging IMT120 in proximal cervical vessels (common carotid artery, innominate artery and subclavian artery), which is ...

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 46315

Manuscript Type: CASE REPORT

Complicated case of innominate and right common arterial aneurysm due to Takayasu's arteritis: A case report

Wen-Da Wang, Rui Sun, Meng-Xin Zhou, Xing-Rong Liu, Yue-Hong Zheng,
Yue-Xin Chen

Abstract

BACKGROUND

Match Overview

1 **Crossref** 77 words
Edouard Kieffer, Laurent Chiche, Fabien Koskas, Amine Bal...
ini. "Aneurysms of the innominate artery: Surgical treatment o

4%

2 **Crossref** 11 words
Xiao-Long Wang, Xin-Liang Guan, Wen-Jian Jiang, Ou Liu, ...
ong-Jia Zhang. "Innominate artery aneurysm, how to solve i

1%

[国内版](#)[国际版](#)

Complicated case of innominate and right common arterial aneurysm due to Taka

[All](#)[Images](#)[Videos](#)[翻译成中文](#)[开启取词](#)

108,000 Results

Any time ▾

Surgical treatment of innominate artery and aortic ...

[www.ncbi.nlm.nih.gov](#) > ... > J Cardiothorac Surg > v.8; 2013

Jun 01, 2013 · **Innominate artery (IA) aneurysms** represent 3% of all **arterial aneurysms**. **Due** to the risk of thromboembolic **complications** and spontaneous **rupture**, surgical **repair** is usually recommended on an early elective basis.

Cited by: 7

Author: Erdinc Soyulu, Leanne Harling, Leanne Ha...

Publish Year: 2013

A Case Report of Aneurysms of the Abdominal Aorta ...

https://www.researchgate.net/publication/227289186_A_Case_Report...

A Case Report of Aneurysms of the Abdominal Aorta, Subclavian **and** Vertebral **Arteries Due to Takayasu's Arteritis** Article in International Journal of Angiology 12(3):201-204 · January 2003 with ...

Takayasu arteritis as a cause of arterial hypertension ...

[www.ncbi.nlm.nih.gov](#) > Journal List > Springer Open Choice

Jan 31, 2012 · **Case** report. A 16-year-old **Caucasian** girl was referred to our hospital **due** to elevated **arterial blood** pressure, which was detected by chance. Upon admission, the girl was in good general condition. The physical **examination** revealed normal physical and mental development.

Cited by: 10

Author: Elżbieta Sadurska, Renata Jawniak, Mar...

Publish Year: 2012

Eight-year follow-up of endovascular repair of a ...

<https://www.sciencedirect.com/science/article/pii/S0741521412003795>

We **report** the good long-term outcome of endovascular repair of a large **innominate artery** true **aneurysm due to** Takayasu's **arteritis**. A stent graft was safely and successfully deployed to exclude the **aneurysm**; assessment by vascular imaging at 8-year follow-up ...

Cited by: 9

Author: Domenico Angiletta, Davide Marinazzo, ...

Publish Year: 2012