

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 80,100 条结果 (用时 0.47 秒)

[A Case of Large Carotid Body Tumor: Surgical Challenge Jena A ...](#)

www.indjvascsurg.org/article.asp?issn=0972-0820;year=2016;... [▼ 翻译此页](#)

作者: A Jena - 2016 - 被引用次数: 2 - 相关文章

2016年7月25日 - CASE REPORT ... Hereby, we present a **successfully resected** case of **large** CBT ...

Keywords: **Carotid body tumor**, paraganglioma, surgery ...

缺少字词: hybrid operating theatre:

[Nonresectable carotid body tumor: hybrid surgical procedure to ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/18302274> - [翻译此页](#)

作者: LM Hurtado-Lopez - 2008 - 被引用次数: 10 - 相关文章

BACKGROUND: **Carotid body tumors** of Shamblin class III without free internal ... to achieve a safe surgical **resection** of the **carotid body tumor** of this class. ... CONCLUSION: This is the first known reported case that has been **successfully** resolved by combining endovascular and traditional strategies. ... **Case Reports** ...

缺少字词: large operating theatre:

[Case Report: Managing a giant, high-grade carotid body tumor in a ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5717474/> - [翻译此页](#)

作者: S Munakomi - 2017 - 相关文章

We **report** the management strategy for a similar **case**, where caudocranial ... a well-defined **large** (> 8 cm) heterogeneous and hyperdense soft tissue lesion; The first **successful** excision of a **carotid body tumor** was performed by Albert J Van ... Wright DJ, Pandya A, Noel F: Anesthesia for **carotid body tumour resection**.

缺少字词: hybrid operating theatre:

[Resection of Carotid Body Tumors | Request PDF - ResearchGate](#)

https://www.researchgate.net/.../5415080_Resection_of_Carotid_Body_Tum... - [翻译此页](#)

Request PDF on ResearchGate | **Resection of Carotid Body Tumors** | To evaluate a modified technique for **carotid body tumor** (CBT) **resection**. **Resection** of CBT ...

[P age DIAGNOSIS AND SURGICAL TREATMENT OF CAROTID ...](#)

https://www.researchgate.net/.../329523541_46_P_a_g_e_DIAGNOSIS_AN... - [翻译此页](#)

2018年12月12日 - 46 | P a g e DIAGNOSIS AND SURGICAL TREATMENT OF **CAROTID BODY TUMOR**: A REPORT OF 8 **CASES**. Article (PDF Available) ...

²
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 46029

Manuscript Type: CASE REPORT

Large carotid body tumor successfully resected in hybrid operating theatre: A case report

Li MQ *et al.* Case report for large carotid body tumor

Meng-Qi Li, Yan Zhao, Huai-Yu Sun, Xin-Yu Yang

Abstract

BACKGROUND

Surgical treatment for large carotid body tumor (CBT), particularly the Shamblin

Match Overview

1	Internet 29 words crawled on 19-Feb-2015 irdrjournal.com	2%
2	Internet 28 words crawled on 09-Jul-2019 f6publishing.blob.core.windows.net	2%
3	Internet 27 words crawled on 25-May-2019 link.springer.com	2%
4	Internet 25 words crawled on 05-Nov-2018 www.renupublishers.com	2%
5	Internet 18 words www.ncbi.nlm.nih.gov	1%
6	Crossref 16 words Shabanzadeh, A.P.. "Simvastatin reduced ischemic brain ... jury and perfusion deficits in an embolic model of stroke",	1%
7	Internet 13 words crawled on 26-Jun-2016 icvts.oxfordjournals.org	1%
8	Crossref 10 words Ahmed Gaber Hassanein, Kamal A.-A. M. Hassanein, Khali d Nasser Fadle, Ahmed Seif Al-Eslam, Fahd Nasser Al Qa	1%



All

Images

Videos

翻译成中文

关闭取词

6,170 Results

Any time ▾

Carotid Body Tumors: The Role of Preoperative Embolization ...

https://www.researchgate.net/publication/12068032_Carotid_Body_Tumors_The_Role_of...

Carotid body tumour (CBT); formerly known as **chemodectoma** is a rare, highly vascular, mostly **benign tumour** arising from the **paraganglia of carotid body**; hence, the name (**carotid paraganglioma**).

Hybrid Surgery Management of Giant Hypervascular Tumors ...

<https://www.sciencedirect.com/science/article/pii/S1878875017302656>

These cases exemplify where the **hybrid** concept of combining techniques, skills, and advanced equipment can lead in the optimal management of otherwise extremely challenging brain **tumors**. Clinical Presentation **Case 1**. **Case 1** was a 23-year-old man who had a meningioma subtotally **resected** from the Sylvian fissure as an 8-year-old boy.

Cited by: 2

Author: Rami O. Almefty, Rami O. Almefty, Nirav ...

Publish Year: 2017

Carotid body tumours: Three case reports | B K Mathew ...

https://www.researchgate.net/publication/24209984_Carotid_body_tumours_Three_case_reports

An unusual **case of a large** (70 × 50 × 45 mm) **carotid body tumor of Shamblin** ... [Show full abstract] type III in a 50 year old male is being presented here. The **evaluation**, management and the ...

[PDF] CASE REPORT Open Access Pheochromocytoma ...

<https://wjso.biomedcentral.com/track/pdf/10.1186/1477-7819-8-14>

Conclusion: Nowadays in the era of laparoscopy, patients with pheochromocytoma reach the **operating theatre** easier than in the past. Despite, the feasibility and oncological efficacy of the laparoscopic approach to the ... disease and familial **carotid body tumors** (Table 2) [5]. ... for publication of this **case report**. A copy of consent is

Cited by: 19

Author: George N Zografos, George K Vasiliadis, ...

Publish Year: 2010

Poster - 2015 - Surgical Practice - Wiley Online Library

<https://onlinelibrary.wiley.com/doi/full/10.1111/1744-1633.12147>

Sep 29, 2015 - All the **operations** were performed in the **gastric lumen** using laparoscopic instruments with gastroscope monitoring, and the **tumors** were all **resected** by incising the anterior gastric wall. Results: All the **tumors** were **resected** completely with **cardia** preservation, all with final pathology



All

Images

Videos

翻译成中文

开启取词

21,400 Results

Any time ▾

Paragangliomas and paraganglioma syndromes

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3341580>

Apr 26, 2012 · In the head and neck region they most commonly occur as **carotid body tumors**. Jugulotympanic and especially vagal paragangliomas are seen less frequently. Complete **surgical resection** represents the only curative treatment option even though **resection** of locally advanced **tumors** regularly results in lesions of the lower cranial nerves and major vessels.

Cited by: 28

Author: Carsten Christof Boedeker

Publish Year: 2011

[PDF] CASE REPORT Open Access Pheochromocytoma ...

<https://wjso.biomedcentral.com/track/pdf/10.1186/1477-7819-8-14>

Conclusion: Nowadays in the era of laparoscopy, patients with pheochromocytoma reach the **operating theatre** easier than in the past. Despite, the feasibility and oncological efficacy of the laparoscopic approach to the ... disease and familial **carotid body tumors** (Table 2) [5]. ... for publication of this **case report**. A copy of consent is

Cited by: 20

Author: George N Zografos, George K Vasiliadis, ...

Publish Year: 2010

Carotid Body Tumours and Other Cervical Paragangliomas ...

https://www.researchgate.net/publication/20619279_Carotid_Body_Tumours_and_Other...

Six patients with **unilateral sporadic carotid body tumors** and 1 with a **unilateral tumor of the glomus jugulare** were operated on between 1990 and 1994, without cerebrovascular accidents, mortality ...

Pheochromocytoma associated with neurofibromatosis type ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2848134>

Mar 10, 2010 · From a technical standpoint, **large adrenal masses** are difficult to dissect **laparoscopically**. In our series the **largest tumor laparoscopically resected** was a 14 cm myelolipoma. **Laparoscopic approach to large adrenal tumors**, less than 15 cm in size, is feasible but necessitates experience in **laparoscopic and adrenal surgery**.

Cited by: 20

Author: George N Zografos, George K Vasiliadis, ...

Publish Year: 2010

Poster - 2015 - Surgical Practice - Wiley Online Library

<https://onlinelibrary.wiley.com/doi/full/10.1111/1744-1633.12147>

Sep 29, 2015 · All the **operations** were performed in the **gastric lumen** using laparoscopic instruments with gastroscope monitoring, and the **tumors** were all **resected** by incising the anterior gastric wall. Results: All the **tumors** were **resected** completely with **cardia** preservation, all with final pathology demonstration. The mean **operation time** was 168.5 minutes, with less than 150 ml **blood loss** and ...