

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 14,200 条结果 (用时 0.44 秒)

Google 学术 : Malignant syphilis accompanied with neurosyphilis in a malnutrition patient

Malignant syphilis in a HIV infected patient - Jalili - 被引用次数 : 6

Atypical cutaneous manifestations in syphilis - Lleó - 被引用次数 : 6

Syphilis and HIV infection: an update - Stevenson - 被引用次数 : 43

Malignant syphilis in an immunocompetent adult male Rao AG, Swathi ...

www.e-ijd.org/article.asp?issn=0019-5154;year=2017;volume... - 翻译此页

作者 : AG Rao - 2017 - [相关文章](#)

2017年9月22日 - We present malignant syphilis in a 35-year-old immunocompetent male who ...

Chronic alcoholism, malnutrition, prolonged corticosteroid therapy, and Conversely, our patient had no association with HIV infection.

缺少字词 : accompanied neurosyphilis

Malignant syphilis in an immunocompetent female patient - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4230668/> - 翻译此页

作者 : CB Requena - 2014 - 被引用次数 : 12 - [相关文章](#)

Malignant syphilis is an uncommon manifestation of secondary syphilis, in which necrotic lesions may be associated with systemic signs and symptoms. Generally it occurs in an immunosuppressed patient, mainly HIV-infected, but might be observed on those who have normal immune response.

缺少字词 : accompanied

(PDF) Malignant syphilis in an immunocompetent female patient

https://www.researchgate.net/.../268230342_Malignant_syphilis_in_an_imm... - 翻译此页

PDF | Malignant syphilis is an uncommon manifestation of secondary ... Generally it occurs in an immunosuppressed patient, mainly HIV-infected, ... of alcohol or illicit drugs, malnutrition or debilitating ... not of neurosyphilis or syphilitic uveitis. ... by lesions, which can suppurate and be accompanied by systemic symptoms ...

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 47749

Manuscript Type: CASE REPORT

Malignant syphilis accompanied with neurosyphilis in a malnutrition patient: A case report

Ge G *et al.* Malignant syphilis accompanied with neurosyphilis in a malnutrition patient

Gai Ge, Dong-Mei Li, Ying Qiu, Hong-Jun Fu, Xiang-Yu Zhang, Dong-Mei Shi

Abstract

BACKGROUND

Syphilis is a common disease sexually transmitted by the *treponema pallidum* (*T. pallidum*). Malignant syphilis is a rare presentation of secondary syphilis. Here, we present a case diagnosed with malignant syphilis accompanied with neurosyphilis.

CASE SUMMARY

Match Overview

1	Crossref 58 words Li, Jiu-Hong, Hao Guo, Xing-Hua Gao, and Hong-Duo ... hen. "Multiple skin ulcers from malignant syphilis", The L	3%
2	Crossref 51 words Yara Martins Ortigosa, Paulo Salomão Bendazzoli, Angel a Marques Barbosa, Luciana Cegatto Martins Ortigosa ...	2%
3	Internet 43 words crawled on 04-Feb-2015 www.scielo.br	2%
4	Internet 36 words crawled on 01-Apr-2019 www.cureus.com	2%
5	Crossref 35 words P. K. Nigam. "Leprosy and Psoriasis Occurring Together" , <i>International Journal of Dermatology</i> , 9/1991	2%
6	Crossref 32 words Newton S. de Carvalho, Glaucio R. Mello, Gustavo R. Ca stro, Flávio Q. Telles, Claudete Reggiani, Mauri J. Piazz ...	2%
7	Crossref 29 words Leonardo Junio da Silva Medeiros, Edson Marchiori, Pa ulo Roberto Valle Bahia. "Neurosyphilis manifesting as ...	1%
8	Crossref 22 words Wei-Ting Chang, Tsung-Ting Hsieh, Yu-Hung Wu. "Mal ... nant syphilis in human immunodeficiency virus-infected	1%
9	Crossref 20 words Ahmad Jalili. "Malignant Syphilis in a HIV Infected Patient" ", <i>Sexually Transmitted Diseases</i> , 08/2010	1%
10	Crossref 17 words Seray Külçü Çakmak, Emine Tamer, Ayşe Serap Karac ... ğ, Michael Waugh. "Syphilis: A great imitator", <i>Clinics in</i>	1%
11	Crossref 17 words de Unamuno Bustos, Blanca, Rosa Ballester Sánchez, J osé Luis Sánchez Carazo, and Víctor Alegre de Miquel. "	1%



All

Images

Videos

翻译成中文

关闭取词

28,300 Results

Any time ▼

Malignant syphilis in an immunocompetent female patient

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4230668>

Early **malignant syphilis** is a rare form of secondary **syphilis**, more frequently associated with **HIV - co-infected patients**. **Malnutrition**, **abusive consumption of alcohol** and **concomitant debilitating illnesses** are other possible predisposing factors. More rarely, it can occur in **immunocompetent patient**.

Early Malignant Syphilis Associated with Uveitis in ...

<https://www.scireslit.com/Dermatology/SJCRD-ID22.php> ▼

Early **malignant syphilis** is a rare presentation of secondary **syphilis**, originally described by Bazin in 1859 as a **nodular** variant of **syphilis**. Often associated with **HIV co infection**. **Malnutrition**, **abusive alcohol consumption** and concomitance with **debilitating diseases** are ...

[PDF] Malignant syphilis in an AIDS patient - ResearchGate

https://www.researchgate.net/profile/Fernando_Ferry/publication/268987990_Malignant...

Malignant syphilis in an AIDS patient 1 3 in contrast to the later occurring **gums of tertiary syphilis** [9]. In this **case**, the **lesions** were **maculopapular**, **hyper-chromic**, **pruritic**, **ulcerative** and ...

Published in: **Infection** - 2015

Authors: **T R Dos Santos · I J De Castro · M M B Dahia · M C V M De Azevedo · G A R Da Silva**

Affiliation: **Universidade Federal Do Estado Do Rio De Janeiro**

Malignant syphilis in an immunocompetent female patient

www.scielo.br/scielo.php?script=sci_arttext&pid=S0365-05962014000600970 ▼

Malignant syphilis is an uncommon manifestation of secondary **syphilis**, in which **necrotic lesions** may be associated with systemic signs and **symptoms**. Generally it occurs in an **immunosuppressed patient**, **mainly HIV-infected**, but might be observed on those who have **normal immune response**.

Published in: **Anais Brasileiros De Dermatologia** - 2014

Authors: **Camila Bueno Requena · Cinthia Rosane Orasmo · Juliana Polizel Ocanha · Silvia Re...**

Affiliation: **Sao Paulo State University**

About: **Syphilis**



All

Images

Videos

翻译成中文

开启取词

28,400 Results

Any time ▾

Malignant syphilis in an immunocompetent female patient

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4230668>

Early malignant syphilis is a rare form of secondary syphilis, more frequently associated with HIV - co-infected patients. Malnutrition, abusive consumption of alcohol and concomitant debilitating illnesses are other possible predisposing factors. More rarely, it can occur in immunocompetent patient.

Early Malignant Syphilis Associated with Uveitis in ...

<https://www.scireslit.com/Dermatology/SJCRD-ID22.php> ▾

Early malignant syphilis is a rare presentation of secondary syphilis, originally described by Bazin in 1859 as a nodular variant of syphilis. Often associated with HIV co infection. Malnutrition, abusive alcohol consumption and concomitance with debilitating diseases are ...

Malignant syphilis as the first manifestation of HIV infection

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3892643>

Jan 02, 2012 · Malignant syphilis was firstly described by Bazin in 1859 as a nodular variant of syphilis. It represents an uncommon clinical manifestation that is possibly attributed to poor health, malnutrition, widespread use of antibiotics and corticosteroids and, most importantly, the presence of HIV infection.

Cited by: 3

Author: Efstathios Rallis, Vasileios Paparizos

Publish Year: 2012

[PDF] Malignant syphilis in an AIDS patient - ResearchGate

https://www.researchgate.net/profile/Fernando_Ferry/publication/268987990_Malignant...

Malignant syphilis in an AIDS patient 1 3 in contrast to the later occurring gums of tertiary syphilis [9]. In this case, the lesions were maculopapular, hyper-chromic, pruritic, ulcerative and ...

Published in: Infection · 2015

Authors: T R Dos Santos · I J De Castro · M M B Dahia · M C V M De Azevedo · G A R Da Silva

Affiliation: Universidade Federal Do Estado Do Rio De Janeiro

Malignant syphilis in an immunocompetent female patient ...

europepmc.org/articles/PMC4230668

Early malignant syphilis is a rare form of secondary syphilis, more frequently associated with HIV - co-infected patients. 1,2 Malnutrition, abusive consumption of alcohol and concomitant debilitating illnesses are other possible predisposing factors. 1,3,4 More rarely, it can occur in immunocompetent patient.

Published in: Anais Brasileiros De Dermatologia · 2014

Authors: Camila Bueno Requena · Cinthia Rosane Orasmo · Juliana Polizel Ocanha · Silvia Re...

Affiliation: Sao Paulo State University

About: Syphilis