



All

Images

Videos

翻译成中文

关闭取词

48,500 Results

Any time ▼

Bile tract adenomyoma: A case report - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2681164>

Jan 28, 2008 - MRCP showing irregular stricture of the distal bile duct and a mass (arrow) at the lumen of the common bile duct. Figure 3 Ultrasonography showing a mass at the lumen of the common bile duct.

Cited by: 2

Author: Gui-Ming Shu, Yi-Jun Wang, Zhi Du, Don...

Publish Year: 2008

Adenomyomatous hyperplasia of distal common bile duct: a ...

<https://academic.oup.com/jscr/article/2018/8/rjy204/5067510> ▼

Aug 07, 2018 - Abdominal ultrasound showed intra and extrahepatic bile duct dilation, the distal CBD was dilated to 25 mm. Patient underwent endoscopic retrograde cholangiopancreatography (ERCP), which showed thick yellow mucus and no stones (Fig. 1). A sphincterotomy was performed and a pigtail stent placed.

Author: Paul Chandler, Jonathan Harris, Dann...

Publish Year: 2018

Adenomyoma of the common bile duct: Report of a case | H ...

https://www.researchgate.net/publication/12624168_Adenomyoma_of_the_common_bile_duct...

We report a case of adenomyoma in the common bile duct accompanied by obstructive jaundice. A 64-year-old woman presented with abdominal pain, fever, appetite loss and jaundice.

[PDF] Adenomyoma of the common bile duct: The patient had ...

<https://www.thieme-connect.de/products/ejournals/pdf/10.1055/s-0042-111312.pdf>

Fig.1 Imaging studies in a patient with adenomyoma. a Magnetic resonance cholangiopancreatography showed mild dilatation of the common bile duct with a small filling defect (arrow) in the distal portion. b Endoscopic ultrasound revealed a well-defined hypoechoic lesion (arrow) near the papilla measuring

Adenomyoma of the ampullary region: imaging findings in ...

<https://link.springer.com/article/10.1007/s00261-004-0224-1> ▼

Keywords. When located in the distal common bile duct (CBD), adenomyoma may cause obstructive jaundice and be confused with the more common pancreatic head tumor and other ampullary or periampullary tumors. We describe the computed tomographic (CT), cholangiographic, and endoscopic ultrasound...

Cited by: 18

Author: N. Aoun, S. Zafataveff, T. Smavra, S. Ha...

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 50117

Manuscript Type: CASE REPORT

**Adenomyoma of the distal common bile duct demonstrated by endoscopic
ultrasound: A case report and review of the literature**

Xu LM *et al.* Distal common bile duct adenoma

Li-Ming Xu, Duan-Min Hu, Wen Tang, Shao-Hua Wei, Wei Chen, Guang-Qiang
Chen

Abstract

Match Overview

2 matches

1	Internet 24 words crawled on 12-Jun-2017 www.wjgnet.com	2%
2	Internet 24 words crawled on 25-Oct-2003 www.hcs.gr	2%
3	Internet 20 words crawled on 17-Jun-2017 annalsgastro.gr	1%
4	Internet 15 words crawled on 06-Aug-2019 www.ncbi.nlm.nih.gov	1%



All

Images

Videos

关闭取词

28,100 Results

Any time ▾

Adenomyomatous hyperplasia of distal common bile duct: a ...

<https://academic.oup.com/jscr/article/2018/8/rjy204/5067510> ▾

Aug 07, 2018 · Adenomyomatous hyperplasia of distal common bile duct: a case report and review of the literature ... endoscopic ultrasound with fine needle aspiration biopsy (FNAB) of pancreatic head, and CBD brushings were all nondiagnostic. ... Adenomyoma of the distal common bile duct mimicking cholangiocarcinoma.

Author: Paul Chandler, Jonathan Harris, Dann... Publish Year: 2018

Bile tract adenomyoma: A case report - ncbi.nlm.nih.gov

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2681164>

Jan 28, 2008 · This paper described a rare case of adenomyoma of common bile duct. The case is a 51-year-old man who was hospitalized for yellow color skin and sclera and itching for 2 mo without abdominal pain. Nothing special was found in physical examination except ...

Cited by: 2 Author: Gui-Ming Shu, Yi-Jun Wang, Zhi Du, Don...
Publish Year: 2008

Bile tract adenomyoma: A case report - ResearchGate

https://www.researchgate.net/publication/5648850_Bile_tract_adenomyoma_A_case_report

This paper described a rare case of adenomyoma of common bile duct. The case is a 51-year-old man who was hospitalized for yellow color skin and sclera and itching for 2 mo without abdominal pain.

Adenomyoma of the common hepatic duct - PubMed ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2020559>

Adenomyoma occurs most commonly in the fundus of the gallbladder, seldom in other parts of the gallbladder and rarely in the extrahepatic biliary tree, where most lesions are localised to the common bile duct or papilla of Vater. Adenomyoma of the common hepatic duct is extremely rare. To the best ...

Cited by: 4 Author: R. Čolovic, M. Micev, J. Marković, S. Zog...
Publish Year: 2002

Adenomyoma of the Common Hepatic Duct Mimicking Bile ...

<https://link.springer.com/article/10.1007/s00595-006-3468-2> ▾

Jun 26, 2007 · We report an unusual case of adenomyoma of the common hepatic duct mimicking bile duct cancer. A 50-year-old woman was referred to our hospital for the investigation of general fatigue.



All

Images

Videos

关闭取词

28,100 Results

Any time ▾

Adenomyomatous hyperplasia of distal common bile duct: a ...

<https://academic.oup.com/jscr/article/2018/8/rjy204/5067510> ▾

Aug 07, 2018 · Adenomyomatous hyperplasia of distal common bile duct: a case report and review of the literature ... endoscopic ultrasound with fine needle aspiration biopsy (FNAB) of pancreatic head, and CBD brushings were all nondiagnostic. ... Adenomyoma of the distal common bile duct mimicking cholangiocarcinoma.

Author: Paul Chandler, Jonathan Harris, Dann... Publish Year: 2018

Bile tract adenomyoma: A case report - ncbi.nlm.nih.gov

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2681164>

Jan 28, 2008 · This paper described a rare case of adenomyoma of common bile duct. The case is a 51-year-old man who was hospitalized for yellow color skin and sclera and itching for 2 mo without abdominal pain. Nothing special was found in physical examination except ...

Cited by: 2 Author: Gui-Ming Shu, Yi-Jun Wang, Zhi Du, Don...

Publish Year: 2008

Common bile duct villous adenoma: a case report and review ...

<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/s13256-015-0789-z> ▾

Jan 21, 2016 · According to the literature, benign bile duct tumors are exceedingly uncommon. To the best of our knowledge, we report the largest extrahepatic bile duct villous adenoma described in the literature. We present a case of a 77-year-old Caucasian woman with obstructive jaundice. Laboratory tests revealed that she had elevated bilirubin and liver enzyme levels.

Cited by: 1 Author: Karolis Čekas, Vilius Rudaitis, Virgilijus ...

Publish Year: 2016 Author: Karolis Čekas

Bile tract adenomyoma: A case report - ResearchGate

https://www.researchgate.net/publication/5648850_Bile_tract_adenomyoma_A_case_report

This paper described a rare case of adenomyoma of common bile duct. The case is a 51-year-old man who was hospitalized for yellow color skin and sclera and itching for 2 mo without abdominal pain.

Adenomyoma of the Common Hepatic Duct Mimicking Bile ...

<https://link.springer.com/article/10.1007/s00595-006-3468-2> ▾

Jun 26, 2007 · We report an unusual case of adenomyoma of the common hepatic duct mimicking bile duct cancer. A 50-year-old woman was referred to our hospital for the investigation of general fatigue. Laboratory data showed abnormal liver test results and computed tomography showed a mass lesion in