



All

Images

Videos

翻译成中文

关闭取词

1,090 Results

Any time ▾

Aberrant Right Subclavian Artery And Common Carotid Trunk

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3317287>

Aberrant Right Subclavian Artery And Common Carotid Trunk. An aberrant right subclavian artery occurs when the right fourth arch and the proximal right dorsal aorta abnormally regress. The right subclavian artery then develops from the right seventh intersegmental artery and the distal right dorsal aorta.

Cited by: 3

Author: Rakesh Khatri, Alberto Maud, Gustavo J...

Publish Year: 2010

Coexistence of aberrant right subclavian artery and common ...

<https://www.sciencedirect.com/science/article/pii/S1571467507000181>

Right and left main carotid arteries arose as a common trunk from aortic arch (common carotid trunk, CCT) as the second branch. In addition to these findings, an aberrant right subclavian artery (ARSCA) arose from aortic arch as the last branch and coursed on posterior aspect of trachea ...

Cited by: 5

Author: Baris Turkbey, Tuncay Hazirolan, Murat ...

Publish Year: 2007

Aberrant right subclavian artery in association with ...

www.wajradiology.org/article.asp?issn=1115-3474;year=2014;volume=21;issue=2;spage=80;...

Aberrant right subclavian artery in association with common trunk of both carotid arteries: Diagnosis with CT Dharmraj Meena Department of Radiodiagnosis, Government Medical College and Associated Group of Hospitals, Kota, Rajasthan, India

Author: Dharmraj Meena

Publish Year: 2014

(PDF) Right subclavian steal syndrome in a patient with ...

https://www.researchgate.net/publication/257206994_Right_subclavian_steal_syndrome_in...

Case report: We reported a case of subclavian steal syndrome on the right side in a patient with aberrant right subclavian artery (ARSCA), hypoplastic left vertebral artery and common carotid ...

Aberrant Right Subclavian Artery Associated with a Common ...

<https://link.springer.com/article/10.1007/s10016-006-9074-3>

The arteriogram revealed a left-sided aortic arch with the branches from right to left as follows: a common trunk for the right and left common carotid arteries (bovine arch) with a right vertebral artery originating from the right common carotid artery, an aberrant takeoff of the right subclavian vessel, and a common trunk of the left subclavian ...

Cited by: 25

Author: Santiago Chahwan, Matthew Todd Mille...

Publish Year: 2006

Match Overview



1	Internet 15 words crawled on 29-Jul-2019 edoc.pub	1%
2	Internet 15 words crawled on 10-Nov-2018 ssjournals.com	1%
3	Internet 13 words crawled on 29-Aug-2019 escholarship.org	1%
4	Crossref 13 words Federico Mata-Escolano , "Aortic branch variations: An an ... omical study in 900 subjects", Scientific Research and Ess	1%
5	Internet 13 words crawled on 09-Jan-2019 www.giornalechirurgia.it	1%
6	Crossref 12 words Kota Agematsu , Tetsuyuki Ueda , Shuichi Hoshino , Yasushi Nishiya . "Rupture of Kommerell diverticulum after total ar ...	1%

1

2 **Bilateral common carotid artery common trunk with aberrant right subclavian**

3 **artery combined with right subclavian steal syndrome: A case report**

4 Yuan-Yuan Sun, Guo-Ming Zhang, You-Bin Zhang, Xin Du, Mao-Long Su

5 **Abstract**

6 **BACKGROUND**

7 We report a rare case of numbness in the right hand, finally diagnosed as bilateral

8 common carotid artery common trunk with aberrant right subclavian artery combined

9 with right subclavian steal syndrome, and explain the cause of these diseases.

10

11 **CASE SUMMARY**

12 The patient was a 65-year-old woman. She complained of dizziness, numbness and

13 weakness of the right hand for six months. She was diagnosed with bilateral common

14 carotid artery common trunk with aberrant right subclavian artery combined with

15 right subclavian steal syndrome by ultrasound, enhanced computed tomography (CT),

16 CT angiography, and other examinations. Considering the surgical risks, the patient

17 refused the aberrant right subclavian artery stent implantation and was discharged.



All

Images

Videos

关闭取词

9,570 Results

Any time ▾

Left and Right Subclavian Artery Function, Branches, Stenosis

<https://healthjade.net/subclavian-artery> ▾

Three large **arteries** arise from the **aortic arch** to collectively supply the head, neck, shoulder, and upper limbs: the **brachiocephalic trunk**, the **left common carotid artery**, and the **left subclavian artery**. The **brachiocephalic trunk** (**brachiocephalic artery**) gives rise to the **right subclavian artery** and the **right common carotid artery**.

(PDF) Right subclavian steal syndrome in a patient with ...

https://www.researchgate.net/publication/257206994_Right_subclavian_steal_syndrome_in...

A case of **absence** of the **right common carotid artery** with origin of the **external carotid artery** from the **innominate artery** and origin of the **internal carotid artery** from the **right subclavian** ...

[PDF] Right subclavian steal syndrome in a patient with ...

www.ijcasereportsandimages.com/archive/2013/008-2013-ijcri/002-08-2013-mannuva/ijcri...

tomography angiography in posterior view showing aberrant right subclavian artery with severe **stenosis** proximally (yellow arrow), hypoplastic left vertebral artery (red arrow), normally originated right vertebral artery (green arrow) and left subclavian artery (white arrow).

Published in: [International Journal of Case Reports and Images](#) · 2013Authors: [Boochi Babu Mannuva](#) · [Rajasekhar Durgaprasad](#) · [Vanajakshamma Velam](#) · [Shashan...](#)About: [Electronic journal](#) · [Aberrant right subclavian artery](#)

Common Origins of Carotid and Subclavian Arterial Systems ...

<https://link.springer.com/article/10.1007/s10016-004-0060-3> ▾

An **aberrant right subclavian artery** (aSA) arising from the proximal descending aorta is one of the most common anomalies of the aortic arch. We present our experience with an asymptomatic atypical... Common Origins of Carotid and Subclavian Arterial Systems: Report of a ...

Cited by: 31 Author: [George A. Poultsides](#), [George A. Poultsi...](#)

Publish Year: 2004

Right subclavian double steal syndrome: a case report ...

Subclavia

Paired Major Ar

In human anatomi
upper thorax, bel
The left subclavia
subclavian artery
supplying the he



Wikipedia

People also see
Thyrocervical tru

Data from: Wikipedia

Wikipedia text under

[Suggest an edit](#)