



All

Images

Videos

翻译成中文

关闭取词

19,800 Results

Any time ▾

## Survival Analysis of Pseudomyxoma Peritonei Patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1867935>

To evaluate the survival of patients with pseudomyxoma peritonei (PMP) treated by cytoreductive surgery and intraoperative hyperthermic intraperitoneal chemotherapy (HIPEC), and to identify factors with prognostic value.

Cited by: 254

Author: Robert M. Smeenk, Vic J. Verwaal, Ninja ...

Publish Year: 2007

## (PDF) Treatment of Pseudomyxoma Peritonei ; A case Report

[https://www.researchgate.net/publication/276026057\\_Treatment\\_of\\_Pseudomyxoma\\_Peritonei...](https://www.researchgate.net/publication/276026057_Treatment_of_Pseudomyxoma_Peritonei...)

Treatment of Pseudomyxoma Peritonei ; A case Report. Pseudomyxoma peritonei (PMP) is a rare disease and even after advances in its understanding and management it often has a protracted course and multiple recurrences despite aggressive surgery and chemotherapy. We report a case of previously healthy woman who present with acute abdomen arising...

## Pseudomyxoma peritonei – a revisit: report of 2 cases and ...

<https://wjso.biomedcentral.com/articles/10.1186/1477-7819-4-60> ▾

Sep 01, 2006 · Pseudomyxoma peritonei (PMP) is a rare, chronic, relapsing, diagnostically challenging and poorly understood disease characterized by disseminated mucinous ascites and peritoneal implants. We report two cases of PMP that represent the two biological variants of disseminated peritoneal adenomucinosis (DPAM) – the benign variant and the peritoneal mucinous carcinoma (PMCA) ...

Cited by: 15

Author: Chunyan Li, Rani Kanthan, Sc Kanthan

Publish Year: 2006

## [PDF] Cytoreductive surgery and hyperthermic intraperitoneal ...

<https://wjso.biomedcentral.com/track/pdf/10.1186/s12957-018-1482-7>

intraperitoneal chemotherapy (HIPEC) is the recommended treatment for PMP even with extensive peritoneal spread. CRS-HIPEC for PMP after liver transplantation (LTX) has not been described before. Case presentation: A 48-year-old female patient with end-stage primary sclerosing cholangitis

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 50448

**Manuscript Type:** CASE REPORT

**Apatinib treatment in a pseudomyxoma peritonei patient after surgical treatment and hyperthermic intraperitoneal chemotherapy: A case report**

Huang R *et al.* Apatinib treatment in a PMP patient

Rong Huang, Xiu-Ling Shi, Yun-Fei Wang, Fei Yang, Ting-Tao Wang, Cun-Xu Peng

**Abstract**

### Match Overview

1	Internet 111 words crawled on 18-Oct-2018 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	6%
2	Internet 95 words crawled on 02-Aug-2019 <a href="http://www.dovepress.com">www.dovepress.com</a>	5%
3	Crossref 29 words Huiting Sun, Min Xiao, Sufen Liu, Ruxia Shi. "Use of apati... b combined with pemetrexed for advanced ovarian cancer",	2%
4	Internet 18 words crawled on 20-Aug-2019 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
5	Internet 13 words crawled on 09-Jul-2019 <a href="http://www.oncotarget.com">www.oncotarget.com</a>	1%
6	Crossref 12 words Veena Ramaswamy. "Pathology of Mucinous Appendicea ... Tumors and Pseudomyxoma Peritonei", Indian Journal of	1%





All

Images

Videos

关闭取词

15,700 Results

Any time ▾

## Survival Analysis of Pseudomyxoma Peritonei Patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1867935>

To evaluate the survival of patients with pseudomyxoma peritonei (PMP) treated by cytoreductive surgery and intraoperative hyperthermic intraperitoneal chemotherapy (HIPEC), and to identify factors with prognostic value.

Cited by: 259

Author: Robert M. Smeenk, Vic J. Verwaal, Ninja ...

Publish Year: 2007

## Pseudomyxoma Peritonei Treatment - PMP PALS' Network

[www.pmppals.org/www.pmppals.org/pseudomyxoma-peritonei-treatment.html](http://www.pmppals.org/www.pmppals.org/pseudomyxoma-peritonei-treatment.html) ▾

Surgery. Treatment for the Pseudomyxoma Peritonei syndrome generally includes CRS or cytoreductive surgery with or without systemic chemotherapy and HIPEC. The purpose of debulking surgery is to remove as much tumor as possible. Debulking surgery often includes the removal of the omentum and the right colon.

[Hipec Treatment Centers](#) · [Network](#) · [Appendix Cancer](#) · [Surgeons and Specialists](#) · [Chemotherapy](#)

## Pregnancy after Cytoreductive Surgery and Hyperthermic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4074979>

**Abstract.** However, it requires aggressive surgical treatment and chemotherapy, often compromising future reproductive function. This report presents a case of pregnancy in a 35-year-old woman who underwent cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for treatment of pseudomyxoma peritonei.

Cited by: 2

Author: Renato Gomes Campanati, Bernardo Han...

Publish Year: 2014

Academic Editor: Akihiro Nakajo

## [PDF] Cytoreductive surgery and hyperthermic intraperitoneal ...

<https://wjso.biomedcentral.com/track/pdf/10.1186/s12957-018-1482-7>

intraperitoneal chemotherapy (HIPEC) is the recommended treatment for PMP even with extensive peritoneal spread. CRS-HIPEC for PMP after liver transplantation (LTX) has not been described before. Case presentation: A 48-year-old female patient with end-stage primary sclerosing cholangitis (PSC) underwent

Author: Ebbe Billmann Thorgersen, Espen Me...

Publish Year: 2018





国内版

国际版

Apatinib treatment in a pseudomyxoma peritonei patient after surgical treatment : 

All

Images

Videos

关闭取词

16,000 Results

Any time ▾

## Survival Analysis of Pseudomyxoma Peritonei Patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1867935>

Pseudomyxoma peritonei (PMP) is a rare disease with an incidence of approximately 1 per million a year. 1 It is characterized by intraperitoneal disseminated mucous produced by adenomucinous tumor cells in implants on peritoneal surfaces. These implants are the final stage of a distribution process following the rupture of an intraperitoneal located mucinous neoplasm. 2 PMP is reported to ...

Cited by: 257

Author: Robert M. Smeenk, Vic J. Verwaal, Ninja ...

Publish Year: 2007

## Pregnancy after Cytoreductive Surgery and Hyperthermic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4074979>

This report presents a case of pregnancy in a 35-year-old woman who underwent cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for treatment of pseudomyxoma peritonei. The tumor was diagnosed during a laparoscopic examination on a workup for infertility in 2008.

Cited by: 2

Author: Renato Gomes Campanati, Bernardo Han...

Publish Year: 2014

Academic Editor: Akihiro Nakajo

## Pseudomyxoma Peritonei Treatment - PMP PALS' Network

[www.pmppals.org/www.pmppals.org/pseudomyxoma-peritonei-treatment.html](http://www.pmppals.org/www.pmppals.org/pseudomyxoma-peritonei-treatment.html) ▾

Several systemic chemotherapies have become treatment options for Appendix cancer and pseudomyxoma peritonei patients. Systemic chemotherapy targets cancer cells throughout the body and is delivered throughout the bloodstream. The "Chemo Pals' Resource & Support Group"" is one of the largest, PMP Pal Resource Programs.

## [PDF] Cytoreductive surgery and hyperthermic intraperitoneal ...

<https://wjso.biomedcentral.com/track/pdf/10.1186/s12957-018-1482-7>

Cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for pseudomyxoma peritonei in a liver-transplanted patient: a case report Ebbe Billmann Thorgersen<sup>1,2\*</sup>, Espen Melum<sup>3,4,5,6</sup>, Trine Folseraas<sup>3,4,5,6</sup>, Stein Gunnar Larsen<sup>1</sup> and Pål Dag Line<sup>5,7</sup> Abstract

Author: Ebbe Billmann Thorgersen, Espen Me...

Publish Year: 2018

## Cytoreductive surgery and hyperthermic intraperitoneal ...

<https://link.springer.com/article/10.1186/s12957-018-1482-7> ▾

Chua TC, Yan TD, Smigielski ME, Zhu KJ, Ng KM, Zhao J, et al. Long-term survival in patients with pseudomyxoma peritonei treated with cytoreductive surgery and perioperative intraperitoneal