

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 51833

Manuscript Type: CASE REPORT

Secondary Parkinson disease caused by breast cancer during pregnancy: A case report

Li L. Secondary Parkinson disease and pregnancy

Lei Li

Abstract

BACKGROUND

Paraneoplastic neurological syndrome (PNS) manifesting as secondary Parkinson disease caused by breast cancer is extremely rare.

CASE SUMMARY

In this report, a 39-year-old primipara of 31 gestational weeks was admitted, who presented with worsening tremors, facial stiffness and speech disfluencies, and decreased limb strength. A thorough physical examinations and auxiliary

Match Overview

1	Internet 56 words crawled on 18-Mar-2016 content.iospress.com	3%
2	Internet 38 words crawled on 12-Jul-2019 www.ncbi.nlm.nih.gov	2%
3	Crossref 34 words Haruki Koike. "Paraneoplastic neuropathy : wide-ranging ... inicopathological manifestations", <i>Current Opinion in Neur</i>	2%
4	Crossref 34 words Abdul Rahman M. Mousa. "Neurological and cardiac com ... ications of carcinoma of the breast Case report", <i>Acta Neur</i>	2%
5	Internet 20 words crawled on 07-Mar-2015 worldwidescience.org	1%
6	Crossref 19 words Laura Knabben, Michel D. Mueller. "Breast cancer and pr ... nancy", <i>Hormone Molecular Biology and Clinical Investigati</i>	1%
7	Internet 17 words crawled on 01-Nov-2016 www.deepdyve.com	1%
8	Internet 12 words crawled on 12-Apr-2019 journals.plos.org	1%
9	Internet 12 words crawled on 17-Sep-2019 www.cancer-genetics.org	1%

Secondary Parkinson disease caused by breast cancer during pregnancy



All

Images

Videos

关闭取词

8,410,000 Results

Any time ▾

Including results for secondary **parkinson's** disease caused by breast cancer during pregnancy a case report.

Do you want results only for Secondary Parkinson disease caused by breast cancer during pregnancy: A case report?

Atypical cancer pattern in patients with Parkinson's disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2361753>

Jan 14, 2005 - Keywords: Parkinson's disease, cancer incidence, malignant melanoma, nonmelanocytic skin cancer, breast cancer Parkinson's disease is a movement disorder of middle or late life, characterised by an abnormal loss of pigmented neurons of unknown cause and mechanism in the substantia nigra of the brain stem.

Cited by: 221

Author: J H Olsen, S Friis, K Frederiksen, J K Mc...

Publish Year: 2005

Prenatal and Early Life Factors and Risk of Parkinson's ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3132935>

Aug 15, 2010 - The potential relationship between handedness and the risk of PD has not been previously investigated. Handedness has been studied in relation to several other chronic diseases including breast cancer, diabetes, and autoimmune diseases as a marker for in utero exposure to steroid hormones (29, 30). However, the empirical evidence for a relation between handedness and prenatal steroid hormone exposure has been limited and inconclusive, and the causes ...

Cited by: 21

Author: Hannah Gardener, Hannah Gardener, Xian...

Publish Year: 2010

Second Cancers After Breast Cancer

<https://www.cancer.org/cancer/breast-cancer/living-as-a-breast-cancer-survivor/second...>



Let your doctor know about any new symptoms or problems, because they could be caused by the breast cancer coming back or by a new disease or second cancer. For example, abnormal menstrual bleeding, such as bleeding or spotting after menopause or between periods, can be a symptom of uterine cancer.

Last Revised: August 21, 2017