

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 50680

Manuscript Type: CASE REPORT

***KIT* and platelet-derived growth factor receptor α wild-type gastrointestinal stromal tumor associated with neurofibromatosis type 1: Two case reports**

Kou YW *et al.* Case reports of gastrointestinal tumor with neurofibromatosis type 1

You-Wei Kou, Ying Zhang, Ya-Ping Fu, Zhe Wang

Abstract

BACKGROUND

Match Overview

Match Number	Source	Words	Similarity
1	Internet crawled on 23-Jun-2018 d-nb.info	30 words	1%
2	Internet crawled on 19-Jun-2018 www.ajronline.org	26 words	1%
3	Internet crawled on 05-Nov-2017 e-sciencecentral.org	23 words	1%
4	Crossref Hanae Kobayashi, Yoshito Ikematsu, Hiroki Mori, Takachika Ozawa, Taketoshi Okawada, Yoshiro Nishiwaki. "Gastroin	23 words	1%
5	Internet crawled on 17-May-2010 ejcts.ctsnetjournals.org	19 words	1%
6	Internet crawled on 11-Aug-2017 www.j3.jstage.jst.go.jp	11 words	<1%
7	Internet crawled on 11-Sep-2017 ard.bmj.com	11 words	<1%



All

Images

Videos

关闭取词

18,000 Results

Any time ▾

Pediatric KIT–Wild-Type and Platelet-Derived Growth Factor ...

cancerres.aacrjournals.org/content/67/19/9084 ▾

Oct 01, 2007 · Fewer than 15% of gastrointestinal stromal tumors (GIST) in pediatric patients harbor KIT or platelet-derived growth factor receptor α (PDGFRA) mutations in contrast to a mutation rate of 80% in adult GISTs. However, some therapeutic inhibitors of KIT have efficacy in pediatric GIST, suggesting that KIT may, nevertheless, play an important role in oncogenesis.

Cited by: 171

Author: Katherine A. Janeway, Bernadette Liegl, ...

Publish Year: 2007

(PDF) Pediatric KIT–Wild-Type and Platelet-Derived Growth ...

https://www.researchgate.net/publication/5936064_Pediatric_KIT-Wild-Type_and_Platelet...

Pediatric KIT–Wild-Type and Platelet-Derived Growth Factor Receptor α –Wild-Type Gastrointestinal Stromal Tumors Share KIT Activation but ...

Correlation of KIT and platelet-derived growth factor ...

<https://www.nature.com/articles/1208358>

Dec 27, 2004 · Activating mutations of KIT and platelet-derived growth factor receptor α (PDGFRA) are known to be alternative and mutually exclusive genetic events in the development of gastrointestinal stromal ...

Cited by: 116

Author: Hyun Ju Kang, Suk Woo Nam, Hyunki Ki...

Publish Year: 2005

A new case of Carney triad: gastrointestinal stromal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1861758>

A new case of Carney triad: gastrointestinal stromal tumours and leiomyoma of the oesophagus do not show activating mutations of KIT and platelet-derived growth factor receptor α S Knop , M Schupp , E Wardelmann , D Stueker , M S Horger , L Kanz , H Einsele , and S M Kroeber

Cited by: 21

Author: S Knop, M Schupp, E Wardelmann, D St...

Publish Year: 2006

Therapeutic Consequences from Molecular Biology for ...

cancerres.aacrjournals.org/content/14/14/4550 ▾

Jul 15, 2008 · NF-1–associated GISTs are usually wild type for c-KIT and platelet-derived growth factor receptor- α (PDGFR- α) mutations and harbor a different oncogenic molecular mechanism. The lack of data



国内版 国际版

KIT and platelet-derived growth factor receptor α wild-type ga



All

Images

Videos

关闭取词

17,800 Results

Any time ▾

Pediatric KIT–Wild-Type and Platelet-Derived Growth Factor ...

cancerres.aacrjournals.org/content/67/19/9084 ▾

Oct 01, 2007 · Fewer than 15% of gastrointestinal stromal tumors (GIST) in pediatric patients harbor KIT or platelet-derived growth factor receptor α (PDGFRA) mutations in contrast to a mutation rate of 80% in adult GISTs. However, some therapeutic inhibitors of KIT have efficacy in pediatric GIST, suggesting that KIT may, nevertheless, play an important role in oncogenesis.

Cited by: 171 Author: Katherine A. Janeway, Bernadette Liegl, ...

Publish Year: 2007

(PDF) Pediatric KIT–Wild-Type and Platelet-Derived Growth ...

https://www.researchgate.net/publication/5936064_Pediatric_KIT-Wild-Type_and_Platelet...

Pediatric KIT–Wild-Type and Platelet-Derived Growth Factor Receptor α –Wild-Type Gastrointestinal Stromal Tumors Share KIT Activation but ...

Correlation of KIT and platelet-derived growth factor ...

<https://www.nature.com/articles/1208358>

Dec 27, 2004 · Kang, H., Nam, S., Kim, H. et al. Correlation of KIT and platelet-derived growth factor receptor α mutations with gene activation and expression profiles in gastrointestinal stromal tumors.

Cited by: 116 Author: Hyun Ju Kang, Suk Woo Nam, Hyunki Ki...

Publish Year: 2005

A new case of Carney triad: gastrointestinal stromal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1861758>

A new case of Carney triad: gastrointestinal stromal tumours and leiomyoma of the oesophagus do not show activating mutations of KIT and platelet-derived growth factor receptor α S Knop , M Schupp , E Wardelmann , D Stueker , M S Horger , L Kanz , H Einsele , and S M Kroeber

Cited by: 21 Author: S Knop, M Schupp, E Wardelmann, D St...

Publish Year: 2006

Therapeutic Consequences from Molecular Biology for ...

clincancerres.aacrjournals.org/content/14/14/4550 ▾

Jul 15, 2008 · NF-1–associated GISTs are usually wild type for c-KIT and platelet-derived growth factor receptor- α (PDGFR- α) mutations and harbor a different oncogenic molecular mechanism. The lack of data on imatinib activity raises the question whether to enroll these patients in clinical trials.

Published in: [Clinical Cancer Research](#) · 2008

See results for

PDGFRA

PDGFRA, i.e. platelet-derived growth factor receptor A, also termed PDGFR α , i.e. platelet-derived growth factor receptor α , is a receptor loca...