

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 1,610 条结果 (用时 0.59 秒)

[PDF]

1 MENC VACCINATION IN CHILDREN; THE DUTCH EXPERIENCE F ...<https://espid.kenes.com/Documents/ESPID2012%20ABSTRACTS.pdf>

Bacterial conjugate vaccines were developed to control the severe burden of disease caused by ... clear that for many of the diseases prevention in children will be one of the most ... CMV was the most frequent serologically proved viral infection. ... retrospective nested case-control study, fever was defined as a body ...

[PDF]

GBD 2016 Disease and Injury Incidence and Prevalence ...https://research-information.bristol.ac.uk/files/.../1_s2.0_S0140673617321542_mmc1.p...

1990-2016: a systematic analysis for the Global Burden of Disease Study ... Appendix Table 9: Socio-demographic Index values for all estimated GBD locations, ... is possible, as is the case with sudden infant death syndrome; because ... The final relationship between SF-12 score and disability weight is shown below:.

children scored significantly: Topics by Science.gov<https://www.science.gov/topicpages/c/children+scored+significantly.html>

Both Brighton and COAST PEWS scores performed similarly. A score of ≥ 3 has ... youngest children. Girls in this study showed significantly more trait anxiety than boys. ... Risk prediction score for death of traumatised and injured children ... Non-parametric methods were used to assess case-control associations. Results ...

[PDF]

Abstract Bookhttps://www.eiseverywhere.com/.../9206db9fe962868d47f709b38365ec5e_9349_abst... ▼

2013年10月10日 - Several studies support the hypothesis that changes in the activity of the ... The aim is to investigate the relations between early ... Keywords: neonatal sepsis, PCT, CRP, WBC, I/T index, Blood ... children admitted in PEW and PICU. ... Design/Methods: A retrospective nested case-control study of 23 ...

Bookshelf NBK361907 | Maternal Death | Abortion - Scribd<https://pt.scribd.com/document/337705485/Bookshelf-NBK361907>

Disease Control Priorities Reproductive, Maternal, Neonatal and Child Health ... Signs Study Group Abbreviations xvii . and child health relative risk ready-to-use ... toxoid vaccination Hypertensive disorder case management Maternal sepsis case ... Maternal. consumer price index data (World Bank World Development ...

Full text of "Emerging Infectious Diseases Volume 9 Issue 2"https://archive.org/.../emerging-infectious-diseases-volume-9-issue-2_djvu.tx... ▼ 翻译此页

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 44785

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

**Nested case-control study of the relationship between multiple serological index,
Brighton pediatric early warning score and death of children with sepsis**

Xie X *et al.* Relationship between PEWS and children with sepsis

Xiong Xie, Ming Li, Tian-Tian Xiong, Rui Wang, Liang Xiao

Abstract

BACKGROUND

Match Overview

2 matches

1 Internet 30 words
crawled on 07-Nov-2018
www.spandidos-publications.com

1%
SIMILAR

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 1,900 条结果 (用时 0.38 秒)

[PDF]

1 MENC VACCINATION IN CHILDREN; THE DUTCH EXPERIENCE F ...<https://espid.kenes.com/Documents/ESPID2012%20ABSTRACTS.pdf>

clear that for **many** of the diseases prevention in **children** will be one of the The evidence describing the **relationships between** pharmacokinetic (PK) and pharmacodynamic (PD) CMV was the most frequent **serologically** proved viral infection. retrospective **nested case-control study**, fever was defined as a body ...

[PDF]

GBD 2016 Disease and Injury Incidence and Prevalence ...https://research-information.bristol.ac.uk/files/.../1_s2.0_S0140673617321542_mmc1.p...

1990-2016: a systematic analysis for the Global Burden of Disease **Study** Appendix Table 9: Socio-demographic **Index** values for all estimated GBD locations, is possible, as is the **case** with sudden infant **death** syndrome; because The final **relationship between** SF-12 score and disability weight is shown below:..

Full text of "New England Journal Medicine(226)1-26" - Internet Archivehttps://archive.org/.../in.../2015.67743.New-England-Journal-Medicine2261-26_djvu.txt

Disease **Control** [Anderson & Arnstein] 670 Comroe, B I 51 1 Disidson, L S P 250 DaMs 339 , ' ; **INDEX TO VOLUME 226** Hematology: Diseases other than anemia He cites, in addition, **several** nonfatal **cases** in which the explosion of large ... **study**, because of its intimate **connection** widi con- cu.s.sion and **with the** ...

children scored significantly: Topics by Science.gov<https://www.science.gov/topicpages/c/children+scored+significantly.html>

Both **Brighton** and COAST **PEWS** scores performed similarly. A score of ≥ 3 has ... youngest **children**. Girls in this **study** showed significantly more trait anxiety than boys. ... Risk prediction score for **death** of traumatised and injured **children** Non-parametric methods were used **to** assess **case-control** associations. Results ...

observational cohort study: Topics by Science.gov<https://www.science.gov/topicpages/o/observational+cohort+study>

Observational **Studies**: Cohort and **Case-Control Studies** We aimed **to** recruit as **many** hospitals as possible using a convenience sampling This **association** was stronger **among** patients **with a** lower risk of **death**: OR 5.50 (95% More adults than **children** had at least one clinical symptom (505 [78%] vs 101 [64%], ...

找到约 3,410 条结果 (用时 0.62 秒)

38th International Symposium on Intensive Care and Emergency ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5883106/>

作者 : V Herwanto - 2018

2018年3月29日 - The **sepsis** patients experienced **death** in 36 **cases** (27%), secondary ... To assess the **association between** acid-base disturbances and outcome, **Several studies** have discussed the imbalance and loss of the diversity of stay in intensive care unit for newborns and **children** of the **first** year of life after ...

Intensive Care Society State of the Art 2016 Abstracts - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5606498/>

Design: As randomized **controlled** trials are not feasible for this **study**, Trends in mortality for patients admitted **to** ICU with **sepsis** 2000 **to** 2025. There were also fewer instances of **multiple** critical care reviews prior **to** admission. new CPR was compared **to** qSOFA, the National **Early Warning Score** and Systematic ...

[PDF]

Okomo, UA (2018) Neonatal Infections; a hospital-based study in The ...

researchonline.lshtm.ac.uk/4646824/1/2017_EPH_PhD_Okomo_U.pdf

作者 : UA Okomo - 2018 - [相关文章](#)

2017年10月9日 - A hospital-based matched **case-control study** was undertaken in the three main referral health facilities in The Gambia to describe neonatal infection Consequently, the proportion of **child deaths** which occur in the The **Brighton** The close **relationship between** mothers and their newborns leads to ...

[PDF]

1 MENC VACCINATION IN CHILDREN; THE DUTCH EXPERIENCE F ...

<https://espid.kenes.com/Documents/ESPID2012%20ABSTRACTS.pdf>

One key Belgian **study** (213 confirmed **cases**; 276 matched **controls**) ... 90% of European **children** will become infected with VZV in the **first** 10-12 years of life. The evidence describing the **relationships between** pharmacokinetic (PK) and A risk **index score**, the Lab-**score**, associated CRP, procalcitonin and urinary.

[PDF]

espid 2011

<https://espid.kenes.com/Documents/ESPID2011%20ABSTRACTS.pdf>

virus transmission, as well as reduced numbers of influenza-related **deaths**. **Children** are vulnerable **to** rotavirus infection from an **early** age with about 16% (Europe) and ... Placebo-**controlled** clinical **studies** have demonstrated that the human reported **association** with **many** or most fatal **cases** of