

**8** **Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 52068

**Manuscript Type:** CASE REPORT

**An unexplained huge liver infarction presenting as a tumor with bleeding: A case report**

Fu-Hai Wang, Ning-Ning Yang, Feng Liu, Hu Tian

**Abstract**

**BACKGROUND**

Liver infarction is a rare necrotic lesion due to the dual blood supply consisting of the hepatic artery and portal vein. The absence of specific clinical manifestations and imaging appearances usually leads to misdiagnosis and poor prognosis. Thus, the precise diagnosis of liver infarction always requires imaging studies, serum studies and possible liver biopsy.

**CASE SUMMARY**

We report a case of 31-year-old man who developed a huge liver infarction. Persistent right upper abdominal pain and intermittent fever were the main symptoms in this patient. Computed tomography revealed a huge irregular lesion with a maximum diameter of 12.7 cm in the right lobe of the liver. Three-dimensional reconstruction was performed and no significant interruption of the main hepatic vessels was observed. The lesion was initially considered to be a malignant tumor with internal bleeding.

**Match Overview**

<b>1</b>	<b>Crossref</b> 31 words Meng Y. Wang, Darryn R. Potosky, Sandeep Khurana. "Li ... r infarction after transjugular intrahepatic portosystemic shu	2%
<b>2</b>	<b>Internet</b> 17 words crawled on 16-Apr-2018 <a href="http://www.auntminnie.com">www.auntminnie.com</a>	1%
<b>3</b>	<b>Crossref</b> 16 words B. R. Arun, S. Padma, Arati Mallick, P. Shanmuga Sundara m. "Unsuspected Right Lobe Liver Infarction in Byler's Dis...	1%
<b>4</b>	<b>Crossref</b> 14 words Haim Mayan. "Fatal liver infarction after transjugular intrah ... patic portosystemic shunt procedure", <i>Liver International</i> , 1	1%
<b>5</b>	<b>Internet</b> 13 words crawled on 05-Nov-2017 <a href="http://www.geetha.mil.gr">www.geetha.mil.gr</a>	1%
<b>6</b>	<b>Internet</b> 12 words crawled on 17-Feb-2020 <a href="http://pubs.rsna.org">pubs.rsna.org</a>	1%
<b>7</b>	<b>Internet</b> 12 words crawled on 18-Mar-2019 <a href="http://epdf.tips">epdf.tips</a>	1%
<b>8</b>	<b>Internet</b> 12 words	1%



An unexplained huge liver infarction presenting as a tumor wi



ALL

IMAGES

VIDEOS

关闭取词

16,000 Results

Any time ▾

## Torsion of a Giant Pedunculated Hemangioma of the Liver ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5068247>

Pedunculated hemangioma of the **liver** is an uncommon benign **tumor**, a rare differential diagnosis for a mass located in the upper abdomen. All incidentally detected pedunculated hemangiomas must be surgically managed, as these have a tendency to become torsioned, and there is ...

**Cited by:** 2

**Author:** Aliasghar Darzi, Hassan Taheri, Sekineh Ka...

**Publish Year:** 2016

## Solitary fibrous tumor of the pancreas: Case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4919714>

Jun 27, 2016 · Solitary fibrous **tumor** (SFT) is a mesenchymal **tumor** typically located in the pleura, but can also be found as an asymptomatic mass in other areas, including the **liver**, peritoneum, kidney and salivary glands. However, SFT rarely locates in the pancreas. We **present** such a **case** of pancreatic SFT, along with a **review** of all reported cases.

**Cited by:** 7

**Author:** Daniel Paramythiotis, Konstantinia Kofina, ...

**Publish Year:** 2016

## Spontaneous rupture of hepatic hemangiomas: A review of

国内版

国际版

An unexplained huge liver infarction presenting as a tum



ALL

IMAGES

VIDEOS

44,600 Results

Any time ▾

## Torsion of a Giant Pedunculated Hemangioma of the Liver ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5068247>

Pedunculated hemangioma of the **liver** is an uncommon benign **tumor**, a rare differential diagnosis for a mass located in the upper abdomen. All incidentally detected pedunculated hemangiomas must be surgically managed, as these have a tendency to become torsioned, and there is also a risk of malignancy or rupture.

**Cited by:** 2

**Author:** Aliasghar Darzi, Hassan Taheri, Sekineh ...

**Publish Year:** 2016

## [PDF] CASE REPORT Hepatic arterial embolization for massive ...

<https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.1432-2277.2010.01186.x>

**CASE REPORT** Hepatic arterial embolization for massive **bleeding** from an ... **tumor** (2 cm) in segment 4 of the **liver**. There was unre-markable finding in the preoperative imaging of the ... tomography angiography did not show any **infarction** in the **liver** graft and there was a marked decrease in the size of the hematoma (Fig. 1b). At 6 months post ...

**Cited by:** 8

**Author:** Hsin-You Ou, Allan M. Concejero, Chun-Y...

**Publish Year:** 2011

## [PDF] Torsion of a Giant Pedunculated Hemangioma of the ...

<https://pdfs.semanticscholar.org/b921/686f495a9f33a152ed7509487756bf69aa43.pdf>

Torsion of a Giant Pedunculated Hemangioma of the **Liver Presenting** With Acute Abdomen: **A Case Report** Aliasghar Darzi,<sup>1</sup> Hassan Taheri,<sup>2</sup> Sekineh Kamali Ahangar,<sup>3</sup> Alameh Mirzapour Shafiei,<sup>4</sup> and Yasser Asghari<sup>1,\*</sup> <sup>1</sup>Department of Surgery, Shahid Beheshti Hospital, Babol University of Medical



44,300 Results Any time ▾

### Torsion of a Giant Pedunculated Hemangioma of the Liver ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5068247>

Pedunculated hemangioma of the **liver** is an uncommon benign **tumor**, a rare differential diagnosis for a mass located in the upper abdomen. All incidentally detected pedunculated hemangiomas must be ... +

**Cited by:** 2 **Author:** Aliasghar Darzi, Hassan Taheri, Sekineh ...

**Publish Year:** 2016

### [PDF] Torsion of a Giant Pedunculated Hemangioma of the Liver ...

<https://pdfs.semanticscholar.org/b921/686f495a9f33a152ed7509487756bf69aa43.pdf>

Torsion of a Giant Pedunculated Hemangioma of the **Liver Presenting** With Acute Abdomen: **A Case Report** Aliasghar Darzi,1 Hassan Taheri,2 Sekineh Kamali Ahangar,3 Alameh Mirzapour ... +

### Complete pathological response of multiple huge liver ...

<https://academic.oup.com/omcr/article/2017/5/omx016/3858727>

**CT scan** after 9 cycles revealed a reduction in the size of the **liver tumors** except one in segment 6 (9.3 cm → 3.8 cm in segment 7, 9.0 cm → 4.4 cm in segment 8, 1.0 cm → 1.0cm in segment 6), and ... +

**Author:** Keishi Hakoda, Masanori Yoshimitsu, ... **Publish Year:** 2017

### Surgical treatment of liver cirrhosis and hypersplenism ...

<https://www.sciencedirect.com/science/article/pii/S2405857217300062>

**Accessory spleens** which are common and separate from the main body of the **spleen**, are the **healthy splenic tissues** and usually smaller than 2cm. Here, we report a case of **liver cirrhosis** and ... +

**Author:** Bo Zhuang, Shian Yu, Ruyan Jin, Dao... **Publish Year:** 2017

### Imaging of Nontraumatic Hemorrhagic Hepatic Lesions ...

<https://pubs.rsna.org/doi/full/10.1148/radiographics.20.2.g00mc10367>

In the absence of trauma or **anticoagulant therapy**, **hepatic hemorrhage** may be due to underlying **liver disease**. The most common causes of **nontraumatic hepatic hemorrhage** are ... +

**Cited by:** 150 **Author:** Victor Casillas, Marco A. Amendola, Ana ...

**Publish Year:** 2000

### Cancer-related multiple brain ... - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5011467>

The patient developed repeated recurrences of the **infarction** with the progression of **liver metastases**