

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 54743

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Analysis of magnetic resonance imaging misdiagnosis before operation to minimal-fat angiomyolipoma

Xiao-Long Li *et al.* MRI misdiagnosis analysis of minimal-fat angiomyolipoma

Match Overview

There are no matching sources for this report.

Analysis of magnetic resonance imaging misdiagnosis be



ALL

IMAGES

VIDEOS

345,000 Results

Any time ▾

Angiomyolipoma: imaging findings in lesions with minimal fat.

<https://pubs.rsna.org/doi/10.1148/radiology.205.2.9356635>

PURPOSE: To investigate a method of diagnosing **angiomyolipoma** that contains minimal fat.

MATERIALS AND METHODS: In six cases of **angiomyolipoma** with minimal fat, the attenuation on contrast material-enhanced and unenhanced computed tomographic (CT) images, the echogenicity on sonograms, the signal intensity on T2-weighted **magnetic resonance** (MR) images, and the gross ...

Cited by: 343

Author: Masahiro Jinzaki, Akihiro Tanimoto, Yoshi...

Publish Year: 1997

Chemical shift magnetic resonance imaging for ...

<https://www.ncbi.nlm.nih.gov/pubmed/29178029>

1. Eur Radiol. 2018 May;28(5):1854-1861. doi: 10.1007/s00330-017-5141-0. Epub 2017 Nov 24.

Chemical shift **magnetic resonance imaging** for distinguishing minimal-fat renal **angiomyolipoma** from renal cell carcinoma: a meta-analysis.

Cited by: 2

Author: Ling-Shan Chen, Zheng-Qiu Zhu, Zhi-Tao...

Publish Year: 2018



Analysis of magnetic resonance imaging misdiagno



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

351,000 Results Any time ▾

[Angiomyolipoma: imaging findings in lesions with minimal fat.](#)

<https://pubs.rsna.org/doi/10.1148/radiology.205.2.9356635>

PURPOSE: To investigate a method of diagnosing **angiomyolipoma** that contains minimal fat.

MATERIALS AND METHODS: In six cases of **angiomyolipoma** with minimal fat, the attenuation on contrast material-enhanced and unenhanced computed tomographic (CT) images, the echogenicity on sonograms, the signal intensity on T2-weighted **magnetic resonance** (MR) images, and the gross ...

Cited by: 343 **Author:** Masahiro Jinzaki, Akihiro Tanimoto, Yoshi...

Publish Year: 1997

[Chemical shift magnetic resonance imaging for ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/29178029>

1. Eur Radiol. 2018 May;28(5):1854-1861. doi: 10.1007/s00330-017-5141-0. Epub 2017 Nov 24.

Chemical shift **magnetic resonance imaging** for distinguishing minimal-fat renal **angiomyolipoma** from renal cell carcinoma: a meta-analysis.

Cited by: 2 **Author:** Ling-Shan Chen, Zheng-Qiu Zhu, Zhi-Tao...

Publish Year: 2018

[Renal epithelioid angiomyolipoma: magnetic resonance ...](#)

<https://link.springer.com/article/10.1007/s00261-018-1548-6> ▾

Mar 10, 2018 · The aim of the study was to **analyze MR imaging** features of **renal epithelioid angiomyolipoma** (EAML). This study included 17 patients with histopathologically confirmed **renal EAML** who underwent **renal MRI scanning before radical** or partial nephrectomy. **MR images** were retrospectively reviewed and correlated with pathological findings.

Cited by: 1 **Author:** Xinying Cong, Xinying Cong, Jin Zhang, ...

Publish Year: 2018

[Intensity ratio curve analysis of small renal masses on T2 ...](#)