

13%



Name of Journal: World Journal of Clinical Cases

Manuscript NO: 54826

Manuscript Type: REVIEW

Relevance on the diagnosis of malignant lymphoma of the salivary gland

Zhang XY et al. Malignant lymphoma/salivary gland

Xin-Yue Zhang, Zhi-Ming Wang

Abstract

Malignant lymphoma is a malignant tumor originating from the lymphohematopoietic system. It can occur in any lymphoid tissue. Malignant lymphoma of the salivary gland is rare, but its incidence has increased in recent years. Its clinical manifestations lack specificity, and it is often manifested as a painless mass in a salivary gland, which can be accompanied by multiple swollen cervical lymph nodes. Confirmation of the diagnosis before an invasive procedure is difficult. Clinically, malignant lymphoma of the salivary gland tends to be misdiagnosed, leading to an inappropriate treatment plan and the ultimate delay in the best treatment of the disease. This article reviews the pathogenesis, clinical features, imaging findings, diagnosis, treatment and prognosis of malignant lymphoma of the salivary gland.

			SIMILAR
	Ma	tch Overview	
	4		
	1	Internet 43 words crawled on 08-Sep-2003 www.haematologica.org	1%
	2	Internet 34 words crawled on 26-Mar-2020 onlinelibrary.wiley.com	1%
	3	Crossref 27 words Jeff Hosry, Roberto N. Miranda, Felipe Samaniego, Minas P. Economides, Harrys A. Torres. "Clinicopathologic char	1%
	4	Internet 26 words crawled on 26-Jan-2010 bloodjournal.hematologylibrary.org	1%
	5	Internet 26 words crawled on 08-Mar-2020 link.springer.com	1%
	6	Internet 25 words crawled on 08-Sep-2017 www.redalyc.org	1%
	7	Internet 19 words crawled on 08-Mar-2020 www.wjgnet.com	1%
	8	Internet 18 words crawled on 10-Feb-2018 www.birpublications.org	1%





Add the Give with Bing extension >

Research progress on malignant lymphoma of the salivar

IMAGES **VIDEOS**

120,000 Results

Any time ▼

Sonographic appearances of malignant lymphoma of the ... https://onlinelibrary.wiley.com/doi/abs/10.1002/jcu.10015

Primary lymphoma was found in 1 parotid gland and 2 submandibular glands. The remaining 4 cases were secondary lymphomas. One patient had been diagnosed with Sjögren's syndrome and had been followed up with sonography. In parotid glands, both parenchymal and intraparotid nodal lymphomas

Author: Mayumi Yasumoto, Ryouichi Yoshimura, ... Cited by: 21

Publish Year: 2001

Extended report: Lymphoid organisation in labial salivary ...


https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3128323

Aug 01, 2011 - Lymphoid organisation in labial salivary gland biopsies is a possible predictor for the development of malignant lymphoma in primary Sjögren's syndrome Elke Theander, 1 Lilian Vasaitis, 2 Eva Baecklund, 2 Gunnel Nordmark, 2 Gunnar Warfvinge, 3 Rolf Liedholm, 4 Karl Brokstad, 5 Roland Jonsson, 5, 6 and Malin V Jonsson 5, 7


Cited by: 377 Author: Elke Theander, Lilian Vasaitis, Eva Baeck...


Publish Year: 2011

Images of research Progress on malignant Lymphoma of the ... bing.com/images











5

Relevance on the diagnosis of malignant lymphoma of the saliv





Q

ALL

IMAGES

VIDEOS

460,000 Results

Any time ▼

Diagnosis and Treatment of Malignant Lymphoma of the ...

https://academic.oup.com/jjco/article/28/4/245/799165 •

<

Introduction

Materials and Methods

Results

Discussion

)

It has been reported that primary tumors of the parotid gland show no characteristic features in diagnostic imaging, reflecting none of their histological findings (1). Therefore, it is difficult to differentiate benign conditions from malignant tumors and most patients are subjected to surgical procedures before a definitive diagnosis has been made. The head and neck region is the most common site where malignant lymphomas occur, but malignant lymphoma of the parotid gland is r...

See more on academic.oup.com

Cited by: 15 Author: Naoki Hirokawa, Masato Hareyama, Hi...

Publish Year: 1998 Published: Apr 01, 1998

Salivary gland cancer: Symptoms, causes, diagnosis, and ...

https://www.medicalnewstoday.com/articles/216164 -

Sep 30, 2019 · Salivary gland tumors can include cancers of the blood and lymphatic system, such as non-Hodgkin lymphoma. Benign tumors do not spread locally or ...

Author: Michael Paddock

Is salivary gland swelling a lymphoma? What is the prognosis of salivary gland cancer? What is the percentage of lymphoma in the salivary gland? Can a salivary gland tumor cause neck lymph node metastasis?

Q

ALL IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

454,000 Results

Any time ▼

Diagnosis and Treatment of Malignant Lymphoma of the ...

https://academic.oup.com > jjco > article > 28 > 4 > 245 > 799165

Introduction

Materials and Methods

Results

Discussion

Ab >

It has been reported that primary tumors of the parotid gland show no characteristic features in diagnostic imaging, reflecting none of their histological findings (1). Therefore, it is difficult to differentiate benign conditions from malignant tumors and most patients are subjected to surgical procedures before a definitive diagnosis has been made. The head and neck region is the most common site where malignant lymphomas occur, but malignant lymphoma of the parotid gland is relatively rare...

See more on academic.oup.com

Cited by: 15 Author: Naoki Hirokawa, Masato Hareyama, Hide...

Publish Year: 1998 Published: Apr 01, 1998

Salivary gland cancer: Symptoms, causes, diagnosis, and ...

https://www.medicalnewstoday.com > articles > 216164

Sep 30, 2019 · Salivary gland tumors can include cancers of the blood and lymphatic system, such as non-Hodgkin lymphoma. Benign tumors do not spread locally or to distant parts of the body.

Author: Michael Paddock

