Name of Journal: World Journal of Clinical Cases

Manuscript NO: 54391

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Thalidomide for refractory gastrointestinal bleeding from vascular malformations in patients with significant comorbidities

Bayudan AM et al. Thalidomide for gastrointestinal bleeding

Alexis Mae Bayudan, Chien-Huan Chen





Thalidomide for Refractory Gastrointestinal Bleeding from





ALL

IMAGES

VIDEOS

27,200 Results

Any time ▼

Thalidomide is an effective and relatively safe treatment for patients with refractory bleeding from gastrointestinal vascular malformations. Mechanisms of thalidomide activity might involve vascular endothelial growth factor.

Efficacy of Thalidomide for Refractory Gastrointestinal ... www.gastrojournal.org/article/S0016-5085(11)00982-6/fulltext

Was this helpful?





Efficacy of Thalidomide for Refractory Gastrointestinal ...

https://www.sciencedirect.com/science/article/pii/S0016508511009826

Thalidomide is an effective and relatively safe treatment for patients with refractory bleeding from gastrointestinal vascular malformations. Mechanisms of thalidomide activity might involve vascular endothelial growth factor.

Cited by: 169

Author: Zhi-Zheng Ge, Hui-Min Chen, Yun-Jie G ...

Publish Year: 2011



Thalidomide for refractory gastrointestinal bleeding from vascula





ALL

IMAGES

VIDEOS

28,600 Results

Any time ▼

Thalidomide is an effective and relatively safe treatment for patients with refractory bleeding from gastrointestinal vascular malformations. Mechanisms of thalidomide activity might involve vascular endothelial growth factor.

Author: Zhi-Zheng Ge, Hui-Min Chen, Yun-Jie Gao, Wen-Zhong Liu, Chun-Hong Xu, Hong-Hong

Tan, Hai-Ying Chen, ...

Cited by: 169

Publish Year: 2011

Efficacy of Thalidomide for Refractory Gastrointestinal ...

F www.sciencedirect.com/science/article/pii/S0016508511009826

Was this helpful?





Efficacy of Thalidomide for Refractory Gastrointestinal ...

https://www.sciencedirect.com/science/article/pii/S0016508511009826 Thalidomide is an effective and relatively safe treatment for patients with refractory bleeding from gastrointestinal vascular malformations. Mechanisms of thalidomide activity might involve

vascular endothelial growth factor.

Cited by: 169 Author: Zhi-Zheng Ge, Hui-Min Chen, Yun-Jie ...

Publish Year: 2011

Thalidomide Effective for Refractory Bleeding from ...

https://www.jwatch.org/.../2011/09/09/thalidomide-effective-refractory-bleeding -Sep 09, 2011 · Nonetheless, in this randomized, controlled trial, thalidomide had an impressive effect on intestinal bleeding from gastrointestinal vascular malformations and could represent an important treatment option for patients with recurrent or refractory bleeding.

Author: Douglas K. Rex Publish Year: 2011



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

29,100 Results

Any time ▼

Thalidomide is an effective and relatively safe treatment for patients with refractory bleeding from gastrointestinal vascular malformations. Mechanisms of thalidomide activity might involve vascular endothelial growth factor.

Author: Zhi-Zheng Ge, Hui-Min Chen, Yun-Jie Gao, Wen-Zhong Liu, Chun-Hong Xu, Hong-Hong Tan,

Hai-Ying Chen, ...

Cited by: 178

Publish Year: 2011

Efficacy of Thalidomide for Refractory Gastrointestinal ...

F www.sciencedirect.com/science/article/pii/S0016508511009826

Was this helpful?







https://www.sciencedirect.com/science/article/pii/S0016508511009826

Thalidomide is an effective and relatively safe treatment for patients with refractory bleeding from gastrointestinal vascular malformations. Mechanisms of thalidomide activity might involve vascular endothelial growth factor.

Cited by: 178 Author: Zhi-Zheng Ge, Hui-Min Chen, Yun-Jie G...

Publish Year: 2011

Thalidomide Effective for Refractory Bleeding from ...

https://www.jwatch.org/.../2011/09/09/thalidomide-effective-refractory-bleeding

Sep 09, 2011 · Every experienced gastroenterologist has encountered patients who have refractory bleeding from gastrointestinal vascular malformations and are dependent on iron replacement or blood transfusion. Now, in an open-label, randomized trial, researchers in China investigated the efficacy and safety of administering thalidomide in 55 patients with bleeding that was unresponsive or unsuited to Irealment by means such as endoscopy, colonoscopy, and double-balloon enteroscopy.