

Match Overview

1	Internet 16 words crawled on 05-Jun-2020 bmccresnotes.biomedcentral.com	1%
2	Internet 14 words crawled on 20-Jun-2019 f6publishing.blob.core.windows.net	1%

2 **Name of Journal:** *World Journal of Clinical Cases*

Manuscript NO: 56797

Manuscript Type: CASE REPORT

Diagnostic value of ultrasound in the spontaneous rupture of renal angiomyolipoma during pregnancy: A case report

Tong Zhang, Shuai Xue, Zheng-Min Wang, Xiu-Mei Duan, Dong-Xuan Wang



Diagnostic value of ultrasound in the spontaneous



Sign in



ALL

IMAGES

VIDEOS

18,900 Results

Any time

Rapture of renal angiomyolipoma during pregnancy: a case ...

<https://casesjournal.biomedcentral.com/articles/10.1186/1757-1626-1-245>

Oct 17, 2008 · Rapture of a **renal angiomyolipoma** and massive retroperitoneal hemorrhage, **during pregnancy** is rare and occasionally fatal. The association of this complication with **pregnancy** has been reported sporadically in the literature. We **report a case** of a 28 years old woman, in 33 week of her first **pregnancy** who came to our hospital complaining of abdominal pain in the right hemiabdomen, ...

Cited by: 14

Author: Stylianos Kontos, Vasilios Politis, Ioannis ...

Publish Year: 2008

Rupture of renal angiomyolipoma during pregnancy: A case ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6066865>

Madam, **Renal** angiomyolipomas (AMLs) are uncommon benign tumors composed of fat cells, smooth muscle cells, and blood vessels.[1,2] Although regarded as benign, their concomitance with **pregnancy** makes it more prone to increased vascularity and subsequent **rupture**. [3,4] The incidence of **renal** AML is 0.3% in the general population and represents 3% of solid **renal** masses,[] being even more ...

Rapture of renal angiomyolipoma during pregnancy: a case ...

<https://casesjournal.biomedcentral.com/articles/10.1186/1757-1626-1-245> s/PMC2576180

Angiomyolipoma

Benign Tumour

Angiomyolipomas are the most common benign tumour of the kidney. Although regarded as benign, angiomyolipomas may grow such that kidney function is impaired or the blood vessels may dilate and burst, leading to bleeding.



Wikipedia

People also search for

Lipoma

Leiomyoma

Pleomorphic adenoma

Transitional cell carcinoma

Rhabdomyoma



ALL

IMAGES

VIDEOS

22,700 Results

Any time ▾

[Rupture of renal angiomyolipoma during pregnancy: a case ...

<https://pubmed.ncbi.nlm.nih.gov/20519923>

A 39-year-old woman, who was followed because of a 4 cm asymptomatic **angiomyolipoma** (AML) in the left **kidney**, presented with an acute onset of lower left back pain in the 38th week of her first **pregnancy**. An **ultrasound** revealed an 8 cm mass suggestive of AML **rupture** and retroperitoneal hemorrhage. A ...

Rupture of renal angiomyolipoma during pregnancy: A case ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6066865>

Madam, **Renal** angiomyolipomas (AMLs) are uncommon benign tumors composed of fat cells, smooth muscle cells, and blood vessels.[1,2] Although regarded as benign, their concomitance with **pregnancy** makes it more prone to increased vascularity and subsequent **rupture**. [3,4] The incidence of **renal** AML is 0.3% in the general population and represents 3% of solid **renal** masses,[] being even more ...

Author: Shivika Nath, Suneva Sadhu, Dipanka... **Publish Year:** 2018

Spontaneous rupture of renal angiomyolipoma during ...

<https://www.ncbi.nlm.nih.gov/pubmed/25184352>

We report a case of a pregnant woman with 18 weeks of gestation admitted in the emergency room with an **acute right low back pain** with no other symptoms. The diagnosis of rupture of renal angiomyolipoma

Angiomyolipoma

Benign Tumour

Angiomyolipomas are the most common benign tumour of the kidney. Although regarded as benign, angiomyolipomas may grow such that kidney function is impaired or the blood vessels may dilate and burst, leading to bleeding.



People also search for

[Lipoma](#)

[Leiomyoma](#)

[Pleomorphic adenoma](#)

[Transitional cell carcinoma](#)

[Rhabdomyoma](#)

[ALL](#) [IMAGES](#) [VIDEOS](#) [MAPS](#) [NEWS](#) [SHOPPING](#)

22,800 Results Any time ▾

[Rupture of renal angiomyolipoma during pregnancy: A case ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6066865>

Madam, **Renal** angiomyolipomas (AMLs) are uncommon benign tumors composed of fat cells, smooth muscle cells, and blood vessels.[1,2] Although regarded as benign, their concomitance with **pregnancy** makes it more prone to increased vascularity and subsequent **rupture**. [3,4] The incidence of **renal** AML is 0.3% in the general population and represents 3% of solid **renal** masses,[] being even more ...

Author: Shivika Nath, Suneva Sadhu, Dipanka... **Publish Year:** 2018

[\[Rupture of renal angiomyolipoma during pregnancy: a case ...](#)

<https://pubmed.ncbi.nlm.nih.gov/20519923>

A 39-year-old woman, who was followed because of a 4 cm asymptomatic **angiomyolipoma** (AML) in the left **kidney**, presented with an acute onset of lower left back pain in the 38th week of her first **pregnancy**. An **ultrasound** revealed an 8 cm mass suggestive of AML **rupture** and retroperitoneal hemorrhage. A ...

[Rapture of renal angiomyolipoma during pregnancy: a case ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2576180>

To the best of our knowledge, **during** the past 10 years only three cases of massive retroperitoneal hemorrhage, resulting from **rupture** of a **renal angiomyolipoma during pregnancy** have occurred. In addition of **report** of this rare medical **case** we include brief comments of pathophysiology, **diagnosis** and treatment of this rare tumor.

Cited by: 14 **Author:** Stylianos Kontos, Vasilios Politis, Ioannis ...**Publish Year:** 2008

[Rapture of renal angiomyolipoma during pregnancy: a case ...](#)

<https://casesjournal.biomedcentral.com/articles/10.1186/1757-1626-1-245> ▾

Oct 17, 2008 · Rapture of a **renal angiomyolipoma** and massive retroperitoneal hemorrhage, **during pregnancy** is rare and occasionally fatal. The association of this complication with **pregnancy** has been reported sporadically in the literature. We **report a case** of a 28 years old woman, in 33 week of her first **pregnancy** who came to our hospital complaining of abdominal pain in the right hemiabdomen, ...

Cited by: 14 **Author:** Stylianos Kontos, Vasilios Politis, Ioannis ...**Publish Year:** 2008