

Match Overview

1	Internet 12 words crawled on 16-Jul-2020 escholarship.org	1%
2	Internet 10 words crawled on 10-Sep-2020 www.vjgnet.com	<1%
3	Crossref 6 words Hao Jiang, Chong Jin, Jing-Gang Mo, Lie-Zhi Wang, Lei M... Kun-Peng Wang. "Rare recurrent gallstone ileus: A case rep	<1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 57387

Manuscript Type: CASE REPORT

Paliperidone palmitate-induced facial angioedema: A case report

Srifuengfung M *et al.* Paliperidone and angioedema

Maytinee Srifuengfung, Thanisorn Sukakul, Chanika Liangcheep, Natee Viravan

Abstract

BACKGROUND

Paliperidone palmitate is a once-monthly injectable, atypical antipsychotic. To our knowledge, there has been only one report of paliperidone palmitate-induced angioedema presenting with acute laryngeal edema with subsequent respiratory arrest. Here, we present a case report of paliperidone palmitate-induced angioedema with a relatively mild clinical presentation compared with the previously reported case, and



Paliperidone palmitate-induced facial angioedema: A case report



ALL

IMAGES

VIDEOS

21,000 Results

Any time ▾

Angioedema caused by oral paliperidone augmentation in the major depressive disorder treatment: a case report Angioedema is a rare but life-threatening condition characterized by swelling in subcutaneous tissues and mucosa. Paliperidone is an effective treatment option for treatment-resistant patients with depression.

[Angioedema Caused by Oral Paliperidone Augmentation in ...
pubsciences.org/pdf/EN-JMOOD-e3dac6c4.pdf](https://pubsciences.org/pdf/EN-JMOOD-e3dac6c4.pdf)

Was this helpful?



PEOPLE ALSO ASK

Is paliperidone a renal drug? ▾

Can I take risperidone with paliperidone? ▾

Is paliperidone used for dementia? ▾

What is paliperidone extended release? ▾

Feedback

A case of paliperidone-palmitate-induced tardive ...

<https://www.sciencedirect.com/science/article/pii/S0163834312001429>

Mar 01, 2013 · We report the case of a 49-year-old woman with paranoid schizophrenia who developed orofacial dyskinesia some 4 months after the commencement of paliperidone long-acting injection.

Cited by: 5

Author: John Lally, John Lally, Fintan Byrne, Eliza...

Publish Year: 2013

[PDF] Angioedema Caused by Oral Paliperidone Augmentation ...

pubsciences.org/pdf/EN-JMOOD-e3dac6c4.pdf

Angioedema caused by oral paliperidone augmentation in the major depressive disorder treatment: a



41,500 Results Any time ▾

A case of paliperidone-palmitate-induced tardive ...

<https://www.sciencedirect.com/science/article/pii/S0163834312001429>

Mar 01, 2013 · We **report** the **case** of a 49-year-old woman with **paranoid schizophrenia** who developed orofacial dyskinesia some 4 months after the commencement of **paliperidone long-acting injection**.

Cited by: 5 **Author:** John Lally, John Lally, Fintan Byrne, Elizabe...

Publish Year: 2013

Paliperidone, Reactions Weekly | 10.1007/s40278-015-5972-x ...

<https://www.deepdyve.com/lp/springer-journals/paliperidone-jfyj24pJBI> ▾

Oct 03, 2015 · Two hours after the first dose of **paliperidone** 6mg, she developed swelling on the **face**. The woman was immediately admitted in an emergency department. Physical examination revealed **periorbital oedema** and swollen lips. **Paliperidone** was discontinued, and her **oedema** subsided within 6 days. **Paliperidone** was restarted at a dosage of 3 mg/day.

Cross-reaction of angioedema with clozapine, olanzapine ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6728117>

Sep 04, 2019 · The following **case report** details the development of **angioedema** following trials of clozapine, olanzapine, and quetiapine in a patient with a long-standing history of schizophrenia. This patient **case** prompts a need for further awareness of and caution for recurrent **angioedema** following an initial episode linked to antipsychotic medication.

Cited by: 1 **Author:** Gabriela D. Williams

Publish Year: 2019

Dose-Dependent Paliperidone Associated With Angioedema ...

<https://www.researchgate.net/publication/279628858...>

Here we **report a case** of **angioedema** with risperidone. A 15-year-old boy diagnosed with schizophrenia was started on risperidone 1 mg/day, which was increased to 2 mg/day after 2 weeks.

Adverse Event - Movement Disorders

<https://www.janssenmd.com/invega-sustenna/safety/...> ▾

A summary of safety data regarding the occurrence of movement disorders in patients receiving INVEGA SUSTENNA® (**paliperidone** palmitate).

Cross-reaction of angioedema with clozapine, olanzapine ...

<https://mhc.cpn.org/doi/abs/10.9740/mhc.2019.09.315>

This **case report** identifies **angioedema** cross-reaction linked with 3 second-generation antipsychotics. Given the potentially life-threatening nature of **angioedema**, awareness of recurrent **angioedema** should be undertaken when trialing antipsychotics following an episode of **angioedema** correlated to antipsychotic use, particularly when trialing ...

Cross-reaction of angioedema with clozapine, olanzapine ...

<https://meridian.allenpress.com/mhc/article/9/5/...> ▾

Sep 01, 2019 · Limited prior **case** reports have identified **angioedema** cross-reactivity among antipsychotic medications. In one published **case**, 2 a 27-year-old female taking clozapine for 5 years presented with **facial** swelling and periorbital eruption, prompting a diagnosis of acute **angioedema**. Clozapine therapy was discontinued, and upon resolution of **angioedema**, olanzapine was initiated; however, **angioedema** ...

Five Month-Persistent Extrapyrarnidal Symptoms following a ...

www.cpn.or.kr/journal/view.html?uid=721&vmd=Full ▾

One study showed **high incidence** of **paliperidone palmitate-induced EPSs** based on the Simpson-Angus Scale (SAS) scored by clinicians (18% in the 100 mg/day group). 5, 6) This result suggests **LAI-induced EPSs** may be actually more frequent but unrecognized and underestimated. Long acting **intramuscular formulation** is slowly released from injection site for several weeks.

A case of paliperidone-palmitate-induced tardive ...

<https://www.researchgate.net/publication/227163476...>

A case of **paliperidone-palmitate-induced** tardive dyskinesia. ... she is the first **case report** of having direct **paliperidone**-induced TD. Immediate treatments including **paliperidone** dose reduction ...

[PDF] **DR. NEHA AUGUSTINE, MD; DR. SANU PAUL, MD; DR. ABBI ...**

<https://poma.memberclicks.net/assets/docs/...>

Case Report Angioedema is characterized by **painless, nonpruritic, nonpitting**, and well-circumscribed areas of **edema** due to increased vascular permeability mediated by **histamine, serotonin and bradykinins**, causing the arterioles to dilate while inducing a ...



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

41,000 Results

Any time ▼

[A case of paliperidone-palmitate-induced tardive ...](#)

<https://www.sciencedirect.com/science/article/pii/S0163834312001429>

Mar 01, 2013 · We **report** the **case** of a 49-year-old woman with **paranoid schizophrenia** who developed orofacial dyskinesia some 4 months after the commencement of **paliperidone long-acting injection**.

Cited by: 5

Author: John Lally, John Lally, Fintan Byrne, Eliza...

Publish Year: 2013

[Paliperidone, Reactions Weekly | 10.1007/s40278-015-5972-x ...](#)

<https://www.deepdyve.com/lp/springer-journals/paliperidone-jfyj24pJBI> ▼

Oct 03, 2015 · Two hours after the first dose of **paliperidone** 6mg, she developed swelling on the **face**. The woman was immediately admitted in an emergency department. Physical examination revealed **periorbital oedema** and swollen lips. **Paliperidone** was discontinued, and her **oedema** subsided within 6 days. **Paliperidone** was restarted at a dosage of 3 mg/day.

[Cross-reaction of angioedema with clozapine, olanzapine ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6728117>

Sep 04, 2019 · The following **case report** details the development of **angioedema** following trials of clozapine, olanzapine, and quetiapine in a patient with a long-standing history of schizophrenia. This patient **case** prompts a need for further awareness of and caution for recurrent **angioedema** following an initial episode linked to antipsychotic medication.

Cited by: 1

Author: Gabriela D. Williams

Publish Year: 2019

[Dose-Dependent Paliperidone Associated With Angioedema ...](#)

<https://www.researchgate.net/publication/279628858...>

Here we **report a case** of **angioedema** with risperidone. A 15-year-old boy diagnosed with schizophrenia was started on risperidone 1 mg/day, which was increased to 2 mg/day after 2 weeks.

[Cross-reaction of angioedema with clozapine, olanzapine ...](#)

<https://mhc.cpn.org/doi/abs/10.9740/mhc.2019.09.315>

This **case report** identifies **angioedema** cross-reaction linked with 2 second-generation antipsychotics.