

国内版 国际版



The emergency surgical workflow and experience of two suspected



ALL IMAGES VIDEOS

3,350,000 Results Any time ▾

Coronavirus Disease 2019 (COVID-19)

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/non...> ▾


Apr 06, 2020 · 3. General Best Practices. In addition to a specific strategy for the identification of suspected COVID-19 cases, there are general best practices that will improve both healthcare worker and inpatient COVID-19 screening.

COVID-19: the Hong Kong Perspective | STS

<https://www.sts.org/.../covid-19-hong-kong-perspective> ▾

Testing of suspected cases also was taken very seriously. Of the 2,726 suspected COVID-19 cases reported up to March 17, 2,395 already have been ruled out from having the infection. In the health care sector, visiting at public hospitals was significantly limited and all visitors were requested to wear surgical masks starting on January 4.

Images of the Emergency Surgical Workflow And experience ... [bing.com/images](https://www.bing.com/images)



See all images >

Internal messages reveal crisis at Houston hospitals as ...

<https://www.nbcnews.com/news/us-news/internal...>

Jul 01, 2020 · Part of the problem, Peña said, is that when his crews arrive at a hospital with a patient suspected of having COVID-19, the hospital may have a physical bed ...



国内版 国际版

Emergency surgical workflow and experience of suspected cases o



ALL IMAGES VIDEOS

2,720,000 Results Any time ▼

Healthcare Emergency Management: A COVID-19 Response

<https://www.healthcatalyst.com/a-sustainable...> ▼

Aug 20, 2020 · As the era of **COVID-19** extends, healthcare systems face a daunting range of challenges. Scientific understanding of **COVID-19** has been continuously expanding since the World Health Organization declared it a "public health **emergency** of international concern" in late January 2020. Global infection and disease progression rates, effective treatment, and theories on potential vaccines are ...

Investigating a COVID-19 Case | CDC

<https://www.cdc.gov/.../contact-tracing-plan/investigating-covid-19-case.html> ▼

Aug 27, 2020 · Step 1: **Case** Identification & Prioritization. **COVID-19** case investigations are typically initiated when a health department receives a positive SARS-CoV-2 test result **report** from a laboratory or a patient's confirmed or probable diagnosis of **COVID-19** from a healthcare provider.. Ideally, jurisdictions will have ample testing available and the public health infrastructure to allow laboratory ...

Containing COVID-19 in the Emergency Department: The Role ...

<https://pubmed.ncbi.nlm.nih.gov/32281231>

Objectives: Patients with **COVID-19** may present with respiratory syndromes indistinguishable from common viruses. This poses a challenge for early detection during triage in the **emergency** department (ED). Over a 3-month period, our ED aimed to minimize nosocomial transmission by using broader suspect **case** criteria for better detection and using appropriate personal protective equipment (PPE ...

Cited by: 11 Author: Liang E. Wee, Liang E. Wee, Tzay Ping Fua, ...

Publish Year: 2020

Plasma wins emergency approval; 1st case of COVID-19 ...

<https://www.beckershospitalreview.com/public...> ▼

The U.S. has reported an average of 42,310 **COVID-19** cases daily in the past week, down 22 percent from the average seen two weeks ago, reports The New York Times. The seven-day **case** average has ...

Orthopaedic patient workflow in CoViD-19 pandemic in Italy ...

<https://www.sciencedirect.com/science/article/pii/S0972978X20301537>

CoViD-19 epidemic started in China in late December 2019, and soon spread, turning into a pandemic. All medical specialties have soon been involved in the management of CoViD-19 patients; the daily Orthopaedic activity has been affected profoundly by this dramatic health **emergency**.

Cited by: 2 Author: Giulia Bettinelli, Elena Delmastro, Damiano ...

Publish Year: 2020

[PDF] Coronavirus disease 2019 (COVID-19)



56266-Review.docx

Quotes Excluded
Bibliography Excluded8%
similarity

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 56266

Manuscript Type: CASE REPORT

The emergency surgical workflow and experience of suspected cases of COVID-19: A case report

Di Wu, Tian-Yu Xie, Xue-Hong Sun, Xin-Xin Wang

Abstract

BACKGROUND

Severe acute respiratory syndrome coronavirus 2 has been confirmed to be a newly discovered zoonotic pathogen that causes highly contagious viral pneumonia, which the world health organization has named novel coronavirus pneumonia. Since its

Match Overview

1	Internet 76 words crawled on 07-May-2020 www.vignet.com	2%
2	Internet 75 words crawled on 29-Jun-2020 link.springer.com	2%
3	Internet 39 words crawled on 27-Apr-2020 www.chinawaterinsale.com	1%
4	Internet 33 words crawled on 11-Mar-2020 strongwordings.pinterest.net	1%
5	Crossref 32 words Hui Han "Acute 1,2,3-Trichloroethane Poisoning: A Case Report and Literature Review - ACUTE 1,2,3-TRICHLOR"	1%
6	Internet 19 words crawled on 30-Jun-2020 pubmed.ncbi.nlm.nih.gov	<1%
7	Crossref 19 words Kausik Bhattacharya "Are Surgeons in India prepared for COVID-19?", <i>Indian Journal of Surgery</i> , 2020	<1%
8	Crossref 17 words Gi Beom Kim, Oog Jin Shon, Jeong Jin Park, Sun-Mi Lee, Gun Woo Lee "What is the Impact of Novel Coronavirus"	<1%
9	Internet 15 words crawled on 03-Sep-2020	<1%

国内版

国际版

Emergency surgical workflow and experience of suspected cases



ALL

IMAGES

VIDEOS

2,720,000 Results

Any time ▾

Healthcare Emergency Management: A COVID-19 Response

<https://www.healthcatalyst.com/a-sustainable...> ▾

Aug 20, 2020 · **COVID-19 response** requires a flexible framework to guide health systems through critical phases seen in any **communitywide healthcare emergency**: prepare, prevent, recover, and plan for the future. Health systems can use the framework to respond to immediate challenges and the ongoing management demands of a forever-altered healthcare system.

Investigating a COVID-19 Case | CDC

<https://www.cdc.gov/.../contact-tracing-plan/investigating-covid-19-case.html> ▾

Aug 27, 2020 · Step 1: **Case** Identification & Prioritization. **COVID-19 case** investigations are typically initiated when a health department receives a positive SARS-CoV-2 test result **report** from a laboratory or a patient's confirmed or probable diagnosis **of COVID-19** from a healthcare provider.. Ideally, jurisdictions will have ample testing available and the public health ...

Containing COVID-19 in the Emergency Department: The Role ...

<https://pubmed.ncbi.nlm.nih.gov/32281231>

When a **case of COVID-19** was confirmed, **surveillance** was conducted for potentially exposed patients and HCWs. Results: A total of **1,841 cases** presenting with respiratory syndromes required admission over the study period.

Cited by: 11

Author: Liang E. Wee, Liang E. Wee, Tzay Ping F...

Publish Year: 2020

Orthopaedic patient workflow in CoViD-19 pandemic in Italy ...

<https://www.sciencedirect.com/science/article/pii/S0972978X20301537>

CoViD-19 epidemic started in China in late December 2019, and soon spread, turning into a pandemic. All medical specialties have soon been involved in the management **of CoViD-19** patients; the daily Orthopaedic activity has been affected profoundly by this dramatic health **emergency**.

Cited by: 2

Author: Giulia Bettinelli, Elena Delmastro, Damia...