

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59019

Manuscript Type: CASE REPORT

Bleeding of two lumbar arteries caused by one puncture following percutaneous nephrolithotomy: A case report

Liu Q *et al.* Lumbar arteries bleeding caused by puncture

Qian Liu, Chuan Yang, Kai Lin, Dong Yang

Abstract

BACKGROUND

Lumbar artery bleeding is an uncommon complication of percutaneous nephrolithotomy (PCNL). This report presents a rare complication where two lumbar arteries were injured by a single puncture following PCNL. Only scarce reports of this complication have been reported.

Match Overview

1	Internet 81 words crawled on 07-May-2020 www.wjnet.com	5%
2	Crossref 79 words Xiaobo Ding, Jingjing Guan, Jingyan Tian, Yuchuan Hou, Chunxi Wang, Yanbo Wang. "Subcostal artery bleeding after j...	5%
3	Crossref 42 words Basit Salam, Kumail Khandwala. "Lumbar Artery Pseudoaneurysm Following Renal Biopsy", Cureus, 2018	3%
4	Crossref 31 words He Zhaohui, Lei Hanqi, Lu Xiongbing, Zhang Caixia, Wan Shihawpong, Zeng Guohua. "Analysis of repeated renal arteri...	2%
5	Crossref 30 words Desai, Janak, and Ronak Solanki. "Ultra-mini percutaneous nephrolithotomy (UMP): one more armamentarium : Ultra-mi...	2%
6	Crossref 20 words Yu-Hang Zhang, Jiang Du, Chuan-Hui Li, Bing Hu. "Endoscopic pedicle flap grafting in the treatment of esophageal fistul...	1%
7	Crossref 7 words "Abstracts of the 2006 North American Congress of Clinical Toxicology Annual Meeting", Clinical Toxicology, 2008	<1%



ALL

IMAGES

VIDEOS

7,730 Results

Any time ▾

[Lumbar artery pseudoaneurysm following percutaneous ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2684343>

INTRODUCTION. Following percutaneous nephrolithotripsy (PCNL), renal vascular complications ranging from pseudoaneurysms to arteriovenous fistulas have been extensively reported in the literature.[1,2] Lumbar artery pseudoaneurysms following percutaneous nephrostomy (PCN) and PCNL are a rare occurrence. Considerations involved in the diagnosis and management of lumbar artery

...

Cited by: 5

Author: Venkat Tummala, Kunal I Nanavati, Jose ...

Publish Year: 2008

[Lumbar Artery Bleed as a Complication of Percutaneous ...](#)

https://www.researchgate.net/publication/329578847_Lumbar_Artery_Bleed_as_a...

Injuries to extrarenal arteries caused by percutaneous biopsy needles are very rare but highly lethal due to delay in recognition. Here we report the case of an inadvertent lumbar artery puncture ...

[Therapeutic embolization of lumbar arterial bleedings with ...](#)

<https://www.sciencedirect.com/science/article/pii/S1571467504000161>

Jun 01, 2004 - As in our case pancreatitis can also cause bleeding from lumbar arteries. Lumbar arterial injury following percutaneous renal procedures is difficult to detect [3] . The existence of two independent bleeding sites (intrarenal and lumbar arterial) can lead to a serious delay in identification and treatment of lumbar arterial lesion [6] .

Cited by: 2

Author: Barbaros E Cil

Publish Year: 2004

[Intra-arterial embolization of lumbar artery ...](#)

https://www.researchgate.net/publication/11814002_Intra-arterial_embolization_of...

Request PDF | Intra-arterial embolization of lumbar artery pseudoaneurysm following percutaneous nephrolithotomy | The management of a patient with haematuria following percutaneous ...

[Lumbar artery bleeding as a complication of percutaneous ...](#)

https://www.researchgate.net/publication/8233320_Lumbar_artery_bleeding_as_a...

A case of severe lumbar artery bleeding as a complication of percutaneous nephrostomy (PCN) is



6,490 Results Any time ▾

Lumbar artery pseudoaneurysm following percutaneous ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2684343>

Following percutaneous nephrolithotripsy (PCNL), renal vascular complications ranging from pseudoaneurysms to arteriovenous fistulas have been extensively reported in the literature.[1,2] Lumbar artery pseudoaneurysms following percutaneous nephrostomy (PCN) and PCNL are a rare occurrence. Considerations involved in the diagnosis and management of lumbar artery pseudoaneurysms have ...

Cited by: 5 Author: Venkat Tummala, Kunal I Nanavati, Jose M ...
Publish Year: 2008

Lumbar Artery Bleed as a Complication of Percutaneous ...

https://www.researchgate.net/publication/329578847_Lumbar_Artery_Bleed_as_a...

Injuries to extrarenal arteries caused by percutaneous biopsy needles are very rare but highly lethal due to delay in recognition. Here we report the case of an inadvertent lumbar artery puncture ...

Lumbar artery bleeding as a complication of percutaneous ...

https://www.researchgate.net/publication/8233320_Lumbar_artery_bleeding_as_a...

A case of severe lumbar artery bleeding as a complication of percutaneous nephrostomy (PCN) is presented. A 70-year-old man with coagulation disorder (factor VIII deficiency) underwent left PCN ...

Intra-arterial embolization of lumbar artery ...

<https://www.researchgate.net/publication/11814002...>

Refractory bleeding following percutaneous nephrolithotomy (PCNL) is mainly due to formation of pseudoaneurysm. Transarterial embolization is required to control the bleeding in such cases.

Vascular complications after Percutaneous nephrolithotomy ...

https://www.researchgate.net/publication/7751046_Vascular_complications_after...

Lumbar artery injury after percutaneous renal procedures is a rare occurrence. We report two cases of lumbar artery injury: one after antegrade ureteric stenting and the other after percutaneous ...

Therapeutic embolizaton of lumbar arterial bleedings with ...

<https://www.researchgate.net/publication/244799052...>

We report a case of severe lumbar artery bleeding following percutaneous renal biopsy. ... The management of a patient with haematuria following percutaneous nephrolithotomy is described ...

Therapeutic embolizaton of lumbar arterial bleedings with ...

<https://www.sciencedirect.com/science/article/pii/S1571467504000161>

Jun 01, 2004 · As in our case pancreatitis can also cause bleeding from lumbar arteries. Lumbar arterial injury following percutaneous renal procedures is difficult to detect . The existence of two independent bleeding sites (intrarenal and lumbar arterial) can lead to a serious delay in identification and treatment of lumbar arterial lesion . Pre-contrast CT scans typically demonstrate a homogenous high-density ...

Diagnosis and Management of Hemorrhagic Complications of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4447883>

Percutaneous Biliary and Gallbladder Interventions. While endoscopic access to the biliary system can provide a less invasive route to diagnose and treat pathology of the biliary system, endoscopists may be limited by altered gastrointestinal tract anatomy, or hilar or intrahepatic biliary disease. 3 Percutaneous access to the biliary tree has become an essential therapeutic component for ...

Lumbar artery pseudoaneurysm following percutaneous ...

www.indianjurol.com/article.asp?issn=0970-1591;...

We report this case of unsuspected lumbar artery pseudoaneursym following PCNL that resulted in significant bleeding around the catheter necessitating endovascular management. Operative control of lumbar artery bleeding is often difficult, since the site of origin may not be readily isolated.

Hemorrhage from lumbar artery following percutaneous renal ...

www.indianjnephrol.org/article.asp?issn=0971-4065;...

Hemorrhage from lumbar artery following percutaneous renal biopsy B Vijayalakshmi ... The lumbar artery embolization has been reported to have caused infarction of paraspinal muscles in two patients. Bleeding from lumbar artery is a rare complication but can be successfully managed with prompt recognition and intervention. ... Case report ...

Search Tools

Turn off Hover Translation (关闭取词)



Bleeding of two lumbar arteries caused by one puncture following p



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

6,520 Results Any time ▾

[Lumbar artery pseudoaneurysm following percutaneous ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2684343>

Following percutaneous nephrolithotripsy (PCNL), renal vascular complications ranging from pseudoaneurysms to arteriovenous fistulas have been extensively reported in the literature.[1,2] **Lumbar artery pseudoaneurysms following percutaneous nephrostomy (PCN)** and PCNL are a rare occurrence. Considerations involved in the diagnosis and management of **lumbar artery pseudoaneurysms** ...

Cited by: 5

Author: Venkat Tummala, Kunal I Nanavati, Jose ...

Publish Year: 2008

[Lumbar Artery Bleed as a Complication of Percutaneous ...](#)

https://www.researchgate.net/publication/329578847_Lumbar_Artery_Bleed_as_a...

Injuries to extrarenal **arteries** caused by **percutaneous** biopsy needles are very rare but highly lethal due to delay in recognition. Here we **report** the **case** of an inadvertent **lumbar artery puncture** ...

[Lumbar artery bleeding as a complication of percutaneous ...](#)

https://www.researchgate.net/publication/8233320_Lumbar_artery_bleeding_as_a...

A **case** of severe **lumbar artery bleeding** as a complication of **percutaneous** nephrostomy (PCN) is presented. A 70-year-old man with coagulation disorder (factor VIII deficiency) underwent left PCN ...

[Intra-arterial embolization of lumbar artery ...](#)

https://www.researchgate.net/publication/11814002_Intra-arterial_embolization_of...

Refractory bleeding following percutaneous nephrolithotomy (PCNL) is mainly due to formation of pseudoaneurysm. Transarterial embolization is required to control the **bleeding** in such cases.

[Vascular complications after Percutaneous nephrolithotomy ...](#)

https://www.researchgate.net/publication/7751046_Vascular_complications_after...

Lumbar artery injury after percutaneous renal procedures is a rare occurrence. We report **two cases** of **lumbar artery injury**: one after antegrade ureteric stenting and the other after percutaneous ...