

1
Name of Journal: *World Journal of Clinical Cases*
Manuscript NO: 59078
Manuscript Type: CASE REPORT

Large leiomyoma of lower esophagus diagnosed by endoscopic ultrasonography-fine needle aspiration: A case report

Rao M *et al.* leiomyoma of esophagus diagnosed by EUS-FNA

Min Rao, Qing-Qing Meng, Pu-Jun Gao

Match Overview

1	Internet 14 words crawled on 27-Apr-2020 f6publishing.blob.core.windows.net	1%
2	Internet 13 words crawled on 08-Dec-2018 www.infectiousdiseaseadvisor.com	1%
3	Crossref 12 words Naveen Padmanabhan, Ann Kurian, Aasim Hussain, V. Rajarajan, Ajit Pai. "Giant Gastroesophageal Leiomyoma: Challenging ..."	1% >
4	Crossref 12 words Vytautas Lipnickas, Augustas Beiša, Gabija Makūnaitė, Kęstutis Strupas. "Laparoscopic approach in the treatment of large ..."	1%



Large leiomyoma of lower esophagus diagnosed by EUS-FNA: A case rep



ALL

IMAGES

VIDEOS

25,200 Results

Any time ▾

[Esophageal Leiomyosarcoma Diagnosed by Endoscopic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6761329>

Sep 01, 2019 · This is a rare case of an **esophageal leiomyosarcoma** that was diagnosed by EUS-FNA before surgical resection. To date approximately 200 cases of **leiomyosarcomas** of the **esophagus** have been reported (2,7-11). However, only two cases were diagnosed before treatment by EUS-FNA ...

Author: Masahide Ebi, Kazumasa Sakamoto, ... Publish Year: 2019

[Radiotherapy treatment of large esophageal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4467366>

Stelow et al recently reported that **endoscopic ultrasound-guided fine-needle aspiration (EUS-FNA)** may present a safe and accurate method for distinguishing the **leiomyosarcoma** from other **esophageal tumors** and may be used to guide therapy. In the current study, **leiomyosarcoma** was diagnosed by EUS-FNA.

Cited by: 2

Author: Shuangshuang Ma, Wenzhe Bu, Lijun W...

Publish Year: 2015

[Laparoscopic approach in the treatment of large leiomyoma ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5776493>

We present a case of an involuted **esophageal leiomyoma**, 11 cm in size, treated by the **laparoscopic** approach. The preoperative computed tomogram visualized a mass 3 × 1.5 cm in diameter in the **lower esophagus** without an eccentric lumen or compression of nearby organs.

Author: Vytautas Lipnickas, Augustas Beiša, ... Publish Year: 2017

PEOPLE ALSO ASK

What is leiomyoma of the lower third of the esophagus? ▾

What is the prognosis of leiomyoma? ▾

What is the prognosis of benign tumors? ▾

Large leiomyoma of lower esophagus diagnosed by endoscopic ultr



ALL

IMAGES

VIDEOS

54,000 Results

Any time ▾

Esophageal Leiomyosarcoma Diagnosed by Endoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6761329>

Sep 01, 2019 · **Endoscopic ultrasound-guided fine needle aspiration biopsy** was performed and the histopathological findings indicated **esophageal leiomyosarcoma**. **Surgical resection** was performed. On histopathological examination, the **tumor** was found to consist of spindle cells with deep chromatin nuclei. The **tumor** was finally **diagnosed** as **esophageal leiomyosarcoma**.

Author: Masahide Ebi, Kazumasa Sakamoto,... **Publish Year:** 2019

Intraparietal esophageal leiomyomas diagnosed by ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4063574>

Endoscopic ultrasound-guided fine-needle aspiration cytology (EUS-FNAC) has proven itself to be a reliable method for the **diagnosis** of GISTs and other gastrointestinal mesenchymal tumors, including true leiomyomas . The present study reports two cases of true intramural leiomyomas of the **esophagus**, in which EUS-FNAC allowed the sampling of the ...

Cited by: 3 **Author:** P. Todaro, S. F. Crinò, A. Ieni, S. Pallio, ...

Publish Year: 2014

Radiotherapy treatment of large esophageal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4467366>

Stelow et al(18) recently reported that **endoscopic ultrasound-guided fine-needle aspiration (EUS-FNA)** may present a safe and accurate method for distinguishing the **leiomyosarcoma** from other **esophageal tumors** and may be used to guide therapy. In the current study, **leiomyosarcoma** was **diagnosed** by **EUS-FNA**.

Cited by: 2 **Author:** Shuangshuang Ma, Wenzhe Bu, Lijun ...

Publish Year: 2015



Large leiomyoma of lower esophagus diagnosed by endoscopic ultri



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

53,300 Results Any time ▾

[Leiomyoma of esophagus—A case report - sciencedirect.com](https://www.sciencedirect.com/science/article/pii/S2210261220308154)

<https://www.sciencedirect.com/science/article/pii/S2210261220308154>

Sep 23, 2020 · Benign tumors of the **esophagus** are rare. However, among them, leiomyomas are common. Tumors larger than 5 cm are rare and may present as dysphagia or ...

[Esophageal Leiomyosarcoma Diagnosed by Endoscopic ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6761329)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6761329>

Sep 01, 2019 · **Endoscopic ultrasound-guided fine needle aspiration biopsy** was performed and the histopathological findings indicated **esophageal leiomyosarcoma**. **Surgical resection** was performed. On histopathological examination, the **tumor** was found to consist of spindle cells with deep chromatin nuclei. The **tumor** was finally **diagnosed** as **esophageal leiomyosarcoma**.

Author: Masahide Ebi, Kazumasa Sakamoto, ... **Publish Year:** 2019

[Laparoscopic approach in the treatment of large leiomyoma ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5776493)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5776493>

Dec 29, 2017 · **Leiomyoma** of the **lower third** of the **esophagus** is a relatively **rare disorder** but the most common **benign tumor** of the **esophagus**. We present a case of an **involut ed esophageal leiomyoma**, 11 cm in size, treated by the **laparoscopic** approach.

Author: Vytautas Lipnickas, Augustas Beiša, ... **Publish Year:** 2017

[Radiotherapy treatment of large esophageal leiomyosarcoma ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4467366)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4467366>

Stelow et al(18) recently reported that **endoscopic ultrasound-guided fine-needle aspiration (EUS-FNA)** may present a safe and accurate method for distinguishing the **leiomyosarcoma** from other **esophageal tumors** and may be used to guide therapy. In the current study, **leiomyosarcoma** was **diagnosed** by **EUS-FNA**.

Cited by: 2 **Author:** Shuangshuang Ma, Wenzhe Bu, Lijun W...
Publish Year: 2015

[Giant leiomyoma of the esophagus: A case report and review ...](https://www.researchgate.net/publication/23712364...)

<https://www.researchgate.net/publication/23712364...>